

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	27-01-2026 13:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	27-01-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	3479
वस्तु श्रेणी / Item Category	Toilet Seat Covers (V2) (Q4) , Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703 (Q4) , Curtain Pipe, Sider and mounting bracket (Q4) , Bathroom Water Shower (V2) (Q3) , Towel Rail / Ring for Bathroom (Q3) , Sinks (Q3) , Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Stainless Steel Shelf Rack (Q3) , Soap Dish - Case (Q4) , Tower Bolts (Ferrous Metals) as per IS 204 (Q3) , Wire Mesh Fabric or Cloth (V2) as per IS 1568 (Q3) , Copper Alloy Gate Valve for Waterworks Purpose as per IS 778 (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	14 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	110 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	90000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Chief Engineer

Chief Engineer AIR FORCE NAGPUR ZONE, Department of Military Affairs, Indian Army, Ministry of Defence
(Chief Engineer Af Nagpur)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality

and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid

opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Toilet Seat Covers (V2) (352 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Physical Characteristics	Material of cover	Plastic
Dimensions	Length of cover(in cm)	31-40
	Width of cover(in cm)	30-35
	Warranty	3 Or higher
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report to be furnished to the buyer on demand	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	72	15
2	*****	*****CHANDIGARH	40	15
3	*****	*****GURGAON	240	15

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 (

208 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Nominal Size	20.0 (millimeter)
	Class	High Pressure
	Material for body and component parts of Float Valves	As per Table 1 (Clause 5.1) of governing specifications

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	43	15
2	*****	*****GURGAON	165	15

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 (135 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Nominal Size	15.0 (millimeter)
	Class	High Pressure
	Material for body and component parts of Float Valves	As per Table 1 (Clause 5.1) of governing specifications

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	46	15
2	*****	*****GURGAON	89	15

Curtain Pipe, Sider And Mounting Bracket (250 meter)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	ITEM	Hanging Bracket
OTHER REQUIREMENTS	Sider(one pair per pipe)	Without
DIMENSON	Outside Diameter of curtain pipe (in mm)	19mm
	Length of curtain pipe(In Meter)	1
	Minimum Wall thickness of pipe (In MM)	3, 4, 5 Or higher
	Minimum thickness of Curtain pipe hanging bracket (in mm)	3 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	100	15
2	*****	*****GURGAON	150	15

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 (153 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Nominal Size	25.0 (millimeter)
	Class	High Pressure
	Material for body and component parts of Float Valves	As per Table 1 (Clause 5.1) of governing specifications

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	28	15
2	*****	*****GURGAON	125	15

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 (283 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Nominal Size	20.0 (millimeter)
	Class	High Pressure
	Material for body and component parts of Float Valves	As per Table 1 (Clause 5.1) of governing specifications

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	133	15
2	*****	*****GURGAON	150	15

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 (246 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Nominal Size	15.0 (millimeter)
	Class	High Pressure
	Material for body and component parts of Float Valves	As per Table 1 (Clause 5.1) of governing specifications

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	66	15
2	*****	*****GURGAON	180	15

Bathroom Water Shower (V2) (130 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	ABS

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Finish of face plate	White matt
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	200
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	30	15
2	*****	*****GURGAON	100	15

Towel Rail / Ring For Bathroom (44 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	PLASTIC

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Thickness of pipe	1.2 mm
	Color	Golden
	Shape	open rectangle
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	24	15
2	*****	*****GURGAON	20	15

Towel Rail / Ring For Bathroom (31 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail
	Minimum Thickness of pipe	1.5 mm
	Color	Steel
	Shape	open rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	23 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	19	15
2	*****	*****CHANDIGARH	12	15

Towel Rail / Ring For Bathroom (22 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Ring
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail
	Minimum Thickness of pipe	0.75 mm
	Color	Steel
	Shape	Square
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	750
	Number of Mounting Bracket	1

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	22	15

Sinks (23 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Items	Definition	inset Sink
	Type of Sink	Single bowl single drainer platform right hand
Specification	Conformity to indian standard IS 2963/ IS 3311	No
	Product is BIS marked	No
Material	Material	Austenitic stainless steel of Grade Designation X07Cr18Ni9 (Numerical symbol 302) conforming
Shape, Design and Colour	Top Shape of the Bowl	Rectangular
	Sink with one small bowl	No
	Tap holes	Without
	No of Tap Holes	NA
	Over Flows Holes	Without
Dimensions	Overall Sink Length (mm)	661-680
	Overall Sink Width (mm)	501-520
	Bowl Length (mm)	401-420
	Bowl width (mm)	340 -360
	Depth of Bowl (mm)	200-220
	Small Bowl Length (mm)	NA
	Small Bowl Width (mm)	NA
	Small Bowl depth (mm)	NA
	After Forming SS Sheet/Strip Thickness (mm)	0.91-0.95
	Diameter of Tap holes (mm)	15-20
	Distance between two Tap holes (mm)	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Waste outlet Size (mm)	40
Finish	Finish	Polished

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	15	15
2	*****	*****CHANDIGARH	8	15

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (30 pieces)
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with external thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	30	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (150 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	100	15
2	*****	*****CHANDIGARH	50	15

Stainless Steel Shelf Rack (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Configuration	With 4-Shelf (including top shelf)
	Shape of support structure	Rectangular hollow type
	Ground clearance (mm)	25 mm
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL & MATERIAL THICKNESS	Shelf material	Stainless Steel Grade 202 galvanized
	Shelf material thickness	0.6 mm
	Support structure material	Stainless Steel Grade 202 galvanized
	Support structure material thickness	0.6 mm
DIMENSION	Width of shelf rack ± 10 mm	915 mm
	Depth of shelf rack ± 10 mm	405 mm
	Height of shelf rack ± 10 mm	1220 mm
	Height of support structure ± 10 mm	1245 mm
	Size of support structure	30 mm x 30 mm
WARRANTY	Warranty period	1 - Year
CERTIFICATION	Test report to be furnished to buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	5	15

Soap Dish - Case (75 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of the box	Stainless Steel
Lid Details	Type of Lid	TRANSPARENT
	Lid type (according to fixation)	HINGED

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	50	15
2	*****	*****CHANDIGARH	25	15

Towel Rail / Ring For Bathroom (55 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Ring
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Stainless Steel(SS 304)
	Minimum Thickness of pipe	1.0 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Color	Steel
	Shape	Ring
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	NA
	Number of Mounting Bracket	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	35	15
2	*****	*****CHANDIGARH	20	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (60 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	50	15
2	*****	*****CHANDIGARH	10	15

Tower Bolts (Ferrous Metals) As Per IS 204 (120 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Item	"Semi-Barrel Tower Bolts (Type - 2B)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	Spherical
	Fixing of knob with Bolt	Screwed

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Bolt's Finish	Bright
	Other Part of Tower Bolt Finish	Zinc Plated (Zinc Plated as per 1573 : 1986)
DIMENSIONS	"Barrel Tower Bolts size (mm)"	NA
	Semi-Barrel Tower Bolts size (mm)	100
	Riveted or Spot Welded Tower Bolts size (mm)	NA
	"Skeleton Tower Bolts size (mm)"	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	120	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Item	Type 3 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Forged brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (1 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 2 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	1	15

Tower Bolts (Ferrous Metals) As Per IS 204 (40 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Item	"Barrel Tower Bolts (Type - 1A)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	Round
	Fixing of knob with Bolt	Riveted
	Bolt's Finish	Bright
	Other Part of Tower Bolt Finish	Bright
DIMENSIONS	"Barrel Tower Bolts size (mm)"	200
	Semi-Barrel Tower Bolts size (mm)	NA
	Riveted or Spot Welded Tower Bolts size (mm)	NA
	"Skeleton Tower Bolts size (mm)"	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	40	15

Tower Bolts (Ferrous Metals) As Per IS 204 (20 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Item	"Barrel Tower Bolts (Type - 1A)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	Round

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Fixing of knob with Bolt	Riveted
	Bolt's Finish	Bright
	Other Part of Tower Bolt Finish	Bright
DIMENSIONS	"Barrel Tower Bolts size (mm)"	250
	Semi-Barrel Tower Bolts size (mm)	NA
	Riveted or Spot Welded Tower Bolts size (mm)	NA
	"Skeleton Tower Bolts size (mm)"	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	20	15

Tower Bolts (Ferrous Metals) As Per IS 204 (20 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Item	"Barrel Tower Bolts (Type - 1A)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	Round
	Fixing of knob with Bolt	Screwed
	Bolt's Finish	Bright
	Other Part of Tower Bolt Finish	Bright
DIMENSIONS	"Barrel Tower Bolts size (mm)"	300

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Semi-Barrel Tower Bolts size (mm)	NA
	Riveted or Spot Welded Tower Bolts size (mm)	NA
	"Skeleton Tower Bolts size (mm)"	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	20	15

Tower Bolts (Ferrous Metals) As Per IS 204 (41 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Item	"Semi-Barrel Tower Bolts (Type - 1A)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	"Robust construction (as per buyer requirements)"
	Fixing of knob with Bolt	Screwed
	Bolt's Finish	Bright
	Other Part of Tower Bolt Finish	Bright
DIMENSIONS	"Barrel Tower Bolts size (mm)"	200
	Semi-Barrel Tower Bolts size (mm)	175
	Riveted or Spot Welded Tower Bolts size (mm)	200

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	"Skeleton Tower Bolts size (mm)"	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	41	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (32 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	32	15

Bathroom Water Shower (V2) (48 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	ABS
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	200
	Length of Hand Shower Tube (in mt)	1.5
	Diameter of Hand Shower Tube (in mm)	8
	Material of Hand Shower Tube	PVC
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	48	15

Stainless Steel Shelf Rack (15 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Configuration	With 4-Shelf (including top shelf)
	Shape of support structure	Angle post

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Ground clearance (mm)	35 mm
	Mode of supply	Assembled Ready To Use
MATERIAL & MATERIAL THICKNESS	Shelf material	Stainless Steel Grade 304 galvanized
	Shelf material thickness	0.8 mm
	Support structure material	Stainless Steel Grade 202 galvanized
	Support structure material thickness	0.6 mm
DIMENSION	Width of shelf rack \pm 10 mm	915 mm
	Depth of shelf rack \pm 10 mm	405 mm
	Height of shelf rack \pm 10 mm	1220 mm
	Height of support structure \pm 10 mm	1245 mm
	Size of support structure	30 mm x 30 mm
WARRANTY	Warranty period	1 - Year
CERTIFICATION	Test report to be furnished to buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	15	15

Stainless Steel Shelf Rack (11 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Configuration	With 5-Shelf (including top shelf)
	Shape of support structure	Round hollow type

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Ground clearance (mm)	25 mm
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By Consignee Himself
MATERIAL & MATERIAL THICKNESS	Shelf material	Stainless Steel Grade 304 galvanized
	Shelf material thickness	0.6 mm
	Support structure material	Stainless Steel Grade 304 galvanized
	Support structure material thickness	0.6 mm
DIMENSION	Width of shelf rack ± 10 mm	915 mm
	Depth of shelf rack ± 10 mm	405 mm
	Height of shelf rack ± 10 mm	1220 mm
	Height of support structure ± 10 mm	1245 mm
	Size of support structure	30 mm x 30 mm
WARRANTY	Warranty period	1 - Year
CERTIFICATION	Test report to be furnished to buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	11	15

Sinks (15 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Items	Definition	inset Sink
	Type of Sink	Single bowl without drainer platform

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Conformity to indian standard IS 2963/ IS 3311	Yes
	Product is BIS marked	No
Material	Material	Austenitic stainless steel of Grade Designation X04Cr19Ni9 (Numerical symbol 304) conforming
Shape, Design and Colour	Top Shape of the Bowl	Rectangular
	Sink with one small bowl	No
	Tap holes	With
	No of Tap Holes	NA
	Over Flows Holes	Without
Dimensions	Overall Sink Length (mm)	601-620
	Overall Sink Width (mm)	441-460
	Bowl Length (mm)	501-520
	Bowl width (mm)	401-420
	Depth of Bowl (mm)	200-220
	Small Bowl Length (mm)	NA
	Small Bowl Width (mm)	NA
	Small Bowl depth (mm)	NA
	After Forming SS Sheet/Strip Thickness (mm)	0.96-1
	Diameter of Tap holes (mm)	NA
	Distance between two Tap holes (mm)	NA
Waste outlet Size (mm)	32	
Finish	Finish	Polished

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N O.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	15	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (10 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with internal thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	10	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (10 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**तकनीकी विशिष्टियाँ /Technical Specifications*** जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with internal thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	20
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	10	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (7 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Concealed stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	20
Material	Material of body, body components, nozzle , bonnet and back nuts	Forged brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	7	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (50 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	50	15

Tower Bolts (Ferrous Metals) As Per IS 204 (50 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Item	"Barrel Tower Bolts (Type - 1A)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	Round
	Fixing of knob with Bolt	Screwed
	Bolt's Finish	Bright Finished
	Other Part of Tower Bolt Finish	Bright Finished
DIMENSIONS	"Barrel Tower Bolts size (mm)"	150
	Semi-Barrel Tower Bolts size (mm)	150
	Riveted or Spot Welded Tower Bolts size (mm)	NA
	"Skeleton Tower Bolts size (mm)"	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	50	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (17 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**तकनीकी विशिष्टियाँ /Technical Specifications*** जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N O.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	17	15

Wire Mesh Fabric Or Cloth (V2) As Per IS 1568 (220 kilogram)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Standards	Product ISI marked	No
Product & Material	Material	Mild steel
	Protective covering on the wire	No
Design & Dimension	Aperture	Rectangular
	Average width of Aperture	1.18mm
	Nominal diameter of mesh Wire(mm)	0.41
	Length of woven wire cloth (meter)	15
	Width of woven wire cloth (mm)	1200
Reports and Certifications	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report to be furnished to the buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	60	15
2	*****	*****GURGAON	160	15

Bathroom Water Shower (V2) (289 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	Stainless Steel
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	200
	Length of Hand Shower Tube (in mt)	1
	Diameter of Hand Shower Tube (in mm)	12
	Material of Hand Shower Tube	Stainless Steel
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	93	15
2	*****	*****GURGAON	196	15

Towel Rail / Ring For Bathroom (105 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Fitting	Towel Rail

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail
	Minimum Thickness of pipe	0.75 mm
	Color	Steel
	Shape	closed rectangle
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	23 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	50	15
2	*****	*****CHANDIGARH	15	15
3	*****	*****GURGAON	40	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (18 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 1 Valves
	Nominal Size of Valve	40.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	10	15
2	*****	*****GURGAON	8	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 1 Valves
	Nominal Size of Valve	20.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****SOUTH DELHI	17	15
2	*****	*****GURGAON	28	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (8 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 1 Valves
	Nominal Size of Valve	50.0 (millimeter)
	Type of Gate Valve	Double Disk
	Type of Valves End	Flanged Valve

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****GURGAON	8	15

Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 (20 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 1 Valves
	Nominal Size of Valve	25.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****GURGAON	20	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid. * Bidder are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. * NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid. * EMD and EPBG amount to be given in Favor of HQ Chief Engineer (AF) Nagpur *All offered products should be approved listed in HQ CESC, Pune category. * Warranty certificate is mandatory for all branded products. * The OEM must give guarantee letter of behalf of reseller. * In case the bidder is a reseller, he/she must upload bid specific reseller certificate provided by letterhead of respective OEM for the bid duly mentioning Bid Number, * In case the documents are found to be fraud the bidder shall be blacklisted permanently. * The documents can be verified by department from respective OEM by mail/post, thus all details shall be provided by bidder /OEM. In case the documents are found to be fraud the bidder shall be rejected and matter will be reported to GeM. * Bidder's offer is liable to be rejected if they don't upload any of the Certificate/documents sought in the Bid document, the Bidder shall be Technically disqualified

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---