

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-04-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-04-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	1238
वस्तु श्रेणी /Item Category	Fine filter of size 600mmx600mmx150mm , AC heating Elements 6 KW 415 volts3 phase , AC induction tubular heater 9 KW 415 volts,3 phase , RCBO 63AMP 4 Pole , RCBO 40AMP 4 Pole , Distribution Board TPN 8 WAY , Cast Iron Butter fly Valve PN 1.6 150MM , Cast Iron Butter fly Valve PN 1.6 100MM , Cast Iron Butter fly Valve PN 1.6 80MM , Cast Iron Butter fly Valve PN 1.6 65MM , CAST IRON Y STRAINER SIZE 100MM , OVER LOAD RELAY 20-33AMP , OVER LOAD RELAY 14-23AMP , OVER LOAD RELAY 9-15AMP , Phase Sequence Corrector 15HP Capacity with double contactor , Phase Sequence Corrector 20HP Capacity with double contactor , Electro Hydraulic Thrustor brake MDT 250-18 , Electro Hydraulic Thrustor brake MDT 150-18 , POWER CONTRACTOR 3 POLE TYPE MNX 50 , POWER CONTRACTOR 3 POLE TYPE MNX 70 , Tape 25mmx25 Mtr , XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) (Q2) , Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (Q3)

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Fine filter of size 600mmx600mmx150mm, AC heating Elements 6 KW 415 volts3 phase , AC induction tubular heater 9 KW 415 volts,3 phase , RCBO 63AMP 4 Pole , RCBO 40AMP 4 Pole , Distribution Board TPN 8 WAY , Cast Iron Butter fly Valve PN 1.6 150MM, Cast Iron Butter fly Valve PN 1.6 100MM, Cast Iron Butter fly Valve PN 1.6 80MM, Cast Iron Butter fly Valve PN 1.6 65MM, CAST IRON Y STRAINER SIZE 100MM , OVER LOAD RELAY 20-33AMP , OVER LOAD RELAY 14-23AMP , OVER LOAD RELAY 9-15AMP , Phase Sequence Corrector 15HP Capacity with double contactor, Phase Sequence Corrector 20HP Capacity with double contactor, Electro Hydraulic Thrustor brake MDT 250-18, Electro Hydraulic Thrustor brake MDT 150-18, POWER CONTRACTOR 3 POLE TYPE MNX 50, POWER CONTRACTOR 3 POLE TYPE MNX 70, Tape 25mmx25 Mtr

Searched String: Fine filter of size 600mmx600mmx150mm

Casing of Different Sizes with Coupling (CMPDI), Nitrile Coated/Nitrile Hand Gloves (V2), Fishing Tools of Different Sizes and Adopters (CMPDI), Cleaning Duster (V3), Prefab Toilet Block of Size 4.88 M x 7.32 M (As Per GeM Drawing), Writing and Printing Papers Conforming to IS 1848 (Part 1), Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Dry Erase Writing Boards (V3), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Laboratory Filter Papers (V2)

Searched String: AC heating Elements 6 KW 415 volts3 phase

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Shaping Machine

Searched String: AC induction tubular heater 9 KW 415 volts,3 phase

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615

Searched String: RCBO 63AMP 4 Pole

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Bamboo, Tent Pole as per IS 7344, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), Earth Leakage Circuit Breaker (ELCB), Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Gazebo

Searched String: RCBO 40AMP 4 Pole

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Gazebo, PVC Insulated Copper Cable Single Core and

बिड विवरण / Bid Details

Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric

(V2) conforming to IS 2721, Pad Lock Various (As Per Defence Specification), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pole Mounted Stainless Steel Dustbin (V2), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: Distribution Board TPN 8 WAY

Plug and Socket Distribution Board, File/Folder (V3), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), External branding signage boards

Searched String: Cast Iron Butter fly Valve PN 1.6 150MM

RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES, General Purpose Ball Valves (V2), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763

Searched String: Cast Iron Butter fly Valve PN 1.6 100MM

RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES, General Purpose Ball Valves (V2), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763

Searched String: Cast Iron Butter fly Valve PN 1.6 80MM

RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES, General Purpose Ball Valves (V2), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763

Searched String: Cast Iron Butter fly Valve PN 1.6 65MM

RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES, General Purpose Ball Valves (V2), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण/Bid Details **Searched String:** CAST IRON Y STRAINER SIZE 100MM

Cast Iron Bench, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Laboratory Hot plate, General Purpose Ball Valves (V2), Retort Ring with Boss Head, Cylinder Liner, Flexible Jaw Coupling, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, Engineering Metrology-Measuring Equipment - Cast Iron Surface Plates - IS 2285

Searched String: OVER LOAD RELAY 20-33AMP

SOVP Device for Street light Pole Mounted, Cloth Dryer Stand, Voltage Monitor Relay, Static Protective Relays, Overload Relay, Electronic Weighing Scales, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Wire rope as per IS 4521/API Spec 9A (ONGC), Overall CE (Indian Navy Specification), Polyester Webbing Slings

Searched String: OVER LOAD RELAY 14-23AMP

SOVP Device for Street light Pole Mounted, water baths, Voltage Monitor Relay, Static Protective Relays, Overload Relay, Laboratory Glass Adapters, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Wire rope as per IS 4521/API Spec 9A (ONGC), Cloth Dryer Stand, E - Tourist Vehicle / Golf Cart

Searched String: OVER LOAD RELAY 9-15AMP

SOVP Device for Street light Pole Mounted, Cloth Dryer Stand, Voltage Monitor Relay, Static Protective Relays, Overload Relay, HT Tape, Self-amalgamating tape, Cultivator, Stacker (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Phase Sequence Corrector 15HP Capacity with double contactor

Category not available on GeM for the text string uploaded by the buyer

Searched String: Phase Sequence Corrector 20HP Capacity with double contactor

Paper Punch Machine(V2)

Searched String: Electro Hydraulic Thrustor brake MDT 250-18

Orthopedic Operating Table, Automotive Hydraulic Brake Fluid, Heavy Duty (V2) Conforming to IS 8654

Searched String: Electro Hydraulic Thrustor brake MDT 150-18

Orthopedic Operating Table, Hydraulic Press Brake Machine

Searched String: POWER CONTRACTOR 3 POLE TYPE MNX 50

Wild Animal Repellent System (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Distribution Transformer, 3 Phase, 33 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1),

बिड विवरण / Bid Details	Electronic Weighing Scales, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Welding Cable ISI Marked To IS 9857 (V2)
	<p>Searched String: POWER CONTRACTOR 3 POLE TYPE MNX 70</p> <p>Wild Animal Repellent System (V2), Welding Cable ISI Marked To IS 9857 (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Distribution Transformer, 3 Phase, 33 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Electrical connection Lugs or thimbles</p> <p>Searched String: Tape 25mmx25 Mtr</p> <p>Tape Cartridge / Tape Media, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Measuring Tape, Aluminum Tape, Electronic Weighing Scales, Foam Tape, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Empire Tape, Parallel Bar - Outdoor Gym Equipment, HT Tape</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Vacuum Contactor
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	24 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details

दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012

and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Fine Filter Of Size 600mmx600mmx150mm

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	20	20

AC Heating Elements 6 KW 415 Volts3 Phase

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	19	20

AC Induction Tubular Heater 9 KW 415 Volts,3 Phase

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	15	20

RCBO 63AMP 4 Pole

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	24	20

RCBO 40AMP 4 Pole

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	26	20

Distribution Board TPN 8 WAY

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	19	20

Cast Iron Butter Fly Valve PN 1.6 150MM

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	20

Cast Iron Butter Fly Valve PN 1.6 100MM

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	20

Cast Iron Butter Fly Valve PN 1.6 80MM

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	9	20

Cast Iron Butter Fly Valve PN 1.6 65MM

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	20

CAST IRON Y STRAINER SIZE 100MM

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	4	20

OVER LOAD RELAY 20-33AMP

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	20

OVER LOAD RELAY 14-23AMP

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	20

OVER LOAD RELAY 9-15AMP

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	20

Phase Sequence Corrector 15HP Capacity With Double Contactor

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	20

Phase Sequence Corrector 20HP Capacity With Double Contactor

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	20

Electro Hydraulic Thrustor Brake MDT 250-18

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	5	20

Electro Hydraulic Thrustor Brake MDT 150-18

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	6	20

POWER CONTRACTOR 3 POLE TYPE MNX 50

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	20

POWER CONTRACTOR 3 POLE TYPE MNX 70

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	20

Tape 25mmx25 Mtr

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	450	20

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (140 meter)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	Cables suitable for use in mines	Yes
GENERIC	Classification of cables for improved fire performace category	01
	Nominal Area of Conductor (in Sq mm)	25
	Number of Cores	4

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Material of Conductor	Aluminium
	Construction of the conductor	Solid
	Type of Inner Sheath	Vulcanized rubber
ARMOURING	Type of Cable	Armoured cable
	Material of Armouring	Aluminium round wire
	Type of Armouring	Single wire
PACKING AND MARKING	Cable Wound on	ISI Marked Wooden drum

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	140	15

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (120 meter)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	Cables suitable for use in mines	Yes
GENERIC	Classification of cables for improved fire performace category	01
	Nominal Area of Conductor (in Sq mm)	50
	Number of Cores	4
CONSTRUCTION	Material of Conductor	Aluminium

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Vulcanized rubber
ARMOURING	Type of Cable	Armoured cable
	Material of Armouring	Aluminium flat strip
	Type of Armouring	Single strip
PACKING AND MARKING	Cable Wound on	ISI Marked Wooden drum

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	120	15

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (130 meter)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	Cables suitable for use in mines	No
GENERIC	Classification of cables for improved fire performance category	C2 - FR-LSH
	Nominal Area of Conductor (in Sq mm)	95
	Number of Cores	4
CONSTRUCTION	Material of Conductor	Aluminium
	Construction of the conductor	Stranded and shaped

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Inner Sheath	Thermoplastic
ARMOURING	Type of Cable	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Single wire
IDENTIFICATION ON CABLE	Type of Sequential Marking on Cable	Embossed on cable

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	130	15

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (120 meter)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	Cables suitable for use in mines	No
GENERIC	Classification of cables for improved fire performance category	C1 - FR
	Nominal Area of Conductor (in Sq mm)	150
	Number of Cores	3.5
CONSTRUCTION	Material of Conductor	Aluminium
	Construction of the conductor	Stranded
	Type of Inner Sheath	Thermoplastic
ARMOURING	Type of Cable	Armoured cable

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Armouring	Galvanized round steel wire
	Type of Armouring	Single wire
PACKING AND MARKING	Cable Wound on	ISI Marked Wooden drum

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	120	15

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (8 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Rated Current (in Ampere)	63A
	Number of Poles	3 Pole
	Rated Breaking Current (in KA)	25 KA
	Rated Short Circuit Capacity (in KA)	MCCB with RSCB capacity 10/16 KA tripping range
	Rated Voltage	240 Volt 50 Hz AC

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	8	15

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (12 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Rated Current (in Ampere)	100A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	25 KA
	Rated Short Circuit Capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35/50/65 KA tripping range
	Rated Voltage	220VDC

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	12	15

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (10 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Rated Current (in Ampere)	160A
	Number of Poles	4 Pole

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Breaking Current (in KA)	25 KA
	Rated Short Circuit Capacity (in KA)	MCCB with RSCB capacity 10/16 KA tripping range
	Rated Voltage	415 volt 50 Hz

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	15

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (10 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Rated Current (in Ampere)	125A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	25 KA
	Rated Short Circuit Capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	Rated Voltage	220VDC

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	10	15

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (7 pieces)

(Minimum 100% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Rated Current (in Ampere)	250A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	36 KA
	Rated Short Circuit Capacity (in KA)	MCCB with RSCB capacity 10/16 KA tripping range
	Rated Voltage	220VDC

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****South West delhi	7	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1.The bidder has to submit declaration on Stamp paper of Rs 100/- duly notarised date of declaration not b

efore a bid published date for not having debarred / blacklisted either by any bid inviting authority or by any organisation functioning under central / State Govt / Semi-Govt and also not suspended watch on GeM portal. GeM seller ID to be specially mentioned in Affidavit. The bid will be rejected without these documents.

2. The bidder has to produce solvency certificate along with the bid for Rs 50 lakh for each schedule. The certificate should be issued from Nationalised / Scheduled bank and should not be more than three months old from the date of opening of BID and should have valid bank employee ID on the certificate.

3. E-PERFORMANCE BANK GUARANTEE : The Bidder will be required to furnish a Electronic Performance Bank Guarantee (ePBG) through a Nationalised / Schedule Bank for a sum equal to 3% of the Contract value of receipt of confirmed order.

4. EMD : The Bidders are required to furnish a Earnest Money Deposit (EMD) through a Nationalised/ Schedule Bank in the form of Fixed Deposit Receipt (FDR) for Rs.150000/- in favour of GE UTILITY P&M Delhi Cantt 10. Bidders to upload scanned copy of/proof of the FDR along with bid and has to ensure delivery of hard copy to the buyer before bid end date/Bid opening date.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---