

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-02-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-02-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Coal
विभाग का नाम/Department Name	Nlc Tamil Nadu Power Limited
संगठन का नाम/Organisation Name	Nlc Tamil Nadu Power Limited
कार्यालय का नाम/Office Name	Tuticorin 628004
कुल मात्रा/Total Quantity	67
वस्तु श्रेणी /Item Category	ST020350070 COMPLETE VALVE WITHOUT ACTUCATOR MAL 11 and 12 65 100 C3000SPL AD BW MO F22 DRAIN VALVE BEFORE HP CV 1 2 for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2 , SC110471592 ADAPTOR Actuator Drive Bush for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2 , ST020391576 Packing Ring Grafoil W425 for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2 , ST020350073 Packing Ring Bull Ring 0032 for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2 , ST020350109 COMPLETE VALVE WITHOUT ACTUCATOR MAL 22 40 65 C3000SP AD 3S BW MO F22 DRAIN VALVE HP CASING for MAL 22 DRAIN VALVE HP CASING , ST020391552 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM20AA006 I L DIA 33.4X4.55 O L DIA48.3X5.08 for HRHV 113 , ST020391553 ADAPTOR Actuator Drive Bush for HRHV 113 , ST020391554 Stem MOC 16 Cr.SS431 for HRHV 113 , ST020391555 Packing Ring Grafoil for HRHV 113 , ST020391556 Packing Ring Bull Ring for HRHV 113 , ST020391557 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM30AA009 I L DIA 33.4X4.55 O L DIA 48.3X5.08 for CRHV 115 , ST020391558 ADAPTOR Actuator Drive Bush for CRHV 115 , ST020391559 Stem MOC 16 Cr.SS431 for CRHV 115 , ST020391560 Packing Ring Grafoil for CRHV 115 , ST020391561 Packing Ring Bull Ring for CRHV 115 , ST020391562 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM30AA010 I L DIA 33.4X4.55 O L DIA48.3X5.08 for CRHV 122 , ST020391563 ADAPTOR Actuator Drive Bush for CRHV 122 , ST020391564 Stem MOC 16 Cr.SS431 for CRHV 122 , ST020391565 Packing Ring Grafoil for CRHV 122 , ST020391566 Packing Ring Bull Ring for CRHV 122 , ST020391567 ADAPTOR Actuator Drive Bush for CRHV 153 , ST020391568 Stem MOC 16 Cr.SS431 for CRHV 153 ,

बिड विवरण / Bid Details	ST020391569 Packing Ring Grafoil for CRHV 153 , ST020391570 Packing Ring Bull Ring for CRHV 153 ,
	ST020391571 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM40AA001 I L DIA 33.4X4.55 O L DIA48.3X5.08 for CRHV 159 , ST020391572 ADAPTOR Actuator Drive Bush for CRHV 159 , ST020391573 Stem MOC 16 Cr.SS431 for CRHV 159 , ST020391530 Packing Ring Grafoil for CRHV 159 , ST020391531 Packing Ring Bull Ring for CRHV 159 , ST020391532 ADAPTOR Actuator Drive Bush for ASV-104 , ST020391533 Stem MOC 16 Cr.SS431 for ASV-104 , ST020391534 Packing Ring Grafoil for ASV-104 , ST020391535 Packing Ring Bull Ring for ASV-104 , ST020391536 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM30AA003 I L DIA 33.4X4.55 O L DIA 48.3X5.08 for ASV-109 , ST020391537 ADAPTOR Actuator Drive Bush for ASV-109 , ST020391538 Stem MOC 16 Cr.SS431 for ASV-109 , ST020391539 Packing Ring Grafoil for ASV-109 , ST020391540 Packing Ring Bull Ring for ASV-109 , ST020391541 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM30AA002 I L DIA 48.3X5.08 O L DIA 60.3X5.54 for ASV-152 , ST020391542 ADAPTOR Actuator Drive Bush for ASV-152 , ST020391543 Stem MOC 16 Cr.SS431 for ASV-152 , ST020391544 Packing Ring Grafoil for ASV-152 , ST020391545 Packing Ring Bull Ring for ASV-152 , ST020391546 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM10AA001 and LCM10AA002 inlet Dia 60.3X12.5 Outlet Dia 73X5.16 for BPV-101,102 MOV , ST020391547 ADAPTOR Actuator Drive Bush for BPV-101,102 MOV , ST020391548 Stem MOC 16 Cr.SS431 for BPV-101,102 MOV , ST020391549 Packing Ring Grafoil for BPV-101,102 MOV , ST020391550 Packing Ring Bull Ring for BPV-101,102 MOV

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

COMPLETE VALVE WITHOUT ACTUCATOR MAL 11 and 12 65 100 C3000SPL AD BW MO F22, ADAPTOR Actuator Drive Bush for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2 , Packing Ring Grafoil W425 for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2 , Packing Ring Bull Ring 0032 for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2 , COMPLETE VALVE WITHOUT ACTUCATOR MAL 22 40 65 C3000SP AD 3S BW MO F22, COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 HRHV 113, ADAPTOR Actuator Drive Bush for HRHV 113, Stem MOC 16 Cr.SS431 for HRHV 113, Packing Ring Grafoil for HRHV 113, Packing Ring Bull Ring for HRHV 113, COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for CRHV 115, ADAPTOR Actuator Drive Bush for CRHV 115, Stem MOC 16 Cr.SS431 for CRHV 115, Packing Ring Grafoil for CRHV 115, Packing Ring Bull Ring for CRHV 115, COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for CRHV 122, ADAPTOR Actuator Drive Bush for CRHV 122, Stem MOC 16 Cr.SS431 for CRHV 122, Packing Ring Grafoil for CRHV 122, Packing Ring Bull Ring for CRHV 122, ADAPTOR Actuator Drive Bush for CRHV 153, Stem MOC 16 Cr.SS431 for CRHV 153, Packing Ring Grafoil for CRHV 153, Packing Ring Bull Ring for CRHV 153, COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for CRHV 159, ADAPTOR Actuator Drive Bush for CRHV 159, Stem MOC 16 Cr.SS431 for CRHV 159, Packing Ring Grafoil for CRHV 159, Packing Ring Bull Ring for CRHV 159, ADAPTOR Actuator Drive Bush for ASV-104, Stem MOC 16 Cr.SS431 for ASV-104, Packing Ring Grafoil for ASV-104, Packing Ring Bull Ring for ASV-104, COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for ASV-109, ADAPTOR Actuator Drive Bush for ASV-109, Stem MOC 16 Cr.SS431 for ASV-109, Packing Ring Grafoil for ASV-109, Packing Ring Bull Ring for ASV-109, COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for ASV-152, ADAPTOR Actuator Drive Bush for ASV-152, Stem MOC 16 Cr.SS431 for ASV-152, Packing Ring Grafoil for ASV-152, Packing Ring Bull Ring for ASV-152, COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for BPV-101,102, ADAPTOR Actuator Drive Bush for BPV-101,102 MOV, Stem MOC 16 Cr.SS431 for BPV-101,102 MOV, Packing Ring Grafoil for BPV-101,102 MOV, Packing Ring Bull Ring for BPV-101,102 MOV

Searched String: COMPLETE VALVE WITHOUT ACTUCATOR MAL 11 and 12 65 100 C3000SPL AD BW MO F22

Category not available on GeM for the text string uploaded by the buyer

Searched String: ADAPTOR Actuator Drive Bush for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Grafoil W425 for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Bull Ring 0032 for MAL 11,

बिड विवरण / Bid Details 12, DRAIN VALVE BEFORE HP CV 1 and 2

Category not available on GeM for the text string uploaded by the buyer

Searched String: COMPLETE VALVE WITHOUT ACTUCATOR MAL 22 40 65 C3000SP AD 3S BW MO F22

Category not available on GeM for the text string uploaded by the buyer

Searched String: COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 HRHV 113

Category not available on GeM for the text string uploaded by the buyer

Searched String: ADAPTOR Actuator Drive Bush for HRHV 113

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stem MOC 16 Cr.SS431 for HRHV 113

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Grafoil for HRHV 113

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Bull Ring for HRHV 113

Towel Rail / Ring for Bathroom, Body Seat Ring For Non Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, NBR O - Ring for Self Closing Valves of LPG Cylinders, File/Folder (V3), Tubal Rings for Family Planning Programme, Waist Belt Nylon with Buckle and Rings for Facilitating Slithering / Rapping (MHA), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for CRHV 115

Category not available on GeM for the text string uploaded by the buyer

Searched String: ADAPTOR Actuator Drive Bush for CRHV 115

Twist Drill, Parallel Shank Stub Series for Right Hand Cutting - IS 5100

Searched String: Stem MOC 16 Cr.SS431 for CRHV 115

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Grafoil for CRHV 115

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Bull Ring for CRHV 115

Towel Rail / Ring for Bathroom, Body Seat Ring For Non

बिड विवरण / Bid Details

Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, NBR O - Ring for Self Closing Valves of LPG Cylinders, File/Folder (V3), Tubal Rings for Family Planning Programme, Waist Belt Nylon with Buckle and Rings for Facilitating Slithering / Rapping (MHA), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for CRHV 122

Category not available on GeM for the text string uploaded by the buyer

Searched String: ADAPTOR Actuator Drive Bush for CRHV 122

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stem MOC 16 Cr.SS431 for CRHV 122

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Grafoil for CRHV 122

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Bull Ring for CRHV 122

Towel Rail / Ring for Bathroom, Body Seat Ring For Non Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, NBR O - Ring for Self Closing Valves of LPG Cylinders, File/Folder (V3), Tubal Rings for Family Planning Programme, Waist Belt Nylon with Buckle and Rings for Facilitating Slithering / Rapping (MHA), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: ADAPTOR Actuator Drive Bush for CRHV 153

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stem MOC 16 Cr.SS431 for CRHV 153

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Grafoil for CRHV 153

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Bull Ring for CRHV 153

Towel Rail / Ring for Bathroom, Body Seat Ring For Non Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, NBR O - Ring for Self Closing Valves of LPG Cylinders, File/Folder (V3), Tubal Rings for Family Planning Programme, Waist Belt Nylon with Buckle and Rings for Facilitating Slithering / Rapping (MHA), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

GeMARPTS में खोजा गया परिणाम / Searched

Result generated in GeMARPTS	विड विवरण / Bid Details
	<p>Searched String: COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for CRHV 159</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: ADAPTOR Actuator Drive Bush for CRHV 159</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Stem MOC 16 Cr.SS431 for CRHV 159</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Packing Ring Grafoil for CRHV 159</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Packing Ring Bull Ring for CRHV 159</p> <p>Towel Rail / Ring for Bathroom, Body Seat Ring For Non Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, Asbestos Cement Pressure Pipe and Joints as per IS 1592, File/Folder (V3), NBR O - Ring for Self Closing Valves of LPG Cylinders, Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: ADAPTOR Actuator Drive Bush for ASV-104</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Stem MOC 16 Cr.SS431 for ASV-104</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Packing Ring Grafoil for ASV-104</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Packing Ring Bull Ring for ASV-104</p> <p>Towel Rail / Ring for Bathroom, Body Seat Ring For Non Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, NBR O - Ring for Self Closing Valves of LPG Cylinders, File/Folder (V3), Tubal Rings for Family Planning Programme, Waist Belt Nylon with Buckle and Rings for Facilitating Slithering / Rapping (MHA), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for ASV-109</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: ADAPTOR Actuator Drive Bush for ASV-109</p>

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stem MOC 16 Cr.SS431 for ASV-109

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Grafoil for ASV-109

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Bull Ring for ASV-109

Towel Rail / Ring for Bathroom, Body Seat Ring For Non Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, NBR O - Ring for Self Closing Valves of LPG Cylinders, File/Folder (V3), Tubal Rings for Family Planning Programme, Waist Belt Nylon with Buckle and Rings for Facilitating Slithering / Rapping (MHA), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for ASV-152

Category not available on GeM for the text string uploaded by the buyer

Searched String: ADAPTOR Actuator Drive Bush for ASV-152

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stem MOC 16 Cr.SS431 for ASV-152

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Grafoil for ASV-152

Category not available on GeM for the text string uploaded by the buyer

Searched String: Packing Ring Bull Ring for ASV-152

Towel Rail / Ring for Bathroom, Body Seat Ring For Non Return Valve-IS:5312, Basketball Ring, Towel Rail / Ring / Rack / Hooks for Bathroom, Networking Trainer Educational Kit, NBR O - Ring for Self Closing Valves of LPG Cylinders, File/Folder (V3), Tubal Rings for Family Planning Programme, Waist Belt Nylon with Buckle and Rings for Facilitating Slithering / Rapping (MHA), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 for BPV-101,102

Category not available on GeM for the text string uploaded by the buyer

Searched String: ADAPTOR Actuator Drive Bush for BPV-101,102 MOV

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Searched String: Stem MOC 16 Cr.SS431 for BPV-101,102 MOV
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Packing Ring Grafoil for BPV-101,102 MOV</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Packing Ring Bull Ring for BPV-101,102 MOV</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778
बीओक्यू शीर्षक /BOQ Title	MAL Drain Valves and Their Spares
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Certificate (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid

बिड विवरण/Bid Details

प्राथमिक उत्पाद श्रेणी/Primary product category	ST020350070 COMPLETE VALVE WITHOUT ACTUCATOR MAL 11 and 12 65 100 C3000SPL AD BW MO F22 DRAIN VALVE BEFORE HP CV 1 2 for MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 and 2
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	12758
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	664
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	15
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	24320
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	5662
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	26
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	5323
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	26
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	5323

Schedule 17 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	26
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	26
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	5323
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	26
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	26
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	5323
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	66
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	26
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	10837
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	542
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	2322
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	83
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	30
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	13224
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	545

Schedule 46 ईएमडी राशि/EMD Amount (In INR)	2335
Schedule 47 ईएमडी राशि/EMD Amount (In INR)	84
Schedule 48 ईएमडी राशि/EMD Amount (In INR)	30

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	19

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CEO/NTPL

TUTICORIN 628004, NLC TAMIL NADU POWER Limited, NLC TAMIL NADU POWER Limited, Ministry of Coal (Anandaramanujam K)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	100

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

Limited Tender

Limited Tender Applicable	Yes
Reason	The sources of supply are definitely known and possibility of fresh source(s) beyond those being tapped is remote.
List of Seller Organization for participation	BHARAT HEAVY ELECTRICALS LIMITED, SHRI IYYAPPA INDUSTRIES, HIPCON VALVES PRIVATE LIMITED

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are

excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	St020350070 Complete Valve Without Actuator Mal 11 And 12 65 100 C3000spl Ad Bw Mo F22 Drain Valve Before Hp Cv 1 2 For Mal 11, 12, Drain Valve Before Hp Cv 1 And 2	1
Schedule 2	Sc110471592 Adaptor Actuator Drive Bush For Mal 11, 12, Drain Valve Before Hp Cv 1 And 2	1
Schedule 3	St020391576 Packing Ring Grafoil W425 For Mal 11, 12, Drain Valve Before Hp Cv 1 And 2	1
Schedule 4	St020350073 Packing Ring Bull Ring 0032 For Mal 11, 12, Drain Valve Before Hp Cv 1 And 2	1
Schedule 5	St020350109 Complete Valve Without Actuator Mal 22 40 65 C3000sp Ad 3s Bw Mo F22 Drain Valve Hp Casing For Mal 22 Drain Valve Hp Casing	2
Schedule 6	St020391552 Complete Valve Without Actuator Drawing No Pe Dg 331 100 N111 Lcm20aa006 I L Dia 33.4x4.55 O L Dia48.3x5.08 For Hrhv 113	1
Schedule 7	St020391553 Adaptor Actuator Drive Bush For Hrhv 113	1
Schedule 8	St020391554 Stem Moc 16 Cr.ss431 For Hrhv 113	1

Schedule 9	St020391555 Packing Ring Grafoil For Hrhv 113	2
Schedule 10	St020391556 Packing Ring Bull Ring For Hrhv 113	2
Schedule 11	St020391557 Complete Valve Without Actuator Drawing No Pe Dg 331 100 N111 Lcm30aa009 I L Dia 33.4x4.55 O L Dia 48.3x5.08 For Crhv 115	1
Schedule 12	St020391558 Adaptor Actuator Drive Bush For Crhv 115	1
Schedule 13	St020391559 Stem Moc 16 Cr.ss431 For Crhv 115	1
Schedule 14	St020391560 Packing Ring Grafoil For Crhv 115	2
Schedule 15	St020391561 Packing Ring Bull Ring For Crhv 115	2
Schedule 16	St020391562 Complete Valve Without Actuator Drawing No Pe Dg 331 100 N111 Lcm30aa010 I L Dia 33.4x4.55 O L Dia 48.3x5.08 For Crhv 122	1
Schedule 17	St020391563 Adaptor Actuator Drive Bush For Crhv 122	1
Schedule 18	St020391564 Stem Moc 16 Cr.ss431 For Crhv 122	1
Schedule 19	St020391565 Packing Ring Grafoil For Crhv 122	2
Schedule 20	St020391566 Packing Ring Bull Ring For Crhv 122	2
Schedule 21	St020391567 Adaptor Actuator Drive Bush For Crhv 153	1
Schedule 22	St020391568 Stem Moc 16 Cr.ss431 For Crhv 153	1
Schedule 23	St020391569 Packing Ring Grafoil For Crhv 153	2
Schedule 24	St020391570 Packing Ring Bull Ring For Crhv 153	2
Schedule 25	St020391571 Complete Valve Without Actuator Drawing No Pe Dg 331 100 N111 Lcm40aa001 I L Dia 33.4x4.55 O L Dia 48.3x5.08 For Crhv 159	1
Schedule 26	St020391572 Adaptor Actuator Drive Bush For Crhv 159	1
Schedule 27	St020391573 Stem Moc 16 Cr.ss431 For Crhv 159	1
Schedule 28	St020391530 Packing Ring Grafoil For Crhv 159	2
Schedule 29	St020391531 Packing Ring Bull Ring For Crhv 159	2
Schedule 30	St020391532 Adaptor Actuator Drive Bush For Asv-104	1
Schedule 31	St020391533 Stem Moc 16 Cr.ss431 For Asv-104	1
Schedule 32	St020391534 Packing Ring Grafoil For Asv-104	2
Schedule 33	St020391535 Packing Ring Bull Ring For Asv-104	2
Schedule 34	St020391536 Complete Valve Without Actuator Drawing No Pe Dg 331 100 N111 Lcm30aa003 I L Dia 33.4x4.55 O L Dia 48.3x5.08 For Asv-109	1
Schedule 35	St020391537 Adaptor Actuator Drive Bush For Asv-109	1
Schedule 36	St020391538 Stem Moc 16 Cr.ss431 For Asv-109	1
Schedule 37	St020391539 Packing Ring Grafoil For Asv-109	2
Schedule 38	St020391540 Packing Ring Bull Ring For Asv-109	2
Schedule 39	St020391541 Complete Valve Without Actuator Drawing No Pe Dg 331 100 N111 Lcm30aa002 I L Dia 48.3x5.08 O L Dia 60.3x5.54 For Asv-152	1
Schedule 40	St020391542 Adaptor Actuator Drive Bush For Asv-152	1
Schedule 41	St020391543 Stem Moc 16 Cr.ss431 For Asv-152	1

Schedule 42	St020391544 Packing Ring Grafoil For Asv-152	2
Schedule 43	St020391545 Packing Ring Bull Ring For Asv-152	2
Schedule 44	St020391546 Complete Valve Without Actuator Drawing No Pe Dg 331 100 N111 Lcm10aa001 And Lcm10aa002 Inlet Dia 60.3x12.5 Outlet Dia 73x5.16 For Bpv-101,102 Mov	1
Schedule 45	St020391547 Adaptor Actuator Drive Bush For Bpv-101,102 Mov	1
Schedule 46	St020391548 Stem Moc 16 Cr.ss431 For Bpv-101,102 Mov	1
Schedule 47	St020391549 Packing Ring Grafoil For Bpv-101,102 Mov	2
Schedule 48	St020391550 Packing Ring Bull Ring For Bpv-101,102 Mov	2

ST020350070 COMPLETE VALVE WITHOUT ACTUCATOR MAL 11 And 12 65 100 C3000SPL AD BW MO F22 DRAIN VALVE BEFORE HP CV 1 2 For MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 And 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

SC110471592 ADAPTOR Actuator Drive Bush For MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 And 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391576 Packing Ring Grafoil W425 For MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 And 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020350073 Packing Ring Bull Ring 0032 For MAL 11, 12, DRAIN VALVE BEFORE HP CV 1 And 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020350109 COMPLETE VALVE WITHOUT ACTUCATOR MAL 22 40 65 C3000SP AD 3S BW MO F22 DRAIN VALVE HP CASING For MAL 22 DRAIN VALVE HP CASING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391552 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM20AA006 I L DIA 33.4X4.55 O L DIA48.3X5.08 For HRHV 113

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391553 ADAPTOR Actuator Drive Bush For HRHV 113

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391554 Stem MOC 16 Cr.SS431 For HRHV 113

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391555 Packing Ring Grafoil For HRHV 113

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391556 Packing Ring Bull Ring For HRHV 113

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391557 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM30AA009 I L DIA 33.4X4.55 O L DIA 48.3X5.08 For CRHV 115

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391558 ADAPTOR Actuator Drive Bush For CRHV 115

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391559 Stem MOC 16 Cr.SS431 For CRHV 115

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391560 Packing Ring Grafoil For CRHV 115

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391561 Packing Ring Bull Ring For CRHV 115

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

**ST020391562 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100
N111 LCM30AA010 I L DIA 33.4X4.55 O L DIA48.3X5.08 For CRHV 122**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391563 ADAPTOR Actuator Drive Bush For CRHV 122

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391564 Stem MOC 16 Cr.SS431 For CRHV 122

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391565 Packing Ring Grafoil For CRHV 122

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391566 Packing Ring Bull Ring For CRHV 122

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391567 ADAPTOR Actuator Drive Bush For CRHV 153

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391568 Stem MOC 16 Cr.SS431 For CRHV 153

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391569 Packing Ring Grafoil For CRHV 153

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391570 Packing Ring Bull Ring For CRHV 153

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

**ST020391571 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100
N111 LCM40AA001 I L DIA 33.4X4.55 O L DIA48.3X5.08 For CRHV 159**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391572 ADAPTOR Actuator Drive Bush For CRHV 159

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391573 Stem MOC 16 Cr.SS431 For CRHV 159

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391530 Packing Ring Grafoil For CRHV 159

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391531 Packing Ring Bull Ring For CRHV 159

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391532 ADAPTOR Actuator Drive Bush For ASV-104

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391533 Stem MOC 16 Cr.SS431 For ASV-104

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391534 Packing Ring Grafoil For ASV-104

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391535 Packing Ring Bull Ring For ASV-104

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

**ST020391536 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100
N111 LCM30AA003 I L DIA 33.4X4.55 O L DIA 48.3X5.08 For ASV-109**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391537 ADAPTOR Actuator Drive Bush For ASV-109

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391538 Stem MOC 16 Cr.SS431 For ASV-109

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391539 Packing Ring Grafoil For ASV-109

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391540 Packing Ring Bull Ring For ASV-109

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391541 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM30AA002 I L DIA 48.3X5.08 O L DIA 60.3X5.54 For ASV-152

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391542 ADAPTOR Actuator Drive Bush For ASV-152

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391543 Stem MOC 16 Cr.SS431 For ASV-152

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391544 Packing Ring Grafoil For ASV-152

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391545 Packing Ring Bull Ring For ASV-152

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391546 COMPLETE VALVE WITHOUT ACTUCATOR Drawing No PE DG 331 100 N111 LCM10AA001 And LCM10AA002 Inlet Dia 60.3X12.5 Outlet Dia 73X5.16 For BPV-101,102 MOV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391547 ADAPTOR Actuator Drive Bush For BPV-101,102 MOV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391548 Stem MOC 16 Cr.SS431 For BPV-101,102 MOV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	1	150

ST020391549 Packing Ring Grafoil For BPV-101,102 MOV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

ST020391550 Packing Ring Bull Ring For BPV-101,102 MOV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	2	150

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Not applicable

Post Receipt Inspection at consignee site before acceptance of stores:
At NTPL stores, Tuticorin

5. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

7. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

NLC Tamil Nadu Power Ltd
Account No.
31037748056
IFSC Code
SBIN0003143
Bank Name
State Bank of India
Branch address
SPIC NAGAR TUTICORIN

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

8. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

NLC Tamil Nadu Power Ltd
Account No.
31037748056
IFSC Code
SBIN0003143
Bank Name
State Bank of India
Branch address
SPIC NAGAR TUTICORIN

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1.Warranty period : 12 months(applicable only for the complete valve assembly and not for the spares).

2. Bidders shall submit the warranty certificate/ BG as per Contract well in advance of the dispatch of the first consignment.

3. Note: The bidder shall enlist the deviations, if any, in the attached deviation schedule. otherwise considered acceptance of all bid terms and conditions.

4. MSE & MII Purchase Preference will be given as per Public Procurement Policy

10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to

such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---