

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-03-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	16-03-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2246

**बिड विवरण/Bid Details****वस्तु श्रेणी /Item Category**

Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (Q3) , Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (Q3) , 250mm Exhaust fan plastic body , 200mm Exhaust fan plastic body , 150mm Exhaust fan plastic body , Fuse wire copper tined 200 Amp , HT barrel fuse 20 Amp Pkt of 10 Nos , HT Barrel fuse 10 Amp10Nos Pkt , Barrel fuse HT 11 KV rated 60 amps , HT barrel fuse 5 Amp10 Nos Pkt , HT barrel fuse 15 Amp10 Nos Pkt , Ceiling fan regulator electronic stepped type , Modular Socket 5 Amp , Modular socket 15 Amp , Thread bulb big LED , Thread bulb small LED , PVC ceiling rose 2 or 3 terminal , Insulation tape roll 38 mm x 25 m long , Insulation tape roll 20 mm x 25 m long , Insulation tape roll 15 mm x 25 m long , Insulation tape roll 25 mm x 25 m long , Ampere tape 15mm width , Digital energy meter single ph 240V 50Hz , Digital energy meter 3 phase 4 wire 10A , Candle for water filter , Aqua filter cartridge sleek 250 bowl , Aqua guard puro fillter complete set , Star Delta starter cap 25HP , Star Delta starter Capacity 125HP , GI nipple 25 mm x 300mm , GI union 25 mm , GI reduces Tee 40x40x25mm , GI socket 25 mm , GI elbow 50mm , GI reducer elbow 50mm x 25mm , GI union socket 50mm , GI union socket 40mm , GI Elbow 25mm , GI socket 25x20mm , GI nipple 25x150mm , GI reduces Tee 40x40x20mm , GI reduces Tee 50x50x25mm , GI reduces Tee 50x50x20mm , GI nipple 25mm x 100mm , GI reduces Tee 50x50x40mm , GI elbow 40 mm , GI Tee reducer 25 x 20 mm , GI elbow reducer 20 x 25 mm , GI reduces Tee 20x20x25mm , GI socket 50mm dia , GI nipple 40mm x 100mm , GI Tee equal 40mm , GI reducer elbow 50 x 50 x 20mm , GI reduces socket 40mmx20mm , GI nipple 50mm x 150mm , GI socket 40mm dia , GI reduces socket 40mmx25 or 30mm , GI plug 50mm , GI Tee 50x50x50mm , GI plug 40mm , GI Tank nipple 15mm , GI reduces socket 50mmx25mm , GI reduces socket 50mmx20 or 40mm , GI reduces Tee 40x40x15mm , GI reducer elbow 50mm x 40mm , GI plug 25mm , GI nipple 40mm x 150mm , Bleaching powder , Bearing NU 310 Roller , Bearing NU 6408 Roller , Bearing NU 7310 Roller , Bearing NU 6309 Roller , Altoch GP make declibec , Copper Sulphate , Aluminium door handle 125 mm , Aluminium door handle 100 mm , Aluminium bow handle 150mm , Aluminium door handle 150 mm , Aluminium door stopper , MS sliding door bolt 300 mm , Hydraulic door closer heavy weight for 36 to 60 Kgs , Door guard with brush 1 m wide , GI nipple 15 mm x 100mm , GI Nipple 15 mm x 80 mm , GI Nipple 15 mm x 50mm , GI nipple 15x150 mm , GI nipple 15mmx300mm , GI nipple 20mmx100mm , GI nipple 20mm x 50mm , GI nipple 20 mm x 80 mm , GI Tank nipple 25mm , GI Tank nipple 20mm , GI nipple 20x150 mm , GI elbow 15mm , GI elbow 20mm , GI Tee equal 15 mm , GI Tee equal 25 mm , GI socket 15 mm , GI socket 20 mm , GI union 15 mm , GI union 20 mm , GI plug end 20mm , GI plug end 15mm , GI elbow reducer 20 x 15 mm , GI elbow reducer 25x15mm , GI Tee reducer 25 x 15 mm , GI Reducer Socket 25 x15 mm , GI socket reducer 20 x 15 mm , Cloth green blaizer1.5 mtr , Latherised rexin cloth , CI sluice valve 150mm , CI sluice valve 100mm dia PM 1.6 , Booster Pump 0.5 HP , Grease , electro rubber mat 3 mtr x 01mtr x 6mm 11 KV , Lead pig , Lead wool , GI washer suitable for 12mm dia bolt 3mm , Rubber Gasket 3mm thick , Nylon rope 20mm , Cotton waste , Spunyan , Water Cooler Push type male and female , CP nipple for Male Threade 15 x 50mm

<p><b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b></p>	<p><b>विड विवरण / Bid Details</b></p> <p>250mm Exhaust fan plastic body, 200mm Exhaust fan plastic body, 150mm Exhaust fan plastic body, Fuse wire copper tined 200 Amp, HT barrel fuse 20 Amp Pkt of 10 Nos, HT Barrel fuse 10 Amp10Nos Pkt, Barrel fuse HT 11 KV rated 60 amps, HT barrel fuse 5 Amp10 Nos Pkt, HT barrel fuse 15 Amp10 Nos Pkt, Ceiling fan regulator electronic stepped type, Modular Socket 5 Amp, Modular socket 15 Amp, Thread bulb big LED, Thread bulb small LED, PVC ceiling rose 2 or 3 terminal, Insulation tape roll 38 mm x 25 m long, Insulation tape roll 20 mm x 25 m long, Insulation tape roll 15 mm x 25 m long, Insulation tape roll 25 mm x 25 m long, Ampere tape 15mm width, Digital energy meter single ph 240V 50Hz, Digital energy meter 3 phase 4 wire 10A, Candle for water filter, Aqua filter cartridge sleek 250 bowl, Aqua guard puro fillter complete set, Star Delta starter cap 25HP, Star Delta starter Capacity 125HP, GI nipple 25 mm x 300mm, GI union 25 mm, GI reduces Tee 40x40x25mm, GI socket 25 mm, GI elbow 50mm, GI reducer elbow 50mm x 25mm, GI union socket 50mm, GI union socket 40mm, GI Elbow 25mm, GI socket 25x20mm, GI nipple 25x150mm, GI reduces Tee 40x40x20mm, GI reduces Tee 50x50x25mm, GI reduces Tee 50x50x20mm, GI nipple 25mm x 100mm, GI reduces Tee 50x50x40mm, GI elbow 40 mm, GI Tee reducer 25 x 20 mm, GI elbow reducer 20 x 25 mm, GI reduces Tee 20x20x25mm, GI socket 50mm dia, GI nipple 40mm x 100mm, GI Tee equal 40mm, GI reducer elbow 50 x 50 x 20mm, GI reduces socket 40mmx20mm, GI nipple 50mm x 150mm, GI socket 40mm dia, GI reduces socket 40mmx25/30mm, GI plug 50mm, GI Tee 50x50x50mm, GI plug 40mm, GI Tank nipple 15mm, GI reduces socket 50mmx25mm, GI reduces socket 50mmx20/40mm, GI reduces Tee 40x40x15mm, GI reducer elbow 50mm x 40mm, GI plug 25mm, GI nipple 40mm x 150mm, Bleaching powder, Bearing NU 310 Roller, Bearing NU 6408 Roller, Bearing NU 7310 Roller, Bearing NU 6309 Roller, Altoch GP make declibec, Copper Sulphate, Aluminium door handle 125 mm, Aluminium door handle 100 mm, Aluminium bow handle 150mm, Aluminium door handle 150 mm, Aluminium door stopper, MS sliding door bolt 300 mm, Hydraulic door closer heavy weight for 36 to 60 Kgs, Door guard with brush 1 m wide, GI nipple 15 mm x 100mm, GI Nipple 15 mm x 80 mm, GI Nipple 15 mm x 50mm, GI nipple 15x150 mm, GI nipple 15mmx300mm, GI nipple 20mmx100mm, GI nipple 20mm x 50mm, GI nipple 20 mm x 80 mm, GI Tank nipple 25mm, GI Tank nipple 20mm, GI nipple 20x150 mm, GI elbow 15mm, GI elbow 20mm, GI Tee equal 15 mm, GI Tee equal 25 mm, GI socket 15 mm, GI socket 20 mm, GI union 15 mm, GI union 20 mm, GI plug end 20mm, GI plug end 15mm, GI elbow reducer 20 x 15 mm, GI elbow reducer 25x15mm, GI Tee reducer 25 x 15 mm, GI Reducer Socket 25 x15 mm, GI socket reducer 20 x 15 mm, Cloth green blaizer1.5 mtr, Latherised rexin cloth, CI sluice valve 150mm, CI sluice valve 100mm dia PM 1.6, Booster Pump 0.5 HP, Grease, electro rubber mat 3 mtr x 01mtr x 6mm 11 KV, Lead pig, Lead wool, GI washer suitable for 12mm dia bolt 3mm, Rubber Gasket 3mm thick, Nylon rope 20mm, Cotton waste, Spunyan, Water Cooler Push type male and female, CP nipple for Male Threade 15 x 50mm</p>
	<p><b>Searched String:</b> 250mm Exhaust fan plastic body</p> <p>PULLEY FOR EXHAUST FAN, petri plates or dishes, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To</p>

विड विवरण / Bid Details IS 2312, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Flameproof Propeller Type AC

Ventilating Fans (Exhaust Fan) (V2), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Flameproof and Weather Proof Exhaust Fan as per IS 2148, Air Circulator Type Electric Fan as per IS 2997, Capacitors for Electric Fan Motors as per IS 1709 (V2), Writing Pens

**Searched String:** 200mm Exhaust fan plastic body

PULLEY FOR EXHAUST FAN, petri plates or dishes, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Flameproof Propeller Type AC Ventilating Fans (Exhaust Fan) (V2), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Flameproof and Weather Proof Exhaust Fan as per IS 2148, Air Circulator Type Electric Fan as per IS 2997, Capacitors for Electric Fan Motors as per IS 1709 (V2), Mannequin Female (non medical use)

**Searched String:** 150mm Exhaust fan plastic body

PULLEY FOR EXHAUST FAN, petri plates or dishes, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Flameproof Propeller Type AC Ventilating Fans (Exhaust Fan) (V2), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Flameproof and Weather Proof Exhaust Fan as per IS 2148, Air Circulator Type Electric Fan as per IS 2997, Capacitors for Electric Fan Motors as per IS 1709 (V2), Writing Pens

**Searched String:** Fuse wire copper tined 200 Amp

Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926

**Searched String:** HT barrel fuse 20 Amp Pkt of 10 Nos

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** HT Barrel fuse 10 Amp10Nos Pkt

Self Fusing Silicon Rubber Tape, Wax Candle as per IS 11359, HT Tape, Heavy duty diesel ultra oil, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Tower Bolts (Ferrous Metals) as per IS 204

**Searched String:** Barrel fuse HT 11 KV rated 60 amps

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** HT barrel fuse 5 Amp10 Nos Pkt

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Digital Pull - off Adhesion Tester (V2), Digital Medical X - Ray Films (V2)

**Searched String:** HT barrel fuse 15 Amp10 Nos Pkt

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Digital Medical X - Ray Films (V2)

बिड विवरण/Bid Details Searched String: Ceiling fan regulator electronic stepped type

Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Electric Pedestal Type Fan and Regulator as per IS 1169, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997

**Searched String:** Modular Socket 5 Amp

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Modular Telephone Socket (Telephone Jack), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Impact socket, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037

**Searched String:** Modular socket 15 Amp

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Modular Telephone Socket (Telephone Jack), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Asbestos Cement Pressure Pipe and Joints as per IS 1592, Online Ups Modular Type, Commercial PPR Pipes Fittings as per IS 15801, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037

**Searched String:** Thread bulb big LED

T Bulb, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Rechargeable LED Bulb (V2), LED Bulb with Battery as per IS 16102, Diagnostic Otoscope Rechargeable, Coaxial Ophthalmoscope Rechargeable

**Searched String:** Thread bulb small LED

T Bulb, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Rechargeable LED Bulb (V2), LED Bulb with Battery as per IS 16102, Diagnostic Otoscope Rechargeable, Plastic Small Shapes Beads And Threads (Preschool Kit) (V2)-Toys, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), Coaxial Ophthalmoscope Rechargeable

**Searched String:** PVC ceiling rose 2 or 3 terminal

Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Ceiling rose - IS 371, Laminar air flow cabinets or stations,

बिड विवरण

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To

IS 694, shoes school pvc boys girls, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Manual Single Channel Air Displacement Pipettors Or Micropipette (V2)

**Searched String:** Insulation tape roll 38 mm x 25 m long

Parallel Bar - Outdoor Gym Equipment, Double sided tape, HT Tape, Sterile Hypodermic Needles for Single use (V2)

**Searched String:** Insulation tape roll 20 mm x 25 m long

Parallel Bar - Outdoor Gym Equipment, Double sided tape, HT Tape, ECG Recording Paper(V2)

**Searched String:** Insulation tape roll 15 mm x 25 m long

Parallel Bar - Outdoor Gym Equipment, Double sided tape, HT Tape, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

**Searched String:** Insulation tape roll 25 mm x 25 m long

Parallel Bar - Outdoor Gym Equipment, Double sided tape, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Elastic Surgical Adhesive Tapes (V2), Cast Iron Bench, Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, HT Tape, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** Ampere tape 15mm width

Taflon Tape as per IS 14635, Vertical Blinds (V2), Shredding Machine/Paper Shredder, Stapler Pin / Staples (V2), Thermal Paper (V2) Conforming to IS 17568, Double sided tape, HT Tape, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Fastener for Consumer Goods - Synthetic Hook and Loop Tape as per IS 8156, Tape Dispensers (V2)

**Searched String:** Digital energy meter single ph 240V 50Hz

Digital pH Meter, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Power Factor Meter - Digital, Soldering and Desoldering Station with digital display, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Frequency meter - Analog (Panel Meter), Reciprocating Saw, DC Regulated Power Supply As Per MHA QRs, Ph Meter Rod

**Searched String:** Digital energy meter 3 phase 4 wire 10A

Digital Earth Resistance Meter, MIL-STD Digital Grounding System, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Power Factor Meter - Digital, Taflon Tape as per IS 14635, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

बिड विवरण/Bid Details Searched String: Candle for water filter

Portable Water Purifiers or Filters, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Filter cum Pressure Regulator, Alkaline water ionizer machine, water for chromatography, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Oil filter assembly for wheel loader, Sterile Water for Injection, Polyethylene Pipes for Water Supply, Cartridge Filter for Lean Amine Filtration (MRPL)

**Searched String:** Aqua filter cartridge sleek 250 bowl

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Aqua guard puro filter complete set

Pressure Calibrator

**Searched String:** Star Delta starter cap 25HP

Star Delta Starter (V2), Submersible Pump Starters (Motor starter controls), DOL starter, Starter Motors for IC Engines, Screw Cap Vial, Starter Motor Assembly, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Starters For Fluorescent Lamps - IS 2215, Black Polyethylene Cover, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102

**Searched String:** Star Delta starter Capacity 125HP

Star Delta Starter (V2), Submersible Pump Starters (Motor starter controls), DOL starter, Starter Motors for IC Engines, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Starter Motor Assembly, Bottle for Chemical Laboratory, Starters For Fluorescent Lamps - IS 2215, PET bottle shredder, Laboratory Refrigerator (V2)

**Searched String:** GI nipple 25 mm x 300mm

Parallel Bar - Outdoor Gym Equipment, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dak Pad (V2), modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2), Light Weight Folding Rectangular Table

**Searched String:** GI union 25 mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** GI reduces Tee 40x40x25mm

Broth Media, Parallel Bar - Outdoor Gym Equipment,

बिड विवरण / Bid Details	Commercial CPVC Pipe Fittings, Insect Killer, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), GI Grating ( in Number)
	<p><b>Searched String:</b> GI socket 25 mm</p> <p>Secure Socket Layer (SSL) Certificate, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2)</p> <p><b>Searched String:</b> GI elbow 50mm</p> <p>Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Steel Tubes, Tubulars as per IS 1239, Rigid GI Pipe (BHEL), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating ( in Number), Labels Stickers (V3), GI Grating (in MT), Elbow and forearm CPM</p> <p><b>Searched String:</b> GI reducer elbow 50mm x 25mm</p> <p>Copper Bus Bar (Bhel)-IS:1897, IS:8130, Dry Erase Writing Boards (V3), Labels Stickers (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2)</p> <p><b>Searched String:</b> GI union socket 50mm</p> <p>Socket Unions confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Insect Killer, Grain Storage Bin (V2), Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), Rigid GI Pipe (BHEL)</p> <p><b>Searched String:</b> GI union socket 40mm</p> <p>Socket Unions confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Insect Killer, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Grain Storage Bin (V2), Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), Laboratory Glass Adapters</p> <p><b>Searched String:</b> GI Elbow 25mm</p> <p>Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Rigid GI Pipe (BHEL), GI Grating ( in Number), Commercial CPVC Pipe Fittings, GI Grating (in MT), Dry Erase Writing Boards (V3), Elbow and forearm CPM</p>

बिड विवरण/Bid Details Searched String: GI socket 25x20mm

Rigid GI Pipe (BHEL), Cleaning Duster (V3), GI Grating ( in Number), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in MT), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Impact socket, Socket Reducing confirming to IS 1239 (Part 2), Deep Socket, Insulated socket

**Searched String:** GI nipple 25x150mm

Seamless Carbon Steel Nipple, Cleaning Duster (V3), Rigid GI Pipe (BHEL), Commercial CPVC Pipe Fittings, GI Grating ( in Number), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in MT), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Bio - Medical Waste Collection Bags (Biohazard Bags), dust pans

**Searched String:** GI reduces Tee 40x40x20mm

Broth Media, Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Insect Killer, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), GI Grating ( in Number)

**Searched String:** GI reduces Tee 50x50x25mm

Broth Media, Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Insect Killer, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), Rigid GI Pipe (BHEL)

**Searched String:** GI reduces Tee 50x50x20mm

Broth Media, Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Insect Killer, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), Rigid GI Pipe (BHEL)

**Searched String:** GI nipple 25mm x 100mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Modular Toilet, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Pipe Clamps (V2)

**Searched String:** GI reduces Tee 50x50x40mm

Broth Media, Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Insect Killer, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Commercial PPR Pipes Fittings as per IS 15801, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cable Tray (BHEL), Rigid GI Pipe (BHEL)

**Searched String:** GI elbow 40 mm

बिड विवरण / Bid Details	Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Insect Killer, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pad Lock Various (As Per Defence Specification), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, LED Batten, Grain Storage Bin (V2)
	<p><b>Searched String:</b> GI Tee reducer 25 x 20 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Cast Iron Bench, Sterile Hypodermic Needles for Single use (V2), Theft Proof Rifle Racks, Swing (Preschool Kit), Collagen Membrane Barrier for Orthopedic &amp; Dental Surgeries, Compostable Carry Bags, Floor Drain Traps (V2), CPVC Industrial Pipe Fittings, Schedule 80</p> <p><b>Searched String:</b> GI elbow reducer 20 x 25 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Cast Iron Bench, Commercial PPR Pipes Fittings as per IS 15801, Sterile Hypodermic Needles for Single use (V2), Theft Proof Rifle Racks, Swing (Preschool Kit), Collagen Membrane Barrier for Orthopedic &amp; Dental Surgeries, Compostable Carry Bags, Floor Drain Traps (V2)</p> <p><b>Searched String:</b> GI reduces Tee 20x20x25mm</p> <p>Broth Media, Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), GI Grating ( in Number), General Purpose Ball Valves conforming to IS 9890</p> <p><b>Searched String:</b> GI socket 50mm dia</p> <p>Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars as per IS 1239, Commercial CPVC Pipe Fittings, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, High Pressure Fire Fighting Hose - IS 14933, Insect Killer, Commercial PPR Pipes Fittings as per IS 15801, Swing (Preschool Kit), Grain Storage Bin (V2)</p> <p><b>Searched String:</b> GI nipple 40mm x 100mm</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Modular Toilet, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Pipe Clamps (V2)</p> <p><b>Searched String:</b> GI Tee equal 40mm</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Insect Killer, Elbow, Tees and Crosses, Side Outlet, Equal conforming to</p>

बिड विवरण / Bid Details

IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Twin Elbows and Sweep Tees, Male, Equal conforming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Y - Pieces and Angle Tees, Male, Equal conforming to IS 1239 (Part 2)

**Searched String:** GI reducer elbow 50 x 50 x 20mm

Plastic Sheet (4 x 50 m) for NDRF, Parallel Bar - Outdoor Gym Equipment, 500 mA X - Ray Machine (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), X - Ray Machine (500 mA), modular electrical enclosure switch board boxes for modular type accessories, Wild - Life Cages, Cast Iron Bench, Work Benches, Compostable Nursery Bags

**Searched String:** GI reduces socket 40mmx20mm

Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Insect Killer, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial CPVC Pipe Fittings, Grain Storage Bin (V2), Cable Tray (BHEL), Commercial PPR Pipes Fittings as per IS 15801, Laboratory Glass Adapters

**Searched String:** GI nipple 50mm x 150mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Tubes, Tubulars as per IS 1239, Labels Stickers (V3), Dry Erase Writing Boards (V3), Copper Bus Bar (Bhel)-IS:1897, IS:8130, Bone Marrow Biopsy Needle (V2), Work Benches, Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2)

**Searched String:** GI socket 40mm dia

Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Insect Killer, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Swing (Preschool Kit), Grain Storage Bin (V2), Cable Tray (BHEL), Laboratory Glass Adapters

**Searched String:** GI reduces socket 40mmx25/30mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Insect Killer, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Bio - Medical Waste Collection Bags (Biohazard Bags), Commercial CPVC Pipe Fittings

**Searched String:** GI plug 50mm

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Steel Tubes, Tubulars as per IS 1239, GI Grating (in MT), Nitrile Coated/Nitrile Hand Gloves (V2), Plug Gauge,

विड विवरण / Bid Details Labels Stickers (V3), Rubber Plug, Electrical Plugs (V2) ISI Marked to IS 1293

**Searched String:** GI Tee 50x50x50mm

Pumping tee, Cleaning Duster (V3), Rigid GI Pipe (BHEL), Commercial CPVC Pipe Fittings, GI Grating ( in Number), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in MT), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Broth Media, Nitrile Coated/Nitrile Hand Gloves (V2)

**Searched String:** GI plug 40mm

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Check Valve (V2) as per IS 778, GI Grating (in MT), Plug Gauge, Centrifuge Tubes (V3), Rubber Plug, Dry Erase Writing Boards (V3), Electrical Plugs (V2) ISI Marked to IS 1293

**Searched String:** GI Tank nipple 15mm

Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Portable Toilet, Modular Toilet, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Grain Storage Bin (V2), Vacuum Pump, Cable Tray (BHEL), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2)

**Searched String:** GI reduces socket 50mmx25mm

Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Insect Killer, Socket Reducing confirming to IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Grain Storage Bin (V2), Cable Tray (BHEL), Commercial PPR Pipes Fittings as per IS 15801

**Searched String:** GI reduces socket 50mmx20/40mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Insect Killer, modular electrical enclosure switch board boxes for modular type accessories, LED Batten, Cast Iron Bench, Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** GI reduces Tee 40x40x15mm

Broth Media, Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Insect Killer, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Cable Tray (BHEL), GI Grating ( in Number)

**Searched String:** GI reducer elbow 50mm x 40mm

बिड विवरण / Bid Details	Commercial CPVC Pipe Fittings, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar -
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2), Light Weight Folding Rectangular Table</p> <p><b>Searched String:</b> GI plug 25mm</p> <p>Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Parallel Bar - Outdoor Gym Equipment, GI Grating (in MT), Plug Gauge, Dry Erase Writing Boards (V3), Rubber Plug, Electrical Plugs (V2) ISI Marked to IS 1293, Plain Plug Gauges as per IS 6137</p> <p><b>Searched String:</b> GI nipple 40mm x 150mm</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bone Marrow Biopsy Needle (V2), Work Benches, Dry Erase Writing Boards (V3), Parallel Bar - Outdoor Gym Equipment, Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors</p> <p><b>Searched String:</b> Bleaching powder</p> <p>Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2), Garden Bench, Stable Bleaching Powder for Household and Industrial use (V3) conforming to IS 1065 (Part 1), Toilet Cleaners Powder as per IS 13760, Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1), Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Stable Bleaching Powder for Treatment of Water Intended for Drinking (V3) conforming to IS 1065 (Part 2), Cellulose Powder, Classroom Stools, Calamine Powder</p> <p><b>Searched String:</b> Bearing NU 310 Roller</p> <p>Roller Bearing (BHEL), Cylindrical Roller bearing set, Ring Type Needle Bearings - IS 4215, Self-Aligning Roller Bearings, Tapered Bearings as per IS 12102, Mounted Bearings</p> <p><b>Searched String:</b> Bearing NU 6408 Roller</p> <p>Roller Bearing (BHEL), Cylindrical Roller bearing set, Ring Type Needle Bearings - IS 4215, Tapered Bearings as per IS 12102, Self-Aligning Roller Bearings, Mounted Bearings</p> <p><b>Searched String:</b> Bearing NU 7310 Roller</p> <p>Roller Bearing (BHEL), Cylindrical Roller bearing set, Ring Type Needle Bearings - IS 4215, Tapered Bearings as per IS 12102, Self-Aligning Roller Bearings, Mounted Bearings</p> <p><b>Searched String:</b> Bearing NU 6309 Roller</p> <p>Roller Bearing (BHEL), Cylindrical Roller bearing set, Ring Type Needle Bearings - IS 4215, Tapered Bearings as per IS 12102, Self-Aligning Roller Bearings, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Mounted Bearings</p> <p><b>Searched String:</b> Altoch GP make declibec</p>

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Copper Sulphate

Copper Sulphate (V3) Conforming to IS 261, Copper Sulphate (V2) as per IS 261, Ammonium Sulphate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cadmium Sulphate, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Mercuric Sulphate, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Stannous Sulphate, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** Aluminium door handle 125 mm

Access Controlled Handle Door Lock, Door Handles & Knobs, Door Handles (V2) ISI marked to IS 208, Door Handles & Knobs-handcrafted, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Door Handles as per IS 208, Corrugated Aluminium Sheet as per IS 1254, Wrought Aluminium Utensils (V2) as per IS 1660, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa

**Searched String:** Aluminium door handle 100 mm

Access Controlled Handle Door Lock, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Door Handles & Knobs, Door Handles (V2) ISI marked to IS 208, Door Handles & Knobs-handcrafted, Long Handle Drainage Cleaner, Door Handles as per IS 208, Polyethylene Pipes for Water Supply, Wrought Aluminium Utensils (V2) as per IS 1660, Sliding Doors (V2)

**Searched String:** Aluminium bow handle 150mm

Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa, Tableware Made of Melamine Plastics as per IS 9220, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Scoop Stretcher, Combination Board, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** Aluminium door handle 150 mm

Access Controlled Handle Door Lock, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Door Handles & Knobs, Door Handles (V2) ISI marked to IS 208, Door Handles & Knobs-handcrafted, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Sliding Doors (V2), Door Handles as per IS 208, Wrought Aluminium Utensils (V2) as per IS 1660, Roti Making Machine

**Searched String:** Aluminium door stopper

Lock Stopper key, XLPE Cable for Working Voltages up to

बिड विवरण / Bid Details

and Including 1.1 KV as per IS 7098 (Part 1), Iodine Flask With Stopper, Laboratory Vials (V2), door mats, Metal Storage Cabinet, Sliding door, Vault (Strong Room) Door as per IS 11188, Curtains (V2), M.S Stopper for Traffic Control (Portable Barrier)

**Searched String:** MS sliding door bolt 300 mm

M.S Stopper for Traffic Control (Portable Barrier), Cast Iron Bench, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Tower Bolts (Ferrous Metals) as per IS 204

**Searched String:** Hydraulic door closer heavy weight for 36 to 60 Kgs

Hydraulically Regulated Door Closers conforming to IS 3564

**Searched String:** Door guard with brush 1 m wide

Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Fire Hose Cabinet, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Metal Storage Cabinet, Double sided tape, Micro/Semi-Micro/Analytical weighing balance, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), ESD Workstations

**Searched String:** GI nipple 15 mm x 100mm

Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Bunk Beds as per IS 17636, rubber bands

**Searched String:** GI Nipple 15 mm x 80 mm

Commercial CPVC Pipe Fittings, Mild Steel Sheet, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Bunk Beds as per IS 17636

**Searched String:** GI Nipple 15 mm x 50mm

Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Bunk Beds as per IS 17636, rubber bands

**Searched String:** GI nipple 15x150 mm

Running Nipples, Close Taper Nipples and Barrel Nipples

बिड विवरण / Bid Details	confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Bunk Beds as per IS 17636
	<p><b>Searched String:</b> GI nipple 15mmx300mm</p> <p>Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), Commercial CPVC Pipe Fittings, GI Grating ( in Number), GI Grating (in MT), Dry Erase Writing Boards (V3), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Galvanized Iron Core Box (V2)</p>
	<p><b>Searched String:</b> GI nipple 20mmx100mm</p> <p>Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), Commercial CPVC Pipe Fittings, GI Grating ( in Number), Cleaning Duster (V3), GI Grating (in MT), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans</p>
	<p><b>Searched String:</b> GI nipple 20mm x 50mm</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Tubes, Tubulars as per IS 1239, Cleaning Duster (V3), Labels Stickers (V3), Copper Bus Bar (Bhel)-IS:1897, IS:8130, Dry Erase Writing Boards (V3), Work Benches, Glass Fuse, Pin Up Notice Board (V2), Roti Making Machine</p>
	<p><b>Searched String:</b> GI nipple 20 mm x 80 mm</p> <p>SHIRO VASTI CAP, Mild Steel Sheet, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Memory Card Reader (V2), Dry Erase Writing Boards (V3), ECG Recording Paper(V2), Pin Up Notice Board (V2), Commercial CPVC Pipe Fittings, Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment</p>
	<p><b>Searched String:</b> GI Tank nipple 25mm</p> <p>Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Portable Toilet, Modular Toilet, Grain Storage Bin (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cable Tray (BHEL), Potable Water Purification System DE - Ionization Based, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2)</p>
	<p><b>Searched String:</b> GI Tank nipple 20mm</p> <p>Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Portable Toilet, Modular Toilet, Grain Storage Bin (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cable Tray (BHEL), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Vacuum Pump, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part</p>

बिड विवरण<sup>2)</sup>/Bid Details

**Searched String:** GI nipple 20x150 mm

Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), rubber bands

**Searched String:** GI elbow 15mm

Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Commercial CPVC Pipe Fittings, Rigid GI Pipe (BHEL), GI Grating ( in Number), Dry Erase Writing Boards (V3), GI Grating (in MT), Elbow and forearm CPM, Elbow and Forearm CPM (V2)

**Searched String:** GI elbow 20mm

Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Rigid GI Pipe (BHEL), Cleaning Duster (V3), GI Grating ( in Number), Commercial CPVC Pipe Fittings, GI Grating (in MT), Elbow and forearm CPM

**Searched String:** GI Tee equal 15 mm

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial CPVC Pipe Fittings, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Elbow, Tees and Crosses, Side Outlet, Equal confirming to IS 1239 (Part 2), Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

**Searched String:** GI Tee equal 25 mm

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Parallel Bar - Outdoor Gym Equipment, Elbow, Tees and Crosses, Side Outlet, Equal confirming to IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2)

**Searched String:** GI socket 15 mm

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Asbestos Cement Pressure Pipe and Joints as per IS 1592, Steel Tubes,

बिड विवरण / Bid Details

Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Mild Steel Sheet, Parallel Bar - Outdoor

Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Socket Unions conforming to IS 1239 (Part 2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Plug Cocks for Water Supply Purposes conforming to IS 3004

**Searched String:** GI socket 20 mm

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Memory Card Reader (V2), LED Batten, Socket Unions conforming to IS 1239 (Part 2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial CPVC Pipe Fittings

**Searched String:** GI union 15 mm

Commercial CPVC Pipe Fittings, Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Plug Cocks for Water Supply Purposes conforming to IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

**Searched String:** GI union 20 mm

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Commercial CPVC Pipe Fittings, Memory Card Reader (V2), LED Batten, Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Theft Proof Rifle Racks

**Searched String:** GI plug end 20mm

Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, General Purpose Ball Valves (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, HEDGE TRIMMER or HEDGE CUTTER, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Grain Storage Bin (V2), Open Ended Slugging Wrenches (Spanners) as per IS 4508

**Searched String:** GI plug end 15mm

Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars and Other Steel Fittings as per

**बिड विवरण / Bid Details**

IS 1239 (Part 2 - Steel Pipe Fittings), General Purpose Ball Valves (V2), Plug Cocks for Water Supply Purposes

conforming to IS 3004, Wire rope slings and sling legs (V3) conforming to IS 2762, HEDGE TRIMMER or HEDGE CUTTER, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

**Searched String:** GI elbow reducer 20 x 15 mm

Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Mild Steel Sheet, rubber bands, Theft Proof Rifle Racks, Minifuge, Collagen Membrane Barrier for Orthopedic & Dental Surgeries, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Non Adherent Dressings (V2)

**Searched String:** GI elbow reducer 25x15mm

Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Grain Storage Bin (V2), CPVC Industrial Pipe Fittings, Schedule 80, Cable Tray (BHEL), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, GI Grating ( in Number), General Purpose Ball Valves conforming to IS 9890

**Searched String:** GI Tee reducer 25 x 15 mm

Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Cast Iron Bench, rubber bands, Sterile Hypodermic Needles for Single use (V2), Collagen Membrane Barrier for Orthopedic & Dental Surgeries, Floor Drain Traps (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Compostable Carry Bags

**Searched String:** GI Reducer Socket 25 x15 mm

Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Cast Iron Bench, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Sterile Hypodermic Needles for Single use (V2), Commercial CPVC Pipe Fittings, Floor Drain Traps (V2), Compostable Carry Bags, Grain Storage Bin (V2), HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS

**Searched String:** GI socket reducer 20 x 15 mm

Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, rubber bands, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Theft Proof Rifle Racks, Minifuge, Commercial CPVC Pipe Fittings, Collagen Membrane Barrier for Orthopedic & Dental Surgeries, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

**Searched String:** Cloth green blaizer1.5 mtr

Bromocresol green, Cotton Bandage Cloth Conforming to IS 863, flag hand signal made from bunting cloth cotton khadi, Extendable Road Barricade (V2), Pipe for Gardening

विड विवरण / Bid Details	Purpose, Cloth, Dryer Stand, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical Extension Box (V4)
	<p><b>Searched String:</b> Latherised rexin cloth</p> <p>Strobel Cloth, Emery Cloth, Cloth Pouches, Cleaning Duster (V3), Cheese Cloth, patient care mattresses, Glass Cloth, Steel Cloth Lockers (V3), Quilted cloth, Cloth Dryer Stand</p> <p><b>Searched String:</b> CI sluice valve 150mm</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778, Modular Toilet, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), General Purpose Ball Valves (V2)</p> <p><b>Searched String:</b> CI sluice valve 100mm dia PM 1.6</p> <p>Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Modular Toilet, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES &amp; STOP VALVES FOR HOT &amp; COLD WATER SERVICES Conforming to IS 9763</p> <p><b>Searched String:</b> Booster Pump 0.5 HP</p> <p>Booster Pump for Liquid Handling (V2) (IOCL), Online UPS (V2), CNG Compressor (HPCL), Submersible Pump Starters (Motor starter controls), Cast Iron Components (Deepwell Hand Pumps Components) Conforming to IS 15500 (Part 5), Compressed Natural Gas (CNG) Compressor As per HPCL Specification (V2), Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Industrial Siren / Electrical Siren, Multimedia Projector (MMP), Line Interactive UPS with AVR (V2)</p> <p><b>Searched String:</b> Grease</p> <p>Aviation Grease, Lithium Base Grease for Industrial Purposes as per IS 7623, Lubricating Grease, Thermal Grease, Grease Gun as per IS 7794, Grease XG-285- Defence(V2), Synthetic Lubricating Grease, General Purpose Grease as per IS 507, Super Bearing Grease, Lithium Base Grease for Automotive Purposes as per IS 12203</p> <p><b>Searched String:</b> electro rubber mat 3 mtr x 01mtr x 6mm 11 KV</p> <p>Net Camouflage Shrimp Type (Defence), Judo Mat (V2), rubber bands, Taekwondo Mats</p> <p><b>Searched String:</b> Lead pig</p> <p>Pig Lead (V2) as per IS 27, Stationary Valve Regulated Lead</p>

बिड विवरण / Bid Details

Acid Batteries (V2) as per IS 15549, Pipeline pig, Refined Secondary Lead (V2) as per IS 3717, Lead nitrate, Lead(II) Acetate, Lead Diaphragm (BHEL), Spill Containment Pallets, Lead (II) Oxide (LithARGE) LR, Notesheet (Azure Laid) (V2)

**Searched String:** Lead wool

Steel Wool, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Socks, Men's Wool (Defence), Absorbent Cotton Wool (V2), Lead nitrate, Wool Cotton Drawer, White (MHA), Notesheet (Azure Laid) (V2), Gloves Wool Knitted - IAF Specification, Resin Bonded Rock Wool Mattress, Lead(II) Acetate

**Searched String:** GI washer suitable for 12mm dia bolt 3mm

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Plain Washer as per IS 2016, Swing (Preschool Kit), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Flat Brushes for Paints and Varnishes for Heavy Duty as per IS 384 (Part 1), Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Sign holders or stands, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest)

**Searched String:** Rubber Gasket 3mm thick

Nitrile Rubber Gasket-BHEL, Rubberized cork gasket, Gasket Sheet-IS:11149, rubber bands, Kabaddi Mat (V2), Ultrasonic Thickness Gauge, Vertical Blinds (V2), Microscopes Slide Coverslips as per IS 3099, Foot Rest, wooden flooring

**Searched String:** Nylon rope 20mm

Nylon Rope as per IS 4572, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Nylon Tape, Nylon washer, Cleaning Duster (V3), Nylon Thread, Coir Rope, Dry Erase Writing Boards (V3), Battle Rope, Monkey rope

**Searched String:** Cotton waste

Cotton Yarn Waste (V2) as per IS 5485, Cleaning Duster (V3), Waste Container (V3), Medical Waste Incinerator, Bio - Medical Waste Collection Bags (Biohazard Bags), Green Waste Reprocessor (Automatic / Semi Automatic), Cotton Saree, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Shorts Cotton, Markin Cloth (V2)

**Searched String:** Spunyan

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Water Cooler Push type male and female

Self - Contained Drinking Water Coolers (V3) as per IS 1475, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Drinking Water Coolers (V4) ISI Marked To IS 1475, Anti vibration mounting pad, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Fire Hose (Type - 3) with Instantaneous Male / Female Coupling (PNG), Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), Cables, Converters and

बिड विवरण / Bid Details	Adapters, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Watermist and Caf
	<p>Fire Extinguisher Low Pressure Motorcycle Mounted Type (V2)</p> <p><b>Searched String:</b> CP nipple for Male Threade 15 x 50mm</p> <p>Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Collagen Membrane Barrier for Orthopedic &amp; Dental Surgeries, Running Nipples, Close Taper Nipples and Barrel Nipples conforming to IS 1239 (Part 2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Signal/ Triad Cable</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Star Delta Starter (V2)</li> <li>• Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774</li> <li>• Insulated socket</li> </ul>
बीओक्यू शीर्षक / <b>BOQ Title</b>	PRC 868 EWS 2 MAR 2026
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / <b>Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	2 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / <b>OEM Average Turnover (Last 3 Years)</b>	25 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / <b>Years of Past Experience Required for same/similar service</b>	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / <b>MSE Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़ / <b>Document required from seller</b>	<p>Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है / <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	No

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	3
विगत प्रदर्शन / <b>Past Performance</b>	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	150mm Exhaust fan plastic body
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	21000

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई

केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

sbso  
MES, Department of Military Affairs, Indian Army, Ministry of Defence  
(Sbso)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be

relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of

purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### **Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 ( 26 pieces )**

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

Bis Required	Yes
--------------	-----

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

<b>विवरण/Specification</b>	<b>विशिष्टि का नाम /Specification Name</b>	<b>बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)</b>
Generic	<b>Rated Current</b>	6A
	<b>Type of Switch</b>	bell push switch
Switch Classification	<b>Type of Terminal Connection</b>	Screw type terminal
Construction	<b>Current Carrying Contact Material</b>	Brass

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	26	45

### Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 ( 8 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Rated Current	6A
	Type of Switch	1 way switch
Switch Classification	Type of Terminal Connection	Screw type terminal
Construction	Current Carrying Contact Material	Brass

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	45

### Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 ( 3 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Number of Steps	5

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Enclosure	ventilated type

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

**250mm Exhaust Fan Plastic Body**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	9	45

**200mm Exhaust Fan Plastic Body**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	45

**150mm Exhaust Fan Plastic Body**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

**Fuse Wire Copper Tined 200 Amp**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

**HT Barrel Fuse 20 Amp Pkt Of 10 Nos**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

**HT Barrel Fuse 10 Amp10Nos Pkt**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

**Barrel Fuse HT 11 KV Rated 60 Amps**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

**HT Barrel Fuse 5 Amp10 Nos Pkt**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

**HT Barrel Fuse 15 Amp10 Nos Pkt**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

**Ceiling Fan Regulator Electronic Stepped Type**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	64	45

**Modular Socket 5 Amp**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

**Modular Socket 15 Amp**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### Thread Bulb Big LED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### Thread Bulb Small LED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### PVC Ceiling Rose 2 Or 3 Terminal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	14	45

### Insulation Tape Roll 38 Mm X 25 M Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	71	45

### Insulation Tape Roll 20 Mm X 25 M Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	43	45

### Insulation Tape Roll 15 Mm X 25 M Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	43	45

### Insulation Tape Roll 25 Mm X 25 M Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	35	45

### Ampere Tape 15mm Width

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### Digital Energy Meter Single Ph 240V 50Hz

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### Digital Energy Meter 3 Phase 4 Wire 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### Candle For Water Filter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### Aqua Filter Catridge Sleek 250 Bowl

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### Aqua Guard Puro Filter Complete Set

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Star Delta Starter Cap 25HP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Star Delta Starter Capacity 125HP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### GI Nipple 25 Mm X 300mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	18	45

### GI Union 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	34	45

### GI Reduces Tee 40x40x25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### GI Socket 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### GI Elbow 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### GI Reducer Elbow 50mm X 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### GI Union Socket 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### GI Union Socket 40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

### GI Elbow 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	12	45

### GI Socket 25x20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	15	45

### GI Nipple 25x150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	23	45

### GI Reduces Tee 40x40x20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Reduces Tee 50x50x25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Reduces Tee 50x50x20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Nipple 25mm X 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	25	45

### GI Reduces Tee 50x50x40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Elbow 40 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### GI Tee Reducer 25 X 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	15	45

### GI Elbow Reducer 20 X 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	10	45

### GI Reduces Tee 20x20x25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	12	45

### GI Socket 50mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### GI Nipple 40mm X 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### GI Tee Equal 40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### GI Reducer Elbow 50 X 50 X 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Reduces Socket 40mmx20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Nipple 50mm X 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

### GI Socket 40mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Reduces Socket 40mmx25 Or 30mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### GI Plug 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### GI Tee 50x50x50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### GI Plug 40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### GI Tank Nipple 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	14	45

### GI Reduces Socket 50mmx25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### GI Reduces Socket 50mmx20 Or 40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### GI Reduces Tee 40x40x15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### GI Reducer Elbow 50mm X 40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### GI Plug 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### GI Nipple 40mm X 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### Bleaching Powder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	16	45

### Bearing NU 310 Roller

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Bearing NU 6408 Roller

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Bearing NU 7310 Roller

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### Bearing NU 6309 Roller

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Altoch GP Make Declibec

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### Copper Sulphate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### Aluminium Door Handle 125 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### Aluminium Door Handle 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	28	45

### Aluminium Bow Handle 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### Aluminium Door Handle 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	22	45

### Aluminium Door Stopper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	17	45

### MS Sliding Door Bolt 300 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Hydraulic Door Closer Heavy Weight For 36 To 60 Kgs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	28	45

### Door Guard With Brush 1 M Wide

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	60	45

### GI Nipple 15 Mm X 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	85	45

### GI Nipple 15 Mm X 80 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	41	45

### GI Nipple 15 Mm X 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	57	45

### GI Nipple 15x150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	108	45

### GI Nipple 15mmx300mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	44	45

### GI Nipple 20mmx100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	36	45

### GI Nipple 20mm X 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Nipple 20 Mm X 80 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	17	45

### GI Tank Nipple 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### GI Tank Nipple 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	32	45

### GI Nipple 20x150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	45	45

### GI Elbow 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	163	45

### GI Elbow 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	39	45

### GI Tee Equal 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	60	45

### GI Tee Equal 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### GI Socket 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	14	45

### GI Socket 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	53	45

### GI Union 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	47	45

### GI Union 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	58	45

### GI Plug End 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	11	45

### GI Plug End 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	45	45

### GI Elbow Reducer 20 X 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### GI Elbow Reducer 25x15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	14	45

### GI Tee Reducer 25 X 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### GI Reducer Socket 25 X15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	45

### GI Socket Reducer 20 X 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	53	45

### Cloth Green Blaizer1.5 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### Latherised Rexin Cloth

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### CI Sluice Valve 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### CI Sluice Valve 100mm Dia PM 1.6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### Booster Pump 0.5 HP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### Grease

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	9	45

### Electro Rubber Mat 3 Mtr X 01mtr X 6mm 11 KV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Lead Pig

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	24	45

### Lead Wool

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

### GI Washer Suitable For 12mm Dia Bolt 3mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Rubber Gasket 3mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	12	45

### Nylon Rope 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### Cotton Waste

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	10	45

### Spunyan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	45

### Water Cooler Push Type Male And Female

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### CP Nipple For Male Thread 15 X 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

### 3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### 4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 5. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

### 6. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in

the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 7. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 9. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

### **BUYER ADDED BID SPECIFIC ADDITIONAL TERMS & CONDITIONS (ATC)**

Bidders shall communicate with the Buyer only through the GeM portal for any queries related to this bid, as no other mode of communication is permitted under GeM Terms and Conditions.

1. **Discrepancy in Conditions.** In the event of any discrepancy between the GeM Terms and Conditions, the Standard Terms and Conditions (STC), and the Buyer Added Bid Specific Additional Terms and Conditions (ATC), the Buyer's Bid Specific ATC shall prevail and be final.

2. **Pre-qualification / Eligibility.** All bidders intending to participate in this bid shall upload the following documents on the GeM portal for technical scrutiny and eligibility verification, in addition to the documents required under GeM :-

2.1 List of works successfully executed during the last three financial years.

2.2 Annual Turnover Certificates of both the OEM and the bidder for the last three financial years.

- 2.3 Copy of Form 26AS.
- 2.4 Valid MSME / Udyam Registration, if applicable.
- 2.5 Affidavit of no dues / no recovery pending.
- 2.6 Affidavit declaring that the bidder is not involved in any arbitration or litigation.
- 2.7 Copy of Partnership Deed, where applicable.
- 2.8 Memorandum and Articles of Association, where applicable
- 2.9 Copy of the bidder's Registration Certificate.
- 2.10 Affidavit confirming that no near relative of the bidder is employed in MES /Corps of Engineers / Ministry of Defence in a capacity that attracts restrictions under applicable Government of India and departmental instructions.

3. The following Annexures shall be submitted on non-judicial stamp paper of appropriate value as per prevailing state laws and then scanned and uploaded on the GeM portal:-

- 3.1 Bid Submission Form on bidder's letterhead, duly filled, signed and uploaded along with the bid on GeM. **(Annexure-I)**
- 3.2 Notarized affidavit confirming acceptance of all terms and conditions of the bid document. **(Annexure-II)**
- 3.3 Notarized affidavit confirming that none of the bidder's or OEM's employees or their relatives are employees of the Client, and that the bidder has not been convicted under the Prevention of Corruption Act, 1988 or under any other law in force for offences involving loss of life or property or threat to public health in execution of a public procurement contract. **(Annexure-III)**
- 3.4 Self-declaration on non-judicial stamp paper stating that the bidder has not been blacklisted or debarred by any Government department, organization, or public sector undertaking; non-submission in the prescribed format may result in rejection of the bid. **(Annexure-IV)**

4. **Additional Documents** :-

4.1 GST portal screenshot showing the name of the firm and aggregate annual turnover for the last three financial years.

4.2 Statement of all items quoted, strictly of branded make; unbranded items shall not be accepted, and details shall be given in Table-1 (Product Name, Make, Product ID).

4.3 Valid ISO 9001 certificate of the OEM or bidder, as applicable.

**Note :- The Buyer reserves the right to verify all submitted certificates and information from issuing authorities and official websites; any deviation, misrepresentation, or unverifiable credential may lead to outright rejection of the bid without further notice.**

5. **Right of Rejection** :-

5.1 The Buyer reserves the right to cancel the bidding process and reject all bids at any time before award of contract, without liability towards any bidder.

5.2 The Buyer also reserves the right, at its sole discretion, not to place any order under this bid, and will not be liable for any compensation or cost incurred in preparation or submission of the bid.

5.3 If any part of the bid or prescribed information is missing, vague, or incomplete, or if conditions are not met, the bid shall be treated as non-responsive and is liable to be rejected.

5.4 The Buyer may terminate the contract if the bidder is found to have been blacklisted / debarred by any Government Department / Institution / Local Body / Municipality / Public Sector Undertaking, without any further notice.

5.5 If any information given by the bidder is found to be incorrect, th

The Buyer may reject the bid at any stage, cancel the contract if awarded, and forfeit the entire Earnest Money Deposit.

5.6 Information furnished in the bid shall be clear, specific, and limited to what is sought; bids containing extraneous or confusing information with intent to mislead are liable to be rejected.

5.7 The Buyer shall be the sole judge for short-listing, and the Buyer's decision shall be final and binding.

5.8 Bids shall conform to the provisions of the Manual for Procurement of Goods, 2024, and to the GeM General Terms and Conditions, as amended from time to time.

### **Annexure I - Bid Submission Form**

(To be printed on bidder's letterhead, signed, stamped, scanned and uploaded on GeM)

Date: \_\_\_\_\_

To

The Buyer

[Department / Office Name]

[Address]

Subject: Bid Submission for GeM Bid No.

\_\_\_\_\_

Sir/Madam,

1. Having examined the Bid Document, including all terms, conditions and specifications, the undersigned hereby submits the bid for "[Name of Work / Item]" against GeM Bid No. \_\_\_\_\_.
2. The undersigned hereby accepts all terms and conditions of GeM, the Bid Doc

ument, Buyer Added ATC and any corrigenda issued, and undertakes to comply with the same without any reservations.

3. The quoted prices are firm and inclusive of all applicable taxes, duties, freight , packing, insurance and other charges, as per GeM Terms and Conditions.

4. The bid shall remain valid for \_\_\_\_\_ days from the date of bid opening, as required in the Bid Document. The undersigned certifies that all information and documents submitted on the GeM portal are true, correct and complete to the best of bidder's knowledge and belief.

Yours faithfully,

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Name of Bidder/Firm: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile / Phone: \_\_\_\_\_

E-mail: \_\_\_\_\_

Signature with seal

## **Annexure II - Affidavit for Acceptance of Bid Conditions**

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

### **AFFIDAVIT**

I, \_\_\_\_\_, son/daughter of \_\_\_\_\_, aged \_\_\_\_\_ year s, resident of \_\_\_\_\_, being the authorised signatory of M/s \_\_\_\_\_ (hereinafter called "the Bidder"), do hereby solemnly affirm and state as under:

1. That I am duly authorised to submit this affidavit on behalf of the Bidder in response to GeM Bid No. \_\_\_\_\_ for "[Name of Work / Item]".

2. That the Bidder has carefully read and understood all the terms and conditions of the Bid Document, including GeM General Terms and Conditions, STC and Buyer Added Bid Specific ATC.

3. That the Bidder unconditionally accepts all the aforesaid terms and conditions and agrees that any deviation or conditional bid is liable to be rejected.

4. That all information, certificates and documents uploaded on the GeM portal for this bid are true, correct and complete, and nothing material has been concealed.

Verified at \_\_\_\_\_ on this \_\_\_ day of \_\_\_\_\_ 20\_\_ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Firm's Name with seal: \_\_\_\_\_

(Notary Seal & Signature)

### **Annexure III - Affidavit regarding Non-conviction and Non-employment of Relatives**

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

#### **AFFIDAVIT**

I, \_\_\_\_\_, son/daughter of \_\_\_\_\_, aged \_\_\_ year s, resident of \_\_\_\_\_, authorised signatory of M/s \_\_\_\_\_ (Bidder), do hereby solemnly affirm and state as under.

1. That none of my near relative(s), as defined in the Bid Document, is employed in MES / Corps of Engineers / Ministry of Defence / Client Department in a capacity which would attract provisions regarding conflict of interest.

2. That none of the employees/partners/directors of the Bidder, nor their relatives, are employees of the Client in a manner that may affect the fairness of this procurement.

3. That the Bidder and its directors/partners/proprietor have not been convicted under the Prevention of Corruption Act, 1988 or under the Indian Penal Code or any other law in force for offences resulting in loss of life or property or causing threat to public health in execution of any public procurement contract.

4. That there is no criminal case involving fraud, corruption or moral turpitude pending against the Bidder or its key management personnel in any court of law.

Verified at \_\_\_\_\_ on this \_\_\_\_ day of \_\_\_\_\_ 20\_\_ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Firm's Name with seal: \_\_\_\_\_

(Notary Seal & Signature)

#### **Annexure IV - Self-Declaration on Non-blacklisting / Non-debarment**

(To be executed on non-judicial stamp paper of Rs. 10/- with Re. 1/- revenue stamp affixed, as mentioned in the Bid Document, and uploaded on GeM)

SELF-DECLARATION

Date: \_\_\_\_\_ To

The Buyer

[Department / Office Name]

[Address]

Subject: Declaration regarding Non-blacklisting / Non-debarment – GeM Bid No.  
\_\_\_\_\_

Sir/Madam,

1. I/We, M/s \_\_\_\_\_, having registered office at \_\_\_\_\_, hereby declare that our firm/company, its partners/directors and promoters have not been blacklisted, debarred, suspended or removed from any approved list of vendors by any Central Government / State Government / Union Territory / Government Department / Autonomous Body / PSU / Public Sector Bank or any other public authority as on the date of this declaration.

2. I/We further declare that there are no orders or proceedings pending for blacklisting or debarment against our firm/company by any of the above authorities. I/We understand that if this declaration is found to be false or incorrect at any stage, the Buyer shall be entitled to reject our bid, terminate the contract if awarded, and take any other action as per GeM Terms and Conditions and applicable law.

Yours faithfully,

Signature of authorised signatory: \_\_\_\_\_

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Name of Bidder/Firm: \_\_\_\_\_

Address: \_\_\_\_\_

GSTIN: \_\_\_\_\_ PAN: \_\_\_\_\_

Contact No.: \_\_\_\_\_ E-mail: \_\_\_\_\_

(Seal of the Bidder/Firm)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**