

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	16-03-2026 11:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	16-03-2026 11:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	90 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम/Department Name</b>	Department Of Military Affairs
<b>संगठन का नाम/Organisation Name</b>	Indian Army
<b>कार्यालय का नाम/Office Name</b>	*****
<b>कुल मात्रा/Total Quantity</b>	7307
	LED Batten (Q2) , LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) (Q3) , Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947 (Q3) , MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) , LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5) (Q3) , 2 feet Tube light fitting 10 watt , Universal batten with G13 lamp holder for T 8 lamps 20 watt Single side connection , LED Pressure die cast aluminium IP66 LED street light fittings 60 watt with electronic driver , Ultra modern recess mounting luminaire high brightness LEDs 42 Watt LED 6000k. , LED 12 Watt bulb white light 90 parsenteg energy saver high effcency LED 12W LAMP , LED 09 Watt bulb white light 90 parsenteg energy saver high effcency LED LUMENO 9W LAMP , MCB 16 Amp DP , MCCB 250 Amp 4 pole. 415 volts 35 KA , MCB SP 63 Amp 240 volts C curve 10 KA , MCB 32 AMP DP , MCB DB 4 Way DD , MCB DB 8 way DD , MCB DB12 way DD , MCB DB 2 Way , Isolator 100 Amps 4 pole TPN , Change over swtich 63 Amp 415 Volt , PVC cable copper conductor 1100V 1.5 Sqmm single core , Multistranded copper conductor single core 2.5sqmm , Cable flexible copper conductor 23 or .0076 , Cable flexible copper conductor 14 or .0076 , PVC round cable 3 core 23 or .0076 , PVC round cable 3 core 40 or .0076 , UG armd cable aluminium conductor 2 core x 6 Sqmm , Multistranded copper conductor single core 10sqmm , PVC insulated 1.5 Sqmm 2 core copper conductor , UG armd cable aluinium conductor 3.5 core x 16 Sqmm , Cable Single core Copper conductor 6.0 Sqmm , PVC copper wire multistranded single core of size 16 Sqmm , Cable unarmd aluminium conductor single core 4 Sqmm , Cable unarmd aluminium conductor 2 core x 10 Sqmm , PVC copper wire multistranded single core x 25 Sqmm , PVC copper wire multistranded single core x 35

विड विवरण / Bid Details	Sqmm, Cable Single Core copper conductor 4 Sqmm , UG Armd cable aluminium conductor 2 core x10 Sqmm , UG
वस्तु श्रेणी /Item Category	<p>armd cable aluminium conductor 3.5 core x 35 Sqmm , UG armoured cable aluminium conductor 3.5 core x 70 Sqmm , Capacitor for ceiling fan 2.5 MFD , Lugs copper alloy 150 Sqmm , Lugs copper alloy 185 Sqmm , Lugs copper alloy 95 Sqmm , Lugs copper alloy 120 Sqmm , Lugs copper alloy 70 Sqmm , Lugs copper alloy 50 Sqmm , Lugs copper alloy 35 Sqmm , Lugs copper alloy 25 Sqmm , Lugs copper alloy 240 Sqmm , Lugs copper alloy 400 Sqmm , Call bell ding dong , Call bell Burzzar , Plug 3 pin top 15 or 16 Amp , Switch socket combination 6 Amp , Switch socket combination 16 Amp , Switch Paino Type 6 Amp , Switch piano type 16 Amp  , Switch piano type 6 Amp 2 Way , Switch for call bell 6 Amp  , Plug top 3 pin 5 or 6 Amp , Pinao socket 16 Amp 5 pin , 5 Amps socket , PVC water tank capacity 500 Ltr , PVC water tank capacity 1000 Ltr , PVC water tank capacity 300 Ltr , PVC water tank cover Lid suitable for 500 Ltr capacity , PVC water tank cover Lid suitable for 1000 Ltr capacity , Plywood Commercial BWR Grade 7x3 inch x12mm thick , Pre laminated MDF board 8x4 feet x 18 or 20 mm , Block board BWR 8x4 feet x19 mm thick , Ply wood BWR 8x4 feet x 12 mm thick , Ply wood BWR 8x4 feet x 6mm thick , Ply wood one side teak face size8x4 feet x 4mm thick , Ply wood BWR 8x4 feet x 4mm thick , Pre-laminated MDF board8x4 feet x12mm , GI tubing Medium grade 25 mm , GI tubing medium grade 40 mm , GI tubing medium grade 80mm , GI tubing med grade 50 mm , GI tubing med grade 100 mm , PVC switch board 8x6 inch , PVC switch Bd 4x4 inch , PVC Switch bd 7x 4 inch , PVC Switch bd 12x10 inch , PVC Switch bd rectangular 8x10 inch , PVC casing capping 15mm , PVC Cassing capping 20 mm , PVC casing capping 25 mm x 12mm , PVC casing capping 32 mm , PVC Conduit pipe 25 mm , PVC Conduit pipe 20 mm , PVC Flexible pipe 20 mm corrugated , PVC Flexible pipe 25 mm corrugated , PVC Flexible pipe 32 mm corrugated , Plywood BWR 8 feet x4 feet x18mm thick , SS curtain conduit pipe 30 mm dia x 4 mtr long fancy with bracket complete set , SS curtain conduit pipe 25 mm dia x 4 mtr long fancy with bracket complete set , Steel plate rack 30x31x10 inch , Steel plate rack 31x 24x10 inch , Steel plate rack 31x 42x 10 inch , Steel plate rack 1.00 mm thick size 31x36 , PVC low level flushing cistern of 10 Ltrs Cap single level , PVC Kit for low level flushing cistern 10ltr cap , GI tubing medium grade 20 mm , GI tubing medium grade 15 mm , PTMT Stop cock 20 mm , PTMT float Valve 15 mm , PTMT float valve complete 20 mm , PTMT float valve complete 25 mm , PTMT bib cock 15 mm , PTMT Pillar cock 15 mm , PTMT bib cock 20mm , Butterfly valve 150mm dia , Butterfly valve 100mm dia , GM gate valve 25mm dia , Gate valve 50 mm brass , Gate valve 40 mm , LED 18 Watt bulb white B22 , LED 15 Watt bulb White , CP angle cock 15mm , CP Pillar cock 15 mm fancy type , CP Bib cock fancy type 15 mm , CP health faucet , CP centre hole basin mixing 15 mm , CP Stop cock 15 mm male threaded , CP Sink couplng 100 or 75 or 50mm , CP shower rose with arms , CP Towel Rack 600mm , CP towel rail 24 inch 600mm , CP Wall Mixture 04 way , CP Over head shower rang 6 inch , CP Head for conselled stop cock 15mm  , CP Health faucet with 01 m long flexible tube with spray jet 2 feet Tube light fitting 10 watt, batten with G13 lamp holder for T 8 lamps 20 watt Single , LED Pr die cast al IP66 street light fittings 60 watt , recess mounting luminaire LEDs 42 Watt LED 6000k, LED 12 Watt bulb white light 90 LED 12W LAMP , LED 09 Watt bulb white light 90 LED LUMENO 9W LAMP, MCB 16 Amp DP , MCCB 250 Amp 4</p>

विड विवरण / Bid Details

pole, 415 volts 35 KA , MCB SP 63 Amp 240 volts 'C' curve 10 KA , MCB 32 AMP DP , MCB DB 4 Way DD , MCB DB 8 way DD , MCB DB12 way DD , MCB DB 2 Way , Isolator 100 Amps 4 pole TPN , Change over switch 63 Amp 415 Volt , PVC cable copper conductor 1100V 1.5 Sqmm single core , Multistranded copper conductor single core 2.5sqmm , Cable flexible copper conductor 23 or .0076 , Cable flexible copper conductor 14 or .0076, PVC round cable 3 core 23 or .0076 , PVC round cable 3 core 40 or .0076, UG armd cable aluminium conductor 2 core x 6 Sqmm , Multistranded copper conductor single core 10sqmm , PVC insulated 1.5 Sqmm 2 core copper conductor , UG armd cable aluinium conductor 3.5 core x 16 Sqmm , Cable Single core Copper conductor 6.0 Sqmm , PVC copper wire multistranded single core 16 Sqmm , Cable unarmd al conductor single core 4 Sqmm , Cable unarmd al conductor 2 core x 10 Sqmm , PVC copper wire multistranded single core x 25 Sqmm , PVC copper wire multistranded single core x 35 Sqmm , Cable Single Core copper conductor 4 Sqmm , UG Armd cable aluminium conductor 2 core x10 Sqmm , UG armd cable aluminium conductor 3.5 core x 35 Sqmm , UG armoured cable al conductor 3.5 core x 70 Sqmm, Capacitor for ceiling fan 2.5 MFD, Lugs copper alloy 150 Sqmm , Lugs copper alloy 185 Sqmm , Lugs copper alloy 95 Sqmm , Lugs copper alloy 120 Sqmm , Lugs copper alloy 70 Sqmm , Lugs copper alloy 50 Sqmm , Lugs copper alloy 35 Sqmm , Lugs copper alloy 25 Sqmm , Lugs copper alloy 240 Sqmm , Lugs copper alloy 400 Sqmm , Call bell ding dong, Call bell Burzzar, Plug 3 pin top 15 or 16 Amp, Switch socket combination 6 Amp , Switch socket combination 16 Amp , Switch Paino Type 6 Amp, Switch piano type 16 Amp , Switch piano type 6 Amp 2 Way, Switch for call bell 6 Amp, Plug top 3 pin 5 or 6 Amp , Pinao socket 16 Amp 5 pin, 5 Amps socket , PVC water tank capacity 500 Ltr , PVC water tank capacity 1000 Ltr , PVC water tank capacity 300 Ltr , PVC water tank cover Lid suitable for 500 Ltr capacity, PVC water tank cover Lid suitable for 1000 Ltr capacity, Plywood Commercial BWR Grade 7x3 inch x12mm thick , Pre laminated MDF board 8x4 feet x 18 or 20 mm , Block board BWR 8x4 feet x19 mm thick , Ply wood BWR 8x4 feet x 12 mm thick , Ply wood BWR 8x4 feet x 6mm thick, Ply wood one side teak face size8x4 feet x 4mm thick , Ply wood BWR 8x4 feet x 4mm thick, Pre-laminated MDF board8x4 feet x12mm , GI tubing Medium grade 25 mm , GI tubing medium grade 40 mm , GI tubing medium grade 80mm , GI tubing med grade 50 mm , GI tubing med grade 100 mm , PVC switch board 8x6 inch , PVC switch Bd 4x4 inch, PVC Switch bd 7x 4 inch, PVC Switch bd 12x10 inch, PVC Switch bd rectangular 8x10 inch , PVC casing capping 15mm, PVC Cassing capping 20 mm , PVC casing capping 25 mm x 12mm , PVC casing capping 32 mm , PVC Conduit pipe 25 mm , PVC Conduit pipe 20 mm , PVC Flexible pipe 20 mm corrugated , PVC Flexible pipe 25 mm corrugated, PVC Flexible pipe 32 mm corrugated , Plywood BWR 8 feet x4 feet x18mm thick, SS curtain/conduit pipe 30 mm dia x 4 mtr long , SS curtain/conduit pipe 25 mm dia x 4 mtr long , Steel plate rack 30x31x10 inch , Steel plate rack 31x 24x10 inch , Steel plate rack 31x 42x 10 inch , Steel plate rack 1.00 mm thick size 31x36, PVC low level flushing cistern of 10 Ltrs Cap single level , PVC Kit for low level flushing cistern 10ltr cap , GI tubing medium grade 20 mm , GI tubing medium grade 15 mm , PTMT Stop cock 20 mm, PTMT float Valve 15 mm, PTMT float valve complete 20 mm, PTMT float valve complete 25 mm, PTMT bib cock 15 mm, PTMT Pillar cock 15

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

विड विवरण/Bid Details	mm , PTMT bib cock 20mm , Butterfly valve 150mm dia, Butterfly valve 100mm dia , GM gate valve 25mm dia, Gate
	valve 50 mm brass , Gate valve 40 mm, LED 18 Watt bulb white B22 , LED 15 Watt bulb White , CP angle cock 15mm , CP Pillar cock 15 mm fancy type , CP Bib cock fancy type 15 mm, CP health faucet , CP centre hole basin mixing 15 mm , CP Stop cock 15 mm male threaded, CP Sink coupling 100 or 75 or 50mm, CP shower rose with arms , CP Towel Rack 600mm , CP towel rail 24 inch 600mm, CP Wall Mixture 04 way, CP Over head shower rang 6 inch, CP Head for conselled stop cock 15mm , CP Health faucet with 01 m long flexible tube with spray jet
	<p><b>Searched String:</b> 2 feet Tube light fitting 10 watt</p> <p>LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Tube Light (Retrofit Type), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Hand Held Search Light, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, LED Batten Light (LED Tube Light) (V2), Flying Insect Control Traps - Fly Catcher, Endotracheal Tube - Sterile (Single Use)</p> <p><b>Searched String:</b> batten with G13 lamp holder for T 8 lamps 20 watt Single</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> LED Pr die cast al IP66 street light fittings 60 watt</p> <p>LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Led post top lantern</p> <p><b>Searched String:</b> recess mounting luminaire LEDs 42 Watt LED 6000k</p> <p>LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Flood Light, Flame Proof (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)</p> <p><b>Searched String:</b> LED 12 Watt bulb white light 90 LED 12W LAMP</p> <p>12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Rechargeable LED Bulb (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Inspection Lamp, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Hand Lamp, High Mast Lighting Tower for large area with LED Flood Lighting System, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2)</p>

बिड विवरण / Bid Details  
**Searched String:** LED 09 Watt bulb white light 90 LED  
LUMENO 9W LAMP

Rechargeable LED Bulb (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Solar Street Lighting System (NTPC), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Inspection Lamp, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Hand Lamp

**Searched String:** MCB 16 Amp DP

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Electrical Extension Box (V4), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation

**Searched String:** MCCB 250 Amp 4 pole. 415 volts 35 KA

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Fuse Unit, Earth Leakage Circuit Breaker (ELCB)

**Searched String:** MCB SP 63 Amp 240 volts 'C' curve 10 KA

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** MCB 32 AMP DP

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation

**Searched String:** MCB DB 4 Way DD

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Solenoid Valve (V2), Metal Pallet as per IS 4923:1997, IS 4300:1967, IS 7276:1979, Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld

**Searched String:** MCB DB 8 way DD

Circuit Breakers for DC Operation

**Searched String:** MCB DB12 way DD

Electric Buses (V2), Three Way Stopcocks

**Searched String:** MCB DB 2 Way

Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Drums large, fixed ends, Grade B ISI Marked to IS 1783 Part 2, Circuit Breakers for DC Operation, Drums large, fixed ends, Grade A ISI Marked to IS 1783 Part 1, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Solenoid Valve (V2)

**Searched String:** Isolator 100 Amps 4 pole TPN

विड विवरण / Bid Details  
Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB), Band Saw Machine

**Searched String:** Change over swtich 63 Amp 415 Volt

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** PVC cable copper conductor 1100V 1.5 Sqmm single core

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** Multistranded copper conductor single core 2.5sqmm

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

**Searched String:** Cable flexible copper conductor 23 or .0076

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible

विड विवरण / Bid Details

Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Telecommunication Cable - Fully Filled Petroleum Jelly or Absorbent Thixotropic Gel (V2)

**Searched String:** Cable flexible copper conductor 14 or .0076

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Elastomer Insulated Flexible Cables for use in Mines (V2) as per IS 14494, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Telecommunication Cable - Fully Filled Petroleum Jelly or Absorbent Thixotropic Gel (V2)

**Searched String:** PVC round cable 3 core 23 or .0076

Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694

**Searched String:** PVC round cable 3 core 40 or .0076

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694

**Searched String:** UG armd cable aluminium conductor 2 core x 6 Sqmm

विड विवरण / Bid Details

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** Multistranded copper conductor single core 10sqmm

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

**Searched String:** PVC insulated 1.5 Sqmm 2 core copper conductor

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

**Searched String:** UG armd cable aluiniunm conductor 3.5 core x 16 Sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI

बिड विवरण / Bid Details  
Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

**Searched String:** Cable Single core Copper conductor 6.0 Sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** PVC copper wire multistranded single core 16 Sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** Cable unarmd al conductor single core 4 Sqmm

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** Cable unarmd al conductor 2 core x 10 Sqmm

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, XLPE Cable for Working

विड विवरण / Bid Details	Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Signal/ Triad Cable
	<p><b>Searched String:</b> PVC copper wire multistranded single core x 25 Sqmm</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> PVC copper wire multistranded single core x 35 Sqmm</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> Cable Single Core copper conductor 4 Sqmm</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694</p> <p><b>Searched String:</b> UG Armd cable aluminium conductor 2 core x10 Sqmm</p> <p>PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core</p>

बिड विवरण / Bid Details

Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Aerial Bunched Cables as per IS 14255

**Searched String:** UG armd cable aluminium conductor 3.5 core x 35 Sqmm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Aerial Bunched Cables as per IS 14255, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** UG armoured cable al conductor 3.5 core x 70 Sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** Capacitor for ceiling fan 2.5 MFD

Capacitors for Electric Fan Motors as per IS 1709 (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electric Ceiling Fan (V4) ISI Marked to IS 374, File/Folder (V3), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Theft Proof Rifle Racks, Markers for White Board (V2), Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664

**Searched String:** Lugs copper alloy 150 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose

as per IS 778  
बिड विवरण / Bid Details

**Searched String:** Lugs copper alloy 185 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** Lugs copper alloy 95 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** Lugs copper alloy 120 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** Lugs copper alloy 70 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** Lugs copper alloy 50 Sqmm

Copper Oxychloride 50% WP, Cast Copper Alloy Traps, Electrical connection Lugs or thimbles, Rolled Copper and

बिड विवरण / Bid Details

Copper Alloy Sheet, Strip and Foil, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper and Copper Alloy

Rods and Sections (Other than Forging Stock), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Traps conforming to IS 5219, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703

**Searched String:** Lugs copper alloy 35 Sqmm

Copper Tube 35 mm-OFB, Cast Copper Alloy Traps, Electrical connection Lugs or thimbles, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Traps conforming to IS 5219, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703

**Searched String:** Lugs copper alloy 25 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** Lugs copper alloy 240 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** Lugs copper alloy 400 Sqmm

Cast Copper Alloy Traps, Rolled Copper and Copper Alloy Sheet, Strip and Foil, Electrical connection Lugs or thimbles, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Traps conforming to IS 5219, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as

विड विवरण/Bid Details per IS 781, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** Call bell ding dong

Wireless Attendant Calling System, Electric Bells and Accessories as per IS 2268

**Searched String:** Call bell Burzzar

Wireless Attendant Calling System, Bell Metal Craft from Bajali - ODOP, Competition kettle bells, Bell Metal Products from Barpeta - ODOP, Electric Bells and Accessories as per IS 2268, Flameproof Manual Call Point-IS:2148, acoustic stethoscope, Bell Metal Products from Bastar - ODOP, Brass and Bell Metal Products from Nayagarh - ODOP, Acoustic Binaural Stethoscope (V3)

**Searched String:** Plug 3 pin top 15 or 16 Amp

Electrical Plugs (V2) ISI Marked to IS 1293

**Searched String:** Switch socket combination 6 Amp

Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293

**Searched String:** Switch socket combination 16 Amp

Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), Flameproof Switch Socket, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Layer 2 Access Switch (V2), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

**Searched String:** Switch Paino Type 6 Amp

Moderate Heat Duty Fireclay Refractories, Group A as per IS 6, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Electrical Extension Box (V4), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Steel Cloth Lockers (V3), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Tennis Ball, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

बिड विवरण / Bid Details	<b>Searched String:</b> Switch piano type 16 Amp
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Electrical Extension Box (V4), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Net Camouflage Shrimp Type (Defence), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293</p>
	<p><b>Searched String:</b> Switch piano type 6 Amp 2 Way</p> <p>Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Tennis Ball, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Foldable Umbrellas as per IS 10675, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Tarpaulins Made from HDPE Woven Fabrics as per IS 7903</p>
	<p><b>Searched String:</b> Switch for call bell 6 Amp</p>
	<p>Electrical Extension Box (V4), Switching Power Supply for Wireless Application</p>
	<p><b>Searched String:</b> Plug top 3 pin 5 or 6 Amp</p>
	<p>Electrical Plugs (V2) ISI Marked to IS 1293</p>
	<p><b>Searched String:</b> Pinao socket 16 Amp 5 pin</p>
	<p>Electrical Extension Box (V4), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293</p>
	<p><b>Searched String:</b> 5 Amps socket</p>
	<p>Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Impact socket, Fume Hood (FSSAI), Deep Socket, All in One PC (V2), IC SOCKET, Insulated socket, File/Folder (V3), Insulated socket wrench</p>
<p><b>Searched String:</b> PVC water tank capacity 500 Ltr</p>	
<p>EXTINGUISHER FIRE DEFENCE WATER STORED AIR PRESSURE TYPE OF 9 LTRS CAPACITY (STAINLESS STEEL BODY), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hamam Water Heating Device (Defense), Portable Toilet, Solar Water Heating System as per IS 12976:1990, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Truck Mounted Jetting Machine, RO Water Plant for Hemodialysis, FRP Storage Tank (V2), Water Tender Type B for Fire Brigade Use conforming to IS 950</p>	
<p><b>Searched String:</b> PVC water tank capacity 1000 Ltr</p>	

बिड विवरण / Bid Details

EXTINGUISHER FIRE DEFENCE WATER STORED AIR PRESSURE TYPE OF 9 LTRS CAPACITY (STAINLESS STEEL BODY), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Truck Mounted Jetting Machine, RO Water Plant for Hemodialysis, FRP Storage Tank (V2), Solar Water Heating System as per IS 12976:1990, Hamam Water Heating Device (Defense), Water Tender Type B for Fire Brigade Use conforming to IS 950, Canvas Water Tank

**Searched String:** PVC water tank capacity 300 Ltr

EXTINGUISHER FIRE DEFENCE WATER STORED AIR PRESSURE TYPE OF 9 LTRS CAPACITY (STAINLESS STEEL BODY), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Truck Mounted Jetting Machine, Hamam Water Heating Device (Defense), FRP Storage Tank (V2), Solar Water Heating System as per IS 12976:1990, Water Tender Type B for Fire Brigade Use conforming to IS 950, Canvas Water Tank, Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resin (GRP) Sectional Water Storage Tanks as per IS 14399, Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank

**Searched String:** PVC water tank cover Lid suitable for 500 Ltr capacity

Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), FRP Storage Tank (V2)

**Searched String:** PVC water tank cover Lid suitable for 1000 Ltr capacity

Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), FRP Storage Tank (V2)

**Searched String:** Plywood Commercial BWR Grade 7x3 inch x12mm thick

Foot Rest

**Searched String:** Pre laminated MDF board 8x4 feet x 18 or 20 mm

Table - Tennis Table (V2), Prelaminated MDF Board

**Searched String:** Block board BWR 8x4 feet x19 mm thick

Dry Erase Writing Boards (V3), Foot Rest, Pin Up Notice Board (V2), modular electrical enclosure switch board boxes for modular type accessories, Drawing Trussels / Drawing Board Stand, External branding signage boards, Prelaminated MDF Board, Combination Board, Engineer's Pattern Drawing Boards, Pulp Board as per IS 4664

**Searched String:** Ply wood BWR 8x4 feet x 12 mm thick

Corrugated Boxes, Lapi Patra (Putty Applicator), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flex Posters / Banners (V2), Sterile Hypodermic Needles for Single use (V2), Foot Rest, Scalp Vein Infusion Set, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Dry Erase Writing Boards (V3), Multipurpose or General Test Tubes (V2) as per IS 2618

बिड विवरण/Bid Details	Searched String: Ply wood BWR 8x4 feet x 6mm thick
	<p>Corrugated Boxes, Mirzapur Carpets - ODOP, External branding signage boards, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Dry Erase Writing Boards (V3), Bunk Beds as per IS 17636</p> <p><b>Searched String:</b> Ply wood one side teak face size 8x4 feet x 4mm thick</p> <p>Corrugated Boxes, Scantling Teak Wood (V2), Scantling teak wood</p> <p><b>Searched String:</b> Ply wood BWR 8x4 feet x 4mm thick</p> <p>Laminar air flow cabinets or stations, Corrugated Boxes, Mirzapur Carpets - ODOP, Scantling teak wood, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Dry Erase Writing Boards (V3), External branding signage boards, Bunk Beds as per IS 17636</p> <p><b>Searched String:</b> Pre-laminated MDF board 8x4 feet x 12mm</p> <p>Flex Posters / Banners (V2), Laminar air flow cabinets or stations, External branding signage boards, Prelaminated MDF Board, Bio - Medical Waste Collection Bags (Biohazard Bags), Modular Extendable Conference Table (V2), Inflatable Tent, Pre - Sensitized Printing Plates (V2), P.F. Huts with PUF Panel (MHA), Laminated HDF Wooden Flooring</p> <p><b>Searched String:</b> GI tubing Medium grade 25 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Cast Iron Bench, Endotracheal Tube - Sterile (Single Use), Endotracheal Tubes (V2), Multipurpose or General Test Tubes (V2) as per IS 2618, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Padlocks (ताले) conforming To Is 15275, Floor Drain Traps (V2), parat and lid as per cqa specification</p> <p><b>Searched String:</b> GI tubing medium grade 40 mm</p> <p>Multipurpose or General Test Tubes (V2) as per IS 2618, Steel Tubes, Tubulars as per IS 1239, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Floor Drain Traps (V2), Padlocks (ताले) conforming To Is 15275, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), parat and lid as per cqa specification, General Purpose Ball Valves (V2)</p> <p><b>Searched String:</b> GI tubing medium grade 80mm</p> <p>General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Endotracheal Tube - Sterile (Single Use), Steel Tubes, Tubulars as per IS 1239, Agar Media, Endotracheal Tubes (V2), Broth Media, Premium Threaded Tubing (Petroleum Industry), Parallel Bar - Outdoor Gym Equipment, Steel Tubes for Structural Purposes as per IS 1161, Cross Over for EUE Tubing (Petroleum Industry)</p> <p><b>Searched String:</b> GI tubing med grade 50 mm</p> <p>Cast Iron Bench, Endotracheal Tubes (V2), Steel Tubes, Tubulars as per IS 1239, Disposable Tracheostomy Tube (V2), Infant Feeding Tube (V2), Multipurpose or General Test Tubes (V2) as per IS 2618, Endotracheal Tube - Sterile (Single Use), Polyurethane Tube (V2), Grain Storage Bin</p>

बिड विवरण (V2) / Bid Details

**Searched String:** GI tubing med grade 100 mm

General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Endotracheal Tubes (V2), Disposable Tracheostomy Tube (V2), intracompartmental pressure monitoring set accessories (Pressure Monitoring Line), Multipurpose or General Test Tubes (V2) as per IS 2618, Steel Tubes, Tubulars as per IS 1239, Endotracheal Tube - Sterile (Single Use), Infant Feeding Tube (V2), Polyurethane Tube (V2)

**Searched String:** PVC switch board 8x6 inch

modular electrical enclosure switch board boxes for modular type accessories, Cleaning Duster (V3), Mamata Card, Bio - Medical Waste Collection Bags (Biohazard Bags), Electrical Extension Box (V4), Dry Erase Writing Boards (V3), File/Folder (V3), Pin Up Notice Board (V2), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC switch Bd 4x4 inch

Cleaning Duster (V3), PVC COATED CANOPY TENT STRUCTURE, Bio - Medical Waste Collection Bags (Biohazard Bags), modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical Extension Box (V4), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Polyethylene Bags for General Purposes, shoes school pvc boys girls

**Searched String:** PVC Switch bd 7x 4 inch

shoes school pvc boys girls, Caster wheel, PVC gitti, Cardiopulmonary Bypass Connectors (V2), PVC COATED CANOPY TENT STRUCTURE, Scantling teak wood, CPVC Industrial Pipe Fittings, Schedule 80

**Searched String:** PVC Switch bd 12x10 inch

Cleaning Duster (V3), Bio - Medical Waste Collection Bags (Biohazard Bags), modular electrical enclosure switch board boxes for modular type accessories, Caster wheel, PVC gitti, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Laboratory Hot plate, Suction Catheters (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** PVC Switch bd rectangular 8x10 inch

Polyethylene Bags for General Purposes, Tress Name Plate, PVC gitti

**Searched String:** PVC casing capping 15mm

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC

बिड विवरण / Bid Details

Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fall Arrestor, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Cross - Over Pipe for Line Pipe Casing Pipe (Petroleum Industry), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

**Searched String:** PVC Cassing capping 20 mm

Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Memory Card Reader (V2), Pipes for Gardening Purposes (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Water Aerator/Water Automiser, LED Batten, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial CPVC Pipe Fittings

**Searched String:** PVC casing capping 25 mm x 12mm

Floor Drain Traps (V2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories

**Searched String:** PVC casing capping 32 mm

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipes for Gardening Purposes (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flexible Drain Hoses for Wash Basins/ Sinks, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, rubber bands, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

**Searched String:** PVC Conduit pipe 25 mm

Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pipe for Gardening Purpose, Pipe Cutter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Solvent Cement, Wild - Life

विड विवरण / Bid Details

Cages, Pipe Vice as per IS 2587, Pipe Clamps (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Conduit pipe 20 mm

Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipe for Gardening Purpose, Pipe Cutter, Pipe Clamps (V2), Solvent Cement, Non Sparking Pipe Wrench (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Flexible pipe 20 mm corrugated

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial CPVC Pipe Fittings, Swing (Preschool Kit), Commercial UPVC Fittings, Commercial PPR Pipes Fittings as per IS 15801, Black Flexible Rubber Hose Pipe, Polyethylene Pipes for Water Supply, Pipe Clamps (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778

**Searched String:** PVC Flexible pipe 25 mm corrugated

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Parallel Bar - Outdoor Gym Equipment, Flexible Drain Hoses for Wash Basins/ Sinks, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Commercial CPVC Pipe Fittings, Swing (Preschool Kit), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458

**Searched String:** PVC Flexible pipe 32 mm corrugated

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flexible Drain Hoses for Wash Basins/ Sinks, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial CPVC Pipe Fittings, Polyethylene Pipes for Water Supply, Commercial PPR Pipes Fittings as per IS 15801, Black Flexible Rubber Hose Pipe, Polyethylene Pipes for Water Supply conforming to IS 4984, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

**Searched String:** Plywood BWR 8 feet x4 feet x18mm thick

Laminar air flow cabinets or stations, Flex Posters / Banners (V2), External branding signage boards, Inflatable Tent, P.F. Huts with PUF Panel (MHA)

**Searched String:** SS curtain/conduit pipe 30 mm dia x 4 mtr long

High Pressure Fire Fighting Hose - IS 14933

बिड विवरण/Bid Details **Searched String:** SS curtain/conduit pipe 25 mm dia x 4 mtr long

Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Shirodhara Vessel For Panchakarma

**Searched String:** Steel plate rack 30x31x10 inch

Stainless Steel Shoe Rack, Cleaning Duster (V3), Stainless Steel Shelf Rack, Blind flange, Alloy Steel Plate, Bio - Medical Waste Collection Bags (Biohazard Bags), Steel Plate/Thali, Shaker Incubator, Stainless Steel Wire Shelving Rack Or Pot Rack, Heavy Duty Storage Racks

**Searched String:** Steel plate rack 31x 24x10 inch

Cleaning Duster (V3), Blind flange, Bio - Medical Waste Collection Bags (Biohazard Bags), Shaker Incubator, Sinks, Laboratory Hot plate, Theft Proof Rifle Racks, Mild Steel Sheet, Polyethylene Bags for General Purposes, Garbage Bags

**Searched String:** Steel plate rack 31x 42x 10 inch

Mild Steel Sheet, Cleaning Duster (V3), Blind flange, Bio - Medical Waste Collection Bags (Biohazard Bags), Tress Name Plate, Shaker Incubator, Sinks, Laboratory Hot plate, Cotton Bandage Cloth (V2), Crepe Bandage Conforming to IS 4605

**Searched String:** Steel plate rack 1.00 mm thick size 31x36

Mild Steel Sheet, Steel Plates for Structural and General Engineering Purposes (V2), The Indian National Flag as per IS 1, Theft Proof Rifle Racks, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ultrasonic Thickness Gauge, Granite Surface Plate as per IS 7327, Modular Toilet, Steel Tubes used for Water Wells (V2) as per IS 4270, Multipurpose or General Test Tubes (V2) as per IS 2618

**Searched String:** PVC low level flushing cistern of 10 Ltrs Cap single level

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** PVC Kit for low level flushing cistern 10ltr cap

Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774

**Searched String:** GI tubing medium grade 20 mm

General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Endotracheal Tube - Sterile (Single Use), Multipurpose or General Test Tubes (V2) as per IS 2618, Steel Tubes, Tubulars as per IS 1239, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Centrifuge Tubes (V3), Padlocks (नाले) conforming To Is 15275, Grain Storage Bin (V2), parat and lid as per cqa specification

**Searched String:** GI tubing medium grade 15 mm

विड विवरण / Bid Details

General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Steel Tubes, Tubulars as per IS 1239, Multipurpose or General Test Tubes (V2) as per IS 2618, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Padlocks (पावले) conforming To Is 15275, Grain Storage Bin (V2), parat and lid as per cqa specification

**Searched String:** PTMT Stop cock 20 mm

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Trackside Indicator Boards and Signages as per IRICEN Manual, LED Batten, Mild Steel Sheet, Memory Card Reader (V2), Commercial CPVC Pipe Fittings, Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** PTMT float Valve 15 mm

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Mild Steel Sheet, Commercial CPVC Pipe Fittings, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

**Searched String:** PTMT float valve complete 20 mm

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Check Valve (V2) as per IS 778, Globe Valve as per IS 778, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

**Searched String:** PTMT float valve complete 25 mm

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Check Valve (V2) as per IS 778, Globe Valve as per IS 778, General Purpose Ball Valves (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

**Searched String:** PTMT bib cock 15 mm

PTMT Tap Fitting, Mild Steel Sheet, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, PVC Insulated Copper Cable Single

विड विवरण / Bid Details

Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

**Searched String:** PTMT Pillar cock 15 mm

PTMT Tap Fitting, Mild Steel Sheet, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

**Searched String:** PTMT bib cock 20mm

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Plug Cock for Water Supply Purpose as per IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781

**Searched String:** Butterfly valve 150mm dia

Butterfly Valves (V2) as per IS 13095, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Butterfly Valves for General Purposes ISI Marked to 13095, Diaphragm type valves for general purpose - IS 11791, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Portable Toilet, Commercial PPR Pipes Fittings as per IS 15801

**Searched String:** Butterfly valve 100mm dia

Butterfly Valves (V2) as per IS 13095, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Butterfly Valves for General Purposes ISI Marked to 13095, Modular Toilet, Diaphragm type valves for general purpose - IS 11791, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549

**Searched String:** GM gate valve 25mm dia

Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, Commercial CPVC Pipe Fittings, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Commercial PPR Pipes Fittings as per IS 15801, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for

बिड विवरण / Bid Details

Water Services as per IS 781, Diaphragm type valves for general purpose - IS 11791, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** Gate valve 50 mm brass

Knife Edge Gate Valve, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, modular electrical enclosure switch board boxes for modular type accessories, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Cast Iron Bench

**Searched String:** Gate valve 40 mm

Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Foot Valves for Water Works Purpose as per IS 4038 (Latest)

**Searched String:** LED 18 Watt bulb white B22

12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Solar Street Lighting System (NTPC), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), LED Batten, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Batten Light (LED Tube Light) (V2)

**Searched String:** LED 15 Watt bulb White

T Bulb, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Rechargeable LED Bulb (V2), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Solar Street Lighting System (NTPC), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Hand Held Search Light, White LED (W - LED) Based Solar Home Lighting Systems (V2)

**Searched String:** CP angle cock 15mm

PTMT Tap Fitting, Parallel Bar - Outdoor Gym Equipment, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931,

बिड विवरण / Bid Details

Medical Centrifuge, Picket Steel as per DGS&D Drawing, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP

VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Pencil / Die Grinder (V2), Plug Cock for Water Supply Purpose as per IS 3004, Triceps bar, Globe Valve as per IS 778

**Searched String:** CP Pillar cock 15 mm fancy type

Pillar Taps for Water Supply Purpose conforming to IS 1795, Drilling Machine Bench Type / Pillar Type as per IS 2425, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Globe Valve as per IS 778, Check Valve (V2) as per IS 778, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Drawing Pins (V2) as per IS 5205

**Searched String:** CP Bib cock fancy type 15 mm

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Globe Valve as per IS 778, Check Valve (V2) as per IS 778, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Drawing Pins (V2) as per IS 5205

**Searched String:** CP health faucet

Health Faucet, Health Kiosk, Health and Wellness, Customised Mobile Health Units, Breast Health Screening Devices (V2), Breast Health Screening Device (V2), FPO - Millet Based Health Mix, Animal Health Monitoring Device / Animal Tag, Flying Insect Control Traps - Fly Catcher, Health\_Life Sciences Ver 2.0

**Searched String:** CP centre hole basin mixing 15 mm

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Locking Compression Plates (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781

**Searched String:** CP Stop cock 15 mm male threaded

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Commercial PPR Pipes Fittings as per IS 15801

**Searched String:** CP Sink coupling 100 or 75 or 50mm

petri plates or dishes, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Pad Lock Various (As Per Defence Specification), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Tapered Bearings as per IS 12102, HEDGE TRIMMER or HEDGE

बिड विवरण / Bid Details	CUTTER, Multipurpose or General Test Tubes (V2) as per IS 2618, Petri plates or dishes(V2), Reinforced concrete fence posts Bend Type-II (Cement or concrete posts)
	<p><b>Searched String:</b> CP shower rose with arms</p> <p>(Vitreous China) - Shower Rose-IS:2556, Bathroom Water Shower (V2), Interactive Panels with CPU, Manikins for CPR with Airway Training, Shoulder CPM with optional Elbow CPM, Plastic Chairs For General Purposes conforming To Is 13713 (V3), artificial airway cpap catheter mounts or catheter mount with connector, Video Recorder for CCTV System (V2), Non Invasive Cardiac Support Pump with Defibrillator, Shoulder CPM (V2)</p> <p><b>Searched String:</b> CP Towel Rack 600mm</p> <p>Towel Rail / Ring / Rack / Hooks for Bathroom, Theft Proof Rifle Racks, Networking / Server Rack, Pencil / Die Grinder (V2), Dumbbell Rack, Towel Rail, KITCHEN STORAGE RACKS (various type)</p> <p><b>Searched String:</b> CP towel rail 24 inch 600mm</p> <p>Polypropylene Biohazard Autoclave Bags, Towel Rail</p> <p><b>Searched String:</b> CP Wall Mixture 04 way</p> <p>Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, LCR Meter</p> <p><b>Searched String:</b> CP Over head shower rang 6 inch</p> <p>Double Headed Fire Hydrant Stand Post</p> <p><b>Searched String:</b> CP Head for conselled stop cock 15mm</p> <p>Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES &amp; STOP VALVES FOR HOT &amp; COLD WATER SERVICES Conforming to IS 9763, Pressure Extension Tubes for Medical Purpose, Plug Cock for Water Supply Purpose as per IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781</p> <p><b>Searched String:</b> CP Health faucet with 01 m long flexible tube with spray jet</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309</li> <li>• Plywood for General Purposes Marked to IS 303 (V3)</li> <li>• Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</li> </ul>
बीओक्यू शीर्षक /BOQ Title	PRC 868 EWS 1 Mar 2026
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	14 Lakh (s)

बिड विवरण/Bid Details	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Lugs copper alloy 120 Sqmm
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

**बिड विवरण/Bid Details**

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	120000

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

sbso  
MES, Department of Military Affairs, Indian Army, Ministry of Defence  
(Sbso)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20

मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery

acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1

v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### LED Batten ( 966 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	20.0
	Length of LED Batten (Nominal) (in mm)	1150.0
	Lamp Efficacy (Lumen / Watt), Minimum	110 Or higher
	Warranty for free replacement (in Years)	2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Aluminium

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	966	45

### LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) ( 24 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating (in Watts)/ System Wattage/ Rated Power	60

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)</b>	120, 140 Or higher
ELECTRICAL CHARACTERISTIC	<b>Input operating voltage range and frequency</b>	140 to 270 Volts AC at 50 Hz +/-2
CONTROL GEAR	<b>Number of electronic control gear in the luminaire (power supplies)</b>	2 Or higher
LUMINAIRE	<b>Provision of luminaire connecting wire along with the supply of material</b>	100 cm (ISI marked to IS 9968)
REPORTS AND CERTIFICATIONS	<b>Warranty for free replacement (in years)</b>	2, 3, 4, 5 Or higher

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	24	45

**LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) ( 12 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	<b>LED Rating (in Watts)/ System Wattage/ Rated Power</b>	48

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)</b>	140 Or higher
ELECTRICAL CHARACTERISTIC	<b>Input operating voltage range and frequency</b>	90 to 300 Volts AC at 50 Hz +/-2
CONTROL GEAR	<b>Number of electronic control gear in the luminaire (power supplies)</b>	2 Or higher
LUMINAIRE	<b>Provision of luminaire connecting wire along with the supply of material</b>	50 cm (ISI marked to IS 9968)
REPORTS AND CERTIFICATIONS	<b>Warranty for free replacement (in years)</b>	2, 3, 4, 5 Or higher

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	12	45

**LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) ( 19 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	<b>LED Rating (in Watts)/ System Wattage/ Rated Power</b>	45

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)</b>	140 Or higher
ELECTRICAL CHARACTERISTIC	<b>Input operating voltage range and frequency</b>	140 to 270 Volts AC at 50 Hz +/-2
CONTROL GEAR	<b>Number of electronic control gear in the luminaire (power supplies)</b>	2 Or higher
LUMINAIRE	<b>Provision of luminaire connecting wire along with the supply of material</b>	100 cm (ISI marked to IS 9968)
REPORTS AND CERTIFICATIONS	<b>Warranty for free replacement (in years)</b>	2, 3, 4, 5 Or higher

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	19	45

**Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>ISI marked</b>	NO
	<b>Rated Current (in Ampere)</b>	200A, 250A
	<b>No of poles/Protected poles(PP)</b>	4 Pole

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Rated Short circuit capacity (in KA)</b>	35 KA
	<b>Breaking current (in KA)</b>	35 KA
	<b>Rated Voltage</b>	240/415 Volt 50 Hz AC, 220VDC

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

**Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>ISI marked</b>	NO
	<b>Rated Current (in Ampere)</b>	400A
	<b>No of poles/Protected poles(PP)</b>	3 Pole
	<b>Rated Short circuit capacity (in KA)</b>	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	<b>Breaking current (in KA)</b>	50 KA
	<b>Rated Voltage</b>	240/415 Volt 50 Hz AC

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 52 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	2 P with 1 PP
	Rated voltage (in Volts)	240 V, AC
	Rated Current (in Ampere)	20
	Instantaneous tripping current type	B
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	52	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification</b>	as per IS/IEC 60898 : PART 1:2015 latest
RATING	<b>No. of pole (hint: "P" - Pole, "PP" Protected Pole)</b>	3 P with 3 PP
	<b>Rated voltage (in Volts)</b>	230 / 415 V, AC
	<b>Rated Current (in Ampere)</b>	32
	<b>Instantaneous tripping current type</b>	B
	<b>Rated Short circuit capacity (in Ampere)</b>	10000
CONSTRUCTION	<b>Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs</b>	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 22 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification</b>	as per IS/IEC 60898 : PART 1:2015 latest
RATING	<b>No. of pole (hint: "P" - Pole, "PP" Protected Pole)</b>	2 P with 2 PP

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated voltage (in Volts)	230 / 415 V, AC
	Rated Current (in Ampere)	20
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	6000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	22	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 56 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 V, AC
	Rated Current (in Ampere)	6
	Instantaneous tripping current type	C

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Short circuit capacity (in Ampere)	1500
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	56	45

**Molded Case Circuit Breakers (MCCB) As Per IS / IEC 60947 ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	ISI marked	YES
	Rated Current (in Ampere)	125A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35/50/65 KA tripping range
	Breaking current (in KA)	35 KA
	Rated Voltage	415 volt 50 Hz

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 76 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 V, AC
	Rated Current (in Ampere)	32
	Instantaneous tripping current type	B
	Rated Short circuit capacity (in Ampere)	6000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	76	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 54 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification</b>	as per IS/IEC 60898 : PART 1:2015 latest
RATING	<b>No. of pole (hint: "P" - Pole, "PP" Protected Pole)</b>	1 P
	<b>Rated voltage (in Volts)</b>	240 V, AC
	<b>Rated Current (in Ampere)</b>	10
	<b>Instantaneous tripping current type</b>	B
	<b>Rated Short circuit capacity (in Ampere)</b>	1500
CONSTRUCTION	<b>Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs</b>	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	54	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 24 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	<b>Conformity of the specification</b>	as per IS/IEC 60898 : PART 1:2015 latest
RATING	<b>No. of pole (hint: "P" - Pole, "PP" Protected Pole)</b>	2 P with 1 PP

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated voltage (in Volts)	230 / 415 V, AC
	Rated Current (in Ampere)	25
	Instantaneous tripping current type	B
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	24	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	2 P with 2 PP
	Rated voltage (in Volts)	240 V, AC
	Rated Current (in Ampere)	40
	Instantaneous tripping current type	B
	Rated Short circuit capacity (in Ampere)	10000

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 63 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	230 / 415 V, AC
	Rated Current (in Ampere)	16
	Instantaneous tripping current type	B
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	63	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 39 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	2 P with 1 PP
	Rated voltage (in Volts)	230 / 415 V, AC
	Rated Current (in Ampere)	32
	Instantaneous tripping current type	D
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	39	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 11 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 V, AC
	Rated Current (in Ampere)	20
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	1500
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	11	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 14 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 / 415 V, AC
	Rated Current (in Ampere)	40
	Instantaneous tripping current type	B
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	14	45

**LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) ( 22 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	LED Rating (in Watts)/ System Wattage/ Rated Power	24

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)</b>	100, 120, 140 Or higher
ELECTRICAL CHARACTERISTIC	<b>Input operating voltage range and frequency</b>	90 to 300 Volts AC at 50 Hz +/-2
CONTROL GEAR	<b>Number of electronic control gear in the luminaire (power supplies)</b>	2 Or higher
LUMINAIRE	<b>Provision of luminaire connecting wire along with the supply of material</b>	40 cm (ISI marked to IS 9968)
REPORTS AND CERTIFICATIONS	<b>Warranty for free replacement (in years)</b>	3, 4, 5 Or higher

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	22	45

**LED Luminaire For Road And Street Lights (V2) Conforming To IS 10322 (Part 5 / Section 3) ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	<b>LED Rating (in Watts)/ System Wattage/ Rated Power</b>	90

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>LED luminaire luminous Efficacy (Lumen/watt) (Hint: Total Lumen Calculation: Example: 18 W LED Rating x 100 Lumen/Watt = 1800 Lumens, 18 W LED Rating x 120 Lumen / Watt = 2160 Lumens, 18 W LED Rating x 140 Lumen/Watt = 2520 Lumens)</b>	100, 120, 140 Or higher
ELECTRICAL CHARACTERISTIC	<b>Input operating voltage range and frequency</b>	140 to 270 Volts AC at 50 Hz +/-2
CONTROL GEAR	<b>Number of electronic control gear in the luminaire (power supplies)</b>	1, 2 Or higher
LUMINAIRE	<b>Provision of luminaire connecting wire along with the supply of material</b>	40 cm (ISI marked to IS 9968)
REPORTS AND CERTIFICATIONS	<b>Warranty for free replacement (in years)</b>	2, 3, 4, 5 Or higher

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

**LED Luminaire For Floodlight (V2) Conforming To IS 10322 (Part 5/Section 5) ( 7 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LED RATING	<b>LED Rating/System Wattage/Rated Power (in Watts)</b>	50

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

**2 Feet Tube Light Fitting 10 Watt**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	157	45

**Universal Batten With G13 Lamp Holder For T 8 Lamps 20 Watt Single Side Connection**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

**LED Pressure Die Cast Aluminium IP66 LED Street Light Fittings 60 Watt With Electronic Driver**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	24	45

**Ultra Modern Recess Mounting Luminaire High Brightness LEDs 42 Watt LED 6000k.**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	19	45

### LED 12 Watt Bulb White Light 90 Parsenteg Energy Saver High Effcency LED 12W LAMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	360	45

### LED 09 Watt Bulb White Light 90 Parsenteg Energy Saver High Effcency LED LUMENO 9W LAMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	265	45

### MCB 16 Amp DP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	45	45

### MCCB 250 Amp 4 Pole. 415 Volts 35 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### MCB SP 63 Amp 240 Volts C Curve 10 KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	21	45

### MCB 32 AMP DP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

### MCB DB 4 Way DD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

### MCB DB 8 Way DD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

### MCB DB12 Way DD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### MCB DB 2 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	45

### Isolator 100 Amps 4 Pole TPN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### Change Over Swtich 63 Amp 415 Volt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### PVC Cable Copper Conductor 1100V 1.5 Sqmm Single Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	45

### Multistranded Copper Conductor Single Core 2.5sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### Cable Flexible Copper Conductor 23 Or .0076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### Cable Flexible Copper Conductor 14 Or .0076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### PVC Round Cable 3 Core 23 Or .0076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### PVC Round Cable 3 Core 40 Or .0076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### UG Armd Cable Aluminium Conductor 2 Core X 6 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### Multistranded Copper Conductor Single Core 10sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### PVC Insulated 1.5 Sqmm 2 Core Copper Conductor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### UG Armd Cable Aluminium Conductor 3.5 Core X 16 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### Cable Single Core Copper Conductor 6.0 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### PVC Copper Wire Multistranded Single Core Of Size 16 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### Cable Unarmd Aluminium Conductor Single Core 4 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### Cable Unarmd Aluminium Conductor 2 Core X 10 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Copper Wire Multistranded Single Core X 25 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Copper Wire Multistranded Single Core X 35 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### Cable Single Core Copper Conductor 4 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### UG Armd Cable Aluminium Conductor 2 Core X10 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### UG Armd Cable Aluminium Conductor 3.5 Core X 35 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### UG Armoured Cable Aluminium Conductor 3.5 Core X 70 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### Capacitor For Celling Fan 2.5 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	269	45

### Lugs Copper Alloy 150 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	17	45

### Lugs Copper Alloy 185 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	13	45

### Lugs Copper Alloy 95 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### Lugs Copper Alloy 120 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	14	45

### Lugs Copper Alloy 70 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	22	45

### Lugs Copper Alloy 50 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	18	45

### Lugs Copper Alloy 35 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	25	45

### Lugs Copper Alloy 25 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	23	45

### Lugs Copper Alloy 240 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	7	45

### Lugs Copper Alloy 400 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### Call Bell Ding Dong

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	39	45

### Call Bell Burzzar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Plug 3 Pin Top 15 Or 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	38	45

### Switch Socket Combination 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	146	45

### Switch Socket Combination 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	110	45

### Switch Paino Type 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	274	45

### Switch Piano Type 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	26	45

### Switch Piano Type 6 Amp 2 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### Switch For Call Bell 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	23	45

### Plug Top 3 Pin 5 Or 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### Pinao Socket 16 Amp 5 Pin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	46	45

### 5 Amps Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	63	45

### PVC Water Tank Capacity 500 Ltr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	10	45

### PVC Water Tank Capacity 1000 Ltr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	45

### PVC Water Tank Capacity 300 Ltr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	45

### PVC Water Tank Cover Lid Suitable For 500 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	24	45

### PVC Water Tank Cover Lid Suitable For 1000 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	16	45

### Plywood Commercial BWR Grade 7x3 Inch X12mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	34	45

### Pre Laminated MDF Board 8x4 Feet X 18 Or 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	36	45

### Block Board BWR 8x4 Feet X19 Mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	17	45

### Ply Wood BWR 8x4 Feet X 12 Mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	13	45

### Ply Wood BWR 8x4 Feet X 6mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### Ply Wood One Side Teak Face Size8x4 Feet X 4mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	22	45

### Ply Wood BWR 8x4 Feet X 4mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	19	45

### Pre-laminated MDF Board8x4 Feet X12mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### GI Tubing Medium Grade 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### GI Tubing Medium Grade 40 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### GI Tubing Medium Grade 80mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### GI Tubing Med Grade 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### GI Tubing Med Grade 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Switch Board 8x6 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	35	45

### PVC Switch Bd 4x4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	69	45

### PVC Switch Bd 7x 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	38	45

### PVC Switch Bd 12x10 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	10	45

### PVC Switch Bd Rectangular 8x10 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### PVC Casing Capping 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Casing Capping 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Casing Capping 25 Mm X 12mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Casing Capping 32 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Conduit Pipe 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Conduit Pipe 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### PVC Flexible Pipe 20 Mm Corrugated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### PVC Flexible Pipe 25 Mm Corrugated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### PVC Flexible Pipe 32 Mm Corrugated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	45

### Plywood BWR 8 Feet X4 Feet X18mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### SS Curtain Conduit Pipe 30 Mm Dia X 4 Mtr Long Fancy With Bracket Complete Set

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### SS Curtain Conduit Pipe 25 Mm Dia X 4 Mtr Long Fancy With Bracket Complete Set

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	86	45

### Steel Plate Rack 30x31x10 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### Steel Plate Rack 31x 24x10 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### Steel Plate Rack 31x 42x 10 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### Steel Plate Rack 1.00 Mm Thick Size 31x36

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	4	45

### PVC Low Level Flushing Cistern Of 10 Ltrs Cap Single Level

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	19	45

### PVC Kit For Low Level Flushing Cistern 10ltr Cap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	27	45

### GI Tubing Medium Grade 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	100	45

### GI Tubing Medium Grade 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	200	45

### PTMT Stop Cock 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	22	45

### PTMT Float Valve 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	11	45

### PTMT Float Valve Complete 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	31	45

### PTMT Float Valve Complete 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	18	45

### PTMT Bib Cock 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	39	45

### PTMT Pillar Cock 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### PTMT Bib Cock 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	26	45

### Butterfly Valve 150mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### Butterfly Valve 100mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	45

### GM Gate Valve 25mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	16	45

### Gate Valve 50 Mm Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### Gate Valve 40 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### LED 18 Watt Bulb White B22

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	63	45

### LED 15 Watt Bulb White

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	61	45

### CP Angle Cock 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	30	45

### CP Pillar Cock 15 Mm Fancy Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	34	45

### CP Bib Cock Fancy Type 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	50	45

### CP Health Faucet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	33	45

### CP Centre Hole Basin Mixing 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	15	45

### CP Stop Cock 15 Mm Male Threaded

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	55	45

### CP Sink Coupling 100 Or 75 Or 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	34	45

### CP Shower Rose With Arms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### CP Towel Rack 600mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### CP Towel Rail 24 Inch 600mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	20	45

### CP Wall Mixture 04 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	6	45

### CP Over Head Shower Rang 6 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	45

### CP Head For Conselled Stop Cock 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	12	45

### CP Health Faucet With 01 M Long Flexible Tube With Spray Jet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	62	45

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

### 3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### 4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 5. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

### 6. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in

the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 7. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 9. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

### **BUYER ADDED BID SPECIFIC ADDITIONAL TERMS & CONDITIONS (ATC)**

Bidders shall communicate with the Buyer only through the GeM portal for any queries related to this bid, as no other mode of communication is permitted under GeM Terms and Conditions.

1. **Discrepancy in Conditions.** In the event of any discrepancy between the GeM Terms and Conditions, the Standard Terms and Conditions (STC), and the Buyer Added Bid Specific Additional Terms and Conditions (ATC), the Buyer's Bid Specific ATC shall prevail and be final.

2. **Pre-qualification / Eligibility.** All bidders intending to participate in this bid shall upload the following documents on the GeM portal for technical scrutiny and eligibility verification, in addition to the documents required under GeM :-

2.1 List of works successfully executed during the last three financial years.

- 2.2 Annual Turnover Certificates of both the OEM and the bidder for the last three financial years.
- 2.3 Copy of Form 26AS.
- 2.4 Valid MSME / Udyam Registration, if applicable.
- 2.5 Affidavit of no dues / no recovery pending.
- 2.6 Affidavit declaring that the bidder is not involved in any arbitration or litigation.
- 2.7 Copy of Partnership Deed, where applicable.
- 2.8 Memorandum and Articles of Association, where applicable
- 2.9 Copy of the bidder's Registration Certificate.
- 2.10 Affidavit confirming that no near relative of the bidder is employed in MES /Corps of Engineers / Ministry of Defence in a capacity that attracts restrictions under applicable Government of India and departmental instructions.

3. The following Annexures shall be submitted on non-judicial stamp paper of appropriate value as per prevailing state laws and then scanned and uploaded on the GeM portal:-

- 3.1 Bid Submission Form on bidder's letterhead, duly filled, signed and uploaded along with the bid on GeM. **(Annexure-I)**
- 3.2 Notarized affidavit confirming acceptance of all terms and conditions of the bid document. **(Annexure-II)**
- 3.3 Notarized affidavit confirming that none of the bidder's or OEM's employees or their relatives are employees of the Client, and that the bidder has not been convicted under the Prevention of Corruption Act, 1988 or under any other law in force for offences involving loss of life or property or threat to public health in execution of a public procurement contract. **(Annexure-III)**
- 3.4 Self-declaration on non-judicial stamp paper stating that the bidder has not been blacklisted or debarred by any Government department, organization, or public sector undertaking; non-submission in the prescribed format may result in rejection of the bid. **(Annexure-IV)**

4. **Additional Documents** :-

4.1 GST portal screenshot showing the name of the firm and aggregate annual turnover for the last three financial years.

4.2 Statement of all items quoted, strictly of branded make; unbranded items shall not be accepted, and details shall be given in Table-1 (Product Name, Make, Product ID).

4.3 Valid ISO 9001 certificate of the OEM or bidder, as applicable.

**Note :- The Buyer reserves the right to verify all submitted certificates and information from issuing authorities and official websites; any deviation, misrepresentation, or unverifiable credential may lead to outright rejection of the bid without further notice.**

5. **Right of Rejection** :-

5.1 The Buyer reserves the right to cancel the bidding process and reject all bids at any time before award of contract, without liability towards any bidder.

5.2 The Buyer also reserves the right, at its sole discretion, not to place any order under this bid, and will not be liable for any compensation or cost incurred in preparation or submission of the bid.

5.3 If any part of the bid or prescribed information is missing, vague, or incomplete, or if conditions are not met, the bid shall be treated as non-responsive and is liable to be rejected.

5.4 The Buyer may terminate the contract if the bidder is found to have been blacklisted / debarred by any Government Department / Institution / Local Body / Municipality / Public Sector Undertaking, without any further notice.

5.5 If any information given by the bidder is found to be incorrect, the Buyer may reject the bid at any stage, cancel the contract if awarded, and forfeit the entire Earnest Money Deposit.

5.6 Information furnished in the bid shall be clear, specific, and limited to what is sought; bids containing extraneous or confusing information with intent to mislead are liable to be rejected.

5.7 The Buyer shall be the sole judge for short-listing, and the Buyer's decision shall be final and binding.

5.8 Bids shall conform to the provisions of the Manual for Procurement of Goods, 2024, and to the GeM General Terms and Conditions, as amended from time to time.

### **Annexure I - Bid Submission Form**

(To be printed on bidder's letterhead, signed, stamped, scanned and uploaded on GeM)

Date: \_\_\_\_\_

To

The Buyer

[Department / Office Name]

[Address]

Subject: Bid Submission for GeM Bid No.

\_\_\_\_\_

Sir/Madam,

1. Having examined the Bid Document, including all terms, conditions and specifications, the undersigned hereby submits the bid for "[Name of Work / Item]" against GeM Bid No. \_\_\_\_\_.

2. The undersigned hereby accepts all terms and conditions of GeM, the Bid Document, Buyer Added ATC and any corrigenda issued, and undertakes to comply with the same without any reservations.

3. The quoted prices are firm and inclusive of all applicable taxes, duties, freight, packing, insurance and other charges, as per GeM Terms and Conditions.

4. The bid shall remain valid for \_\_\_\_\_ days from the date of bid opening, as required in the Bid Document. The undersigned certifies that all information and documents submitted on the GeM portal are true, correct and complete to the best of bidder's knowledge and belief.

Yours faithfully,

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Name of Bidder/Firm: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile / Phone: \_\_\_\_\_

E-mail: \_\_\_\_\_

Signature with seal

## **Annexure II - Affidavit for Acceptance of Bid Conditions**

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

### **AFFIDAVIT**

I, \_\_\_\_\_, son/daughter of \_\_\_\_\_, aged \_\_\_\_\_ years, resident of \_\_\_\_\_, being the authorised signatory of M/s \_\_\_\_\_ (hereinafter called "the Bidder"), do hereby solemnly affirm and state as under:

1. That I am duly authorised to submit this affidavit on behalf of the Bidder in response to GeM Bid No. \_\_\_\_\_ for "[Name of Work / Item]".

2. That the Bidder has carefully read and understood all the terms and conditions of the Bid Document, including GeM General Terms and Conditions, STC and Buyer Added Bid Specific ATC.

3. That the Bidder unconditionally accepts all the aforesaid terms and conditions and agrees that any deviation or conditional bid is liable to be rejected.

4. That all information, certificates and documents uploaded on the GeM portal for this bid are true, correct and complete, and nothing material has been concealed.

Verified at \_\_\_\_\_ on this \_\_\_ day of \_\_\_\_\_ 20\_\_ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Firm's Name with seal: \_\_\_\_\_

(Notary Seal & Signature)

### **Annexure III - Affidavit regarding Non-conviction and Non-employment of Relatives**

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

#### **AFFIDAVIT**

I, \_\_\_\_\_, son/daughter of \_\_\_\_\_, aged \_\_\_ year  
s, resident of \_\_\_\_\_, authorised signatory of M/s \_\_\_\_\_  
\_\_\_\_\_ (Bidder), do hereby solemnly affirm and state as under.

1. That none of my near relative(s), as defined in the Bid Document, is employed in MES / Corps of Engineers / Ministry of Defence / Client Department in a capacity which would attract provisions regarding conflict of interest.

2. That none of the employees/partners/directors of the Bidder, nor their relatives, are employees of the Client in a manner that may affect the fairness of this procurement.

3. That the Bidder and its directors/partners/proprietor have not been convicted under the Prevention of Corruption Act, 1988 or under the Indian Penal Code or any other law in force for offences resulting in loss of life or property or causing threat to public health in execution of any public procurement contract.

4. That there is no criminal case involving fraud, corruption or moral turpitude pending against the Bidder or its key management personnel in any court of law.

Verified at \_\_\_\_\_ on this \_\_\_\_ day of \_\_\_\_\_ 20\_\_ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Firm's Name with seal: \_\_\_\_\_

(Notary Seal & Signature)

#### **Annexure IV - Self-Declaration on Non-blacklisting / Non-debarment**

(To be executed on non-judicial stamp paper of Rs. 10/- with Re. 1/- revenue stamp affixed, as mentioned in the Bid Document, and uploaded on GeM)

SELF-DECLARATION

Date: \_\_\_\_\_ To

The Buyer

[Department / Office Name]

[Address]

Subject: Declaration regarding Non-blacklisting / Non-debarment – GeM Bid No.

\_\_\_\_\_

Sir/Madam,

1. I/We, M/s \_\_\_\_\_, having registered office at \_\_\_\_\_, hereby declare that our firm/company, its partners/directors and promoters have not been blacklisted, debarred, suspended or removed from any approved list of vendors by any Central Government / State Government / Union Territory / Government Department / Autonomous Body / PSU / Public Sector Bank or any other public authority as on the date of this declaration.

2. I/We further declare that there are no orders or proceedings pending for blacklisting or debarment against our firm/company by any of the above authorities. I/We understand that if this declaration is found to be false or incorrect at any stage, the Buyer shall be entitled to reject our bid, terminate the contract if awarded, and take any other action as per GeM Terms and Conditions and applicable law.

Yours faithfully,

Signature of authorised signatory: \_\_\_\_\_

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Name of Bidder/Firm: \_\_\_\_\_

Address: \_\_\_\_\_

GSTIN: \_\_\_\_\_ PAN: \_\_\_\_\_

Contact No.: \_\_\_\_\_ E-mail: \_\_\_\_\_

(Seal of the Bidder/Firm)

.

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**