

**बिड दस्तावेज़ / Bid Document**

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	14-02-2026 14:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	14-02-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	3494
	Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 by 26WC35PA JSS 50860 As per Drg , Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 by 26WC35SN JSS 50860 As per Drg , Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 by 26WB35SN JSS 50860 As per Drg , Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 by 24WA35SN JSS 50860 As per Drg , Back shell for connector straight for HS boot ash 13 38999 3 comma 4 ES 440HS027NF1305 2 63 , Back shell for connector straight for HS boot ash 11 38999 3 comma 4 45 440HH030NF1104 63 , Back shell for connector straight for HS boot ash 13 38999 3 comma 4 1P 440HS027NF1304 2 , HS Sleeve black 9 by 3 MM ATUM 9 by 3 , Band clamp Band IT ID 1 point80 inch Width 0 point240 inch for back shell 600 052 , Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 242W042 25 0 , Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K132 25 0 , Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 342A124 25 0 , Adhesive epoxy polyamid kit S1125 KIT 8 , Gromet sealing plug No 22 MS27488 22 1 , HS Sleeve black 0 point500 inch by 0 point250 inch 12 point7 by 6 point4 mm M23053 by 16 003 0 , HS Sleeve black 0 point250 inch by 0 point125 inch 6 point4 by 3 point2 mm M23053 by 16 001 0 , HS Sleeve black 0 point375 inch by 0 point187 inch 9 point5 by 4 point7 mm M23053 by 16 002 0 , HS Sleeve black 0 point750 inch by 0 point375 inch 19 by 9 point5 mm M23053 by 16 1004 0 , Copper tin coated shielded round braid 0 point156 inch ID A A 59569R36T0156 , Copper tin

बिड विवरण / Bid Details	
वस्तु श्रेणी /Item Category	<p>coated shielded round braid 0 point250 inch ID A A 59569R36T0250 , Copper tin coated shielded round braid 0 point375 inch ID A A 59569R36T0375 , HS Sleeve black 0 point240 inch by 0 point080 inch 6 by 2 mm ATUM6 by 2 0 STK , Dust cap circular plug 11 38999 3 D 38999 by 32W11R , Back shell for connector L Angle for HS boot ash 91 38999 3 comma 4 RA 440HJ030NF0903 63 , Band clamp Band IT ID 0 point 88 inch Width 0 point120 inch for back shell 600 057 , Marking sleeve white Printable tubing 1 by 2 inch dia x 2 inch long TMS SCE 1k 1 by 2 2 point0 9 , Marking sleeve white Printable tubing 3 by 4 inch dia x 2 inch long TMS SCE 3 by 4 2 point0 9 , Marking sleeve white Printable tubing 3 by 8 inch dia x 2 inch long TMS SCE 3 by 8 2 point0 9 , HS Sleeve clear 0 point750 inch by 0 point 375 inch 19 by 9 point5 mm RT 375 3 by 4 , HS Sleeve clear 0 point375 inch by 0 point 187 inch 9 point5 by 4 point8 mm M23053 by 18 207 C , HS Sleeve clear 0 point500 inch by 0 point250 inch 12 point7 by 6 point4 mm RT 375 1 by 2 X , HS Sleeve clear 0 point093 inch by 0 point046 inch 2 point4 by 1 point2 mm M23053 by 18 203 C , Splice Electrical copper crimp Type insulated 16 20 AWG Blue colour M81824 by 1 2 , Copper wire solid 26 AWG tin coated QQ W 343S26S1T , crimp butt 26 20 AWG D 436 36 , Tape electrical teflon 12 point7 mm width 60 O 5IN WIDTH , Electrical cable 2 core Copper multi conductor tin coated orange and red colour comma 24 AWG radiation cross linked extruded polyalkene and polyvinylidene flouride insulated , Electrical cable 2 core Copper multi conductor tin coated black and white colour comma 20 AWG comma radiation cross linked extruded polyalkene and polyvinylidene flouride insulated , Electrical cable 3 core Copper multi conductor tin coated yellow comma green and blue colour comma 24 AWG comma radiation , Electrical cable copper multi conductor tin coated 22 AWG irradiation cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight grey colour M81044 by 12 22 8 , Electrical cable 2 core copper multi conductor tin coated and extruded polyalkene insulation 16 AWG with Tin coater copper shield crosslinked white extruded PVDF 27500 16ML2T08 , ATC Binding wire 0 point3 mm dia , Insulation tape PVC black 18 mm width , Kapton tape , Masking tape , Solder soft 16 SWG , Solder flux , ISO Prophyl Alcohol IPA , Plastic cover 80 microns 18 inch x 24 inch , Permanent marker pen black</p>
	<p>Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WC35PA :JSS : 50860 As per Drg, Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WC35SN JSS : 50860 As per Drg, Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WB35SN JSS : 50860 As per Drg, Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/24WA35SN JSS : 50860 As per Drg, Back shell for connector straight for HS boot #13 38999-3,4 ES 440HS027NF1305-2-63, Back shell for connector straight for HS boot #11 38999-3,4 45 440HH030NF1104-63, Back shell for connector straight for HS boot #13 38999-3,4 1P 440HS027NF1304-2, HS Sleeve black 9/3 MM ATUM 9/3, Band clamp (Band-IT) ID 1.80" Width 0.240" for back shell 600-052, Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 242W042-25-0, Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K132-25-0, Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 342A124-25-0, Adhesive epoxy polyamid kit</p>

बिड विवरण / Bid Details	S1125 KIT-8, Gromet sealing plug No 22 MS27488-22-1, HS Sleeve black 0.500"/0.250" (12.7/6.4 mm) M23053/16-003-0, HS Sleeve black 0.250"/0.125" (6.4/3.2 mm ) M23053/16-001-0, HS Sleeve black 0.375"/0.187" (9.5/4.7 mm) M23053/16-002-0, HS Sleeve black 0.750"/0.375" (19/9.5 mm) M23053/16-1004-0, Copper tin coated shielded round braid 0.156" ID A-A-59569R36T0156, Copper tin coated shielded round braid 0.250" ID A-A-59569R36T0250, Copper tin coated shielded round braid 0.375" ID A-A-59569R36T0375, HS Sleeve black 0.240"/0.080" (6/2 mm) ATUM6/2-0-STK, Dust cap circular plug #11 38999-3 D 38999/32W11R, Back shell for connector L Angle for HS boot #91 38999-3,4 RA 440HJ030NF0903-63, Band clamp (Band-IT) ID 0.88" Width 0.120" for back shell 600-057, Marking sleeve white (Printable tubing) 1/2" dia x 2" long TMS-SCE-1k-1/2-2.0-9, Marking sleeve white (Printable tubing) 3/4" dia x 2" long TMS-SCE-3/4-2.0-9, Marking sleeve white (Printable tubing) 3/8" dia x 2" long TMS-SCE-3/8-2.0-9, HS Sleeve clear 0.750"/0.375" (19/9.5 mm) RT-375-3/4, HS Sleeve clear 0.375"/0.187" (9.5/4.8 mm) M23053/18-207-C, HS Sleeve clear 0.500"/0.250" (12.7/6.4 mm) RT-375-1/2-X, HS Sleeve clear 0.093"/0.046" (2.4/1.2 mm) M23053/18-203-C, Splice Electrical copper crimp Type insulated 16-20 AWG Blue colour M81824/1-2, Copper wire solid 26 AWG tin coated QQ-W-343S26S1T, crimp butt 26-20 AWG D-436-36, Tape electrical teflon 12.7 mm width 60-0-5IN WIDTH, Electrical cable 2 core Copper multi conductor tin coated orange and red colour, 24 AWG ,radiation - cross linked extruded polyalkene and polyvinylidene fluoride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1121-24-2/3-9, Electrical cable 2 core Copper multi conductor tin coated black and white colour, 20 AWG ,radiation - cross linked extruded polyalkene and polyvinylidene fluoride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1121-20-0/9-9, Electrical cable 3 core Copper multi conductor tin coated yellow, green and blue colour, 24 AWG ,radiation - cross linked extruded polyalkene and polyvinylidene fluoride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1131-24 4/5/6-9, Electrical cable copper multi conductor tin coated 22 AWG irradiation - cross linked extruded polyalkene and polyvinylidene fluoride insulated 600V light weight grey colour M81044/12-22-8, Electrical cable 2 core copper multi conductor tin coated and extruded polyalkene insulation 16 AWG with Tin coater copper shield crosslinked white extruded PVDF 27500-16ML2T08, ATC Binding wire 0.3 mm dia, Insulation tape PVC black 18 mm width, Kapton tape, Masking tape, Solder soft 16 SWG, Solder flux, ISO Prophyl Alcohol IPA, Plastic cover 80 microns 18" x 24", Permanent marker pen black
<p><b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b></p>	
	<p><b>Searched String:</b> Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WC35PA :JSS : 50860 As per Drg</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WC35SN JSS : 50860 As per Drg</p> <p>Category not available on GeM for the text string uploaded</p>

विड विवरण/Bid Details

by the buyer

**Searched String:** Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WB35SN JSS : 50860 As per Drg

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/24WA35SN JSS : 50860 As per Drg

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Back shell for connector straight for HS boot #13 38999-3,4 ES 440HS027NF1305-2-63

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Back shell for connector straight for HS boot #11 38999-3,4 45 440HH030NF1104-63

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Back shell for connector straight for HS boot #13 38999-3,4 1P 440HS027NF1304-2

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** HS Sleeve black 9/3 MM ATUM 9/3

MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), traffic signs - bilinker light, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Locking Compression Plates (V2), Multifunction Machine MFM (V2), Bone Screw (V2), rubber bands

**Searched String:** Band clamp (Band-IT) ID 1.80" Width 0.240" for back shell 600-052

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 242W042-25-0

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K132-25-0

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Boot heat shrinkable strain relief with

विड विवरण / Bid Details

meltable inner wall for adhesive for 45 degree transition  
342A124-25-0

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Adhesive epoxy polyamid kit S1125 KIT-8

personal safety kit reflective luminous garments, Tool Kit for Mechanical Product - ODOP UP Gov. (Ghaziabad), Hemodialysis Catheter Kit, H2S Vial Bacteriological Field Test kit, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others

**Searched String:** Gromet sealing plug No 22 MS27488-22-1

Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), LCR Meter, Bridge Plug Socket Head Screw-IS:2269, Anklet Web

**Searched String:** HS Sleeve black 0.500"/0.250" (12.7/6.4 mm) M23053/16-003-0

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Black Polyethylene Cover, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Parallel Bar - Outdoor Gym Equipment, Sterile Hypodermic Needles for Single use (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Writing Pens, Markers and Highlighters, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Scalp Vein Infusion Set

**Searched String:** HS Sleeve black 0.250"/0.125" (6.4/3.2 mm ) M23053/16-001-0

Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Equipment Camouflage Nets (Jute), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Markers and Highlighters, Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals as per IS 12786

**Searched String:** HS Sleeve black 0.375"/0.187" (9.5/4.7 mm) M23053/16-002-0

Black Polyethylene Cover, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Sterile Hypodermic Needles for Single use (V2), Writing Pens, Markers and Highlighters, Scalp Vein Infusion Set, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Vertical Blinds (V2)

**Searched String:** HS Sleeve black 0.750"/0.375" (19/9.5 mm) M23053/16-1004-0

Galvanized Steel Chain Link Fence Fabric (V2) conforming to

बिड विवरण / Bid Details

IS 2721, Black Polyethylene Cover, Scalp Vein Infusion Set, Sterile Hypodermic Needles for Single use (V2), PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Vertical Blinds (V2), Writing Pens, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Markers and Highlighters

**Searched String:** Copper tin coated shielded round braid 0.156" ID A-A-59569R36T0156

Classroom Stools

**Searched String:** Copper tin coated shielded round braid 0.250" ID A-A-59569R36T0250

Classroom Stools

**Searched String:** Copper tin coated shielded round braid 0.375" ID A-A-59569R36T0375

Classroom Stools

**Searched String:** HS Sleeve black 0.240"/0.080" (6/2 mm) ATUM6/2-0-STK

Mild Steel Sheet, Black Polyethylene Cover, Line Interactive UPS with AVR (V2), Cat 6 Patch cord, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Multimedia Projector (MMP), Potato Peeler, PCR Tubes, Syringe Filter, Reciprocating Air Compressors - Electric Motor Driven

**Searched String:** Dust cap circular plug #11 38999-3 D 38999/32W11R

PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, LCR Meter

**Searched String:** Back shell for connector L Angle for HS boot #91 38999-3,4 RA 440HJ030NF0903-63

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Band clamp (Band-IT) ID 0.88" Width 0.120" for back shell 600-057

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Marking sleeve white (Printable tubing) 1/2" dia x 2" long TMS-SCE-1k-1/2-2.0-9

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Marking sleeve white (Printable tubing) 3/4" dia x 2" long TMS-SCE-3/4-2.0-9

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Marking sleeve white (Printable tubing) 3/8" dia x 2" long TMS-SCE-3/8-2.0-9

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** HS Sleeve clear 0.750"/0.375" (19/9.5 mm) RT-375-3/4

Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Bone Nibbler (V2), PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Speedi sleeve, Locking Compression Plates (V2), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Equipment Camouflage Nets (Jute), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694

**Searched String:** HS Sleeve clear 0.375"/0.187" (9.5/4.8 mm) M23053/18-207-C

Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Shirt Polyestera and Cotton Half Sleeve for IAF Personnel, Equipment Camouflage Nets (Jute), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Stud with Nuts, Locking Compression Plates (V2)

**Searched String:** HS Sleeve clear 0.500"/0.250" (12.7/6.4 mm) RT-375-1/2-X

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Laboratory Vials (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Locking Compression Plates (V2), Mosquito Mesh Window Frame (V2), Kirschner Wire (V2)

**Searched String:** HS Sleeve clear 0.093"/0.046" (2.4/1.2 mm) M23053/18-203-C

Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Shirt Polyestera and Cotton Half Sleeve for IAF Personnel, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Equipment Camouflage Nets (Jute)

**Searched String:** Splice Electrical copper crimp Type insulated 16-20 AWG Blue colour M81824/1-2

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

**Searched String:** Copper wire solid 26 AWG tin coated QQ-W-343S26S1T

Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding ( BEML) as per C4002 BEML Welding Electrode

**Searched String:** crimp butt 26-20 AWG D-436-36

Non - Ferrous Metal Butt Hinges as per IS 205, uniform jersey woolen ribbed v neck dgsd specification

**Searched String:** Tape electrical teflon 12.7 mm width 60-O-5IN WIDTH

बिड विवरण/Bid Details

Tape Dispensers (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2),

Double sided tape

**Searched String:** Electrical cable 2 core Copper multi conductor tin coated orange and red colour, 24 AWG ,radiation - cross linked extruded polyalkene and polyvinylidene flouride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1121-24-2/3-9

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Electrical cable 2 core Copper multi conductor tin coated black and white colour, 20 AWG ,radiation - cross linked extruded polyalkene and polyvinylidene flouride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1121-20-0/9-9

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Electrical cable 3 core Copper multi conductor tin coated yellow, green and blue colour, 24 AWG ,radiation - cross linked extruded polyalkene and polyvinylidene flouride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1131-24 4/5/6-9

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Electrical cable copper multi conductor tin coated 22 AWG irradiation - cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight grey colour M81044/12-22-8

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Electrical cable 2 core copper multi conductor tin coated and extruded polyalkene insulation 16 AWG with Tin coater copper shield crosslinked white extruded PVDF 27500-16ML2T08

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** ATC Binding wire 0.3 mm dia

High Pressure Fire Fighting Hose - IS 14933, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Thermal Binding Machines , Mild Steel Wire for General Engineering Purpose as per IS 280, Spiral Binding / Wiro Binding (V2)

**Searched String:** Insulation tape PVC black 18 mm width PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Tape Dispensers (V2), PVC Insulated Cables,

विड विवरण/Bid Details	<p>Unsheathed with Rigid Conductor (V2) as per IS 694, Double sided tape, Vertical Blinds (V2), HT Tape, Tapes Cotton as per IS 6117</p> <p><b>Searched String:</b> Kapton tape</p> <p>Polymide Tapes, Elastic Surgical Adhesive Tapes (V2), Tape Cartridge / Tape Media, Caution / Crime Scene Tape (V2), Aluminum Tape, Permeable Nonwoven Surgical Adhesive Tape, Empire Tape, HT Tape, Foam Tape, Nylon Tape</p> <p><b>Searched String:</b> Masking tape</p> <p>Paper Masking Tape, BiPAP Full Face Mask (V2), HEAT RESISTANT PAPER MASKING TAPE, Tape Cartridge / Tape Media, Aluminum Tape, Reusable / Washable Cloth Face Mask, Empire Tape, HT Tape, Elastic Surgical Adhesive Tapes (V2), Foam Tape</p> <p><b>Searched String:</b> Solder soft 16 SWG</p> <p>Soft Solder - IS 193, Soft Solder for Electronic applications, KITCHEN STORAGE RACKS (various type)</p> <p><b>Searched String:</b> Solder flux</p> <p>Flux Cored Solder Wire as per IS 1921, Soldering and Desoldering Station with digital display, Solder Bar, Brazing flux, Temperature controlled soldering station, WELDING FLUX, Solder Bar (in Kg), Soft Solder - IS 193, Rover Mask, Soft Solder for Electronic applications</p> <p><b>Searched String:</b> ISO Propyl Alcohol IPA</p> <p>Isopropyl Alcohol (IPA) (ONGC), Iso Propyl Alcohol (V2) Conforming To Is 2631</p> <p><b>Searched String:</b> Plastic cover 80 microns 18" x 24"</p> <p>Electronic Baby Weighing Scale - RBSK, Correspondence Envelopes (V3)</p> <p><b>Searched String:</b> Permanent marker pen black</p> <p>Permanent Paint Marker (V3), Surgical Skin Marker Pen (V2), Markers and Highlighters, Marker Ink (for Permanent and Whiteboard Markers), Black Lead Pencils (V3) Conforming to IS 1375, Writing Pens, Weightlifting Discs</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</li> </ul>
बीओक्यू शीर्षक / <b>BOQ Title</b>	W8 CABLE MSM EXTENSION QTY 12 NOS
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / <b>MSE Relaxation for Years Of Experience</b>	Yes   Complete
वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / <b>Startup Relaxation for Years Of Experience</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	<p>Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

**बिड विवरण/Bid Details**

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 by 26WC35PA JSS 50860 As per Drg
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	1971755
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	39435

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी / Beneficiary :**

PCDA BENGALURU  
PCDA BENGALURU Ministry of Defence  
(Pcda Bengaluru)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई के लिए आरक्षित / Reserved for Make In India products**

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the

OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## **Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 By 26WC35PA JSS 50860 As Per Drg**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

### **तकनीकी विशिष्टियाँ / Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 By 26WC35SN JSS 50860 As Per Drg**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 By 26WB35SN JSS 50860 As Per Drg**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	39	60

**Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 By 24WA35SN JSS 50860 As Per Drg**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Back Shell For Connector Straight For HS Boot Ash 13 38999 3 Comma 4 ES 440HS027NF1305 2 63**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Back Shell For Connector Straight For HS Boot Ash 11 38999 3 Comma 4 45  
440HH030NF1104 63**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Back Shell For Connector Straight For HS Boot Ash 13 38999 3 Comma 4 1P  
440HS027NF1304 2**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

### HS Sleeve Black 9 By 3 MM ATUM 9 By 3

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	1	60

### Band Clamp Band IT ID 1 Point80 Inch Width 0 Point240 Inch For Back Shell 600 052

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	39	60

**Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive For 45 Degree Transition 242W042 25 0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive 202K132 25 0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	39	60

### Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive For 45 Degree Transition 342A124 25 0

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	26	60

### Adhesive Epoxy Polyamid Kit S1125 KIT 8

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	260	60

### Gromet Sealing Plug No 22 MS27488 22 1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	390	60

### HS Sleeve Black 0 Point500 Inch By 0 Point250 Inch 12 Point7 By 6 Point4 Mm M23053 By 16 003 0

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	10	60

**HS Sleeve Black 0 Point250 Inch By 0 Point125 Inch 6 Point4 By 3 Point2 Mm M23053  
By 16 001 0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	23	60

**HS Sleeve Black 0 Point375 Inch By 0 Point187 Inch 9 Point5 By 4 Point7 Mm M23053  
By 16 002 0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	24	60

**HS Sleeve Black 0 Point750 Inch By 0 Point375 Inch 19 By 9 Point5 Mm M23053 By 16 1004 0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	3	60

**Copper Tin Coated Shilded Round Braid 0 Point156 Inch ID A A 59569R36T0156**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	25	60

**Copper Tin Coated Shilded Round Braid 0 Point250 Inch ID A A 59569R36T0250**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	51	60

**Copper Tin Coated Shilded Round Braid 0 Point375 Inch ID A A 59569R36T0375**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	14	60

### HS Sleeve Black 0 Point240 Inch By 0 Point080 Inch 6 By 2 Mm ATUM6 By 2 0 STK

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	1	60

### Dust Cap Circular Plug 11 38999 3 D 38999 By 32W11R

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Back Shell For Connector L Angle For HS Boot Ash 91 38999 3 Comma 4 RA  
440HJ030NF0903 63**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

**Band Clamp Band IT ID 0 Point 88 Inch Width 0 Point120 Inch For Back Shell 600 057**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

### Marking Sleeve White Printable Tubing 1 By 2 Inch Dia X 2 Inch Long TMS SCE 1k 1 By 2 2 Point0 9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	26	60

### Marking Sleeve White Printable Tubing 3 By 4 Inch Dia X 2 Inch Long TMS SCE 3 By 4 2 Point0 9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	26	60

### Marking Sleeve White Printable Tubing 3 By 8 Inch Dia X 2 Inch Long TMS SCE 3 By 8 2 Point0 9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

### HS Sleeve Clear 0 Point750 Inch By 0 Point 375 Inch 19 By 9 Point5 Mm RT 375 3 By 4

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	2	60

**HS Sleeve Clear 0 Point375 Inch By 0 Point 187 Inch 9 Point5 By 4 Point8 Mm M23053  
By 18 207 C**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	1	60

**HS Sleeve Clear 0 Point500 Inch By 0 Point250 Inch 12 Point7 By 6 Point4 Mm RT 375  
1 By 2 X**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	2	60

**HS Sleeve Clear 0 Point093 Inch By 0 Point046 Inch 2 Point4 By 1 Point2 Mm M23053  
By 18 203 C**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	2	60

**Splice Electrical Copper Crimp Type Insulated 16 20 AWG Blue Colour M81824 By 1 2**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	26	60

### Copper Wire Solid 26 AWG Tin Coated QQ W 343S26S1T

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	3	60

### Crimp Butt 26 20 AWG D 436 36

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	117	60

### Tape Electrical Teflon 12 Point7 Mm Width 60 O 5IN WIDTH

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	512	60

### Electrical Cable 2 Core Copper Multi Conductor Tin Coated Orange And Red Colour Comma 24 AWG Radiation Cross Linked Extruded Polyalkene And Polyvinylidene Flouride Insulated

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	58	60

**Electrical Cable 2 Core Copper Multi Conductor Tin Coated Black And White Colour Comma 20 AWG Comma Radiation Cross Linked Extruded Polyalkene And Polyvinylidene Flouride Insulated**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	85	60

**Electrical Cable 3 Core Copper Multi Conductor Tin Coated Yellow Comma Green And Blue Colour Comma 24 AWG Comma Radiation**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	15	60

**Electrical Cable Copper Multi Conductor Tin Coated 22 AWG Irradiation Cross Linked Extruded Polyalkene And Polyvinylidene Flouride Insulated 600V Light Weight Grey Colour M81044 By 12 22 8**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	28	60

**Electrical Cable 2 Core Copper Multi Conductor Tin Coated And Extruded Polyalkene Insulation 16 AWG With Tin Coater Copper Shield Crosslinked White Extruded PVDF 27500 16ML2T08**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	29	60

### ATC Binding Wire 0 Point3 Mm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	65	60

### Insulation Tape PVC Black 18 Mm Width

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	65	60

### Kapton Tape

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	65	60

### Masking Tape

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	65	60

### Solder Soft 16 SWG

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	500	60

### Solder Flux

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	200	60

### ISO Prophy Alcohol IPA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	500	60

### Plastic Cover 80 Microns 18 Inch X 24 Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	13	60

### Permanent Marker Pen Black

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	1	60

### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

515  
ARMY  
BASE  
WORKSHOP  
HALASURU BENGALURU 560008  
.

#### 2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

#### 4. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 5. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 6. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 7. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 9. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in

the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---