

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-05-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-05-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2963

**बिड विवरण/Bid Details****वस्तु श्रेणी /Item Category**

Bathroom or Toilet Mirror (V3) (Q4) , Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774 (Q3) , PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 (Q3) , Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Bathroom Water Shower (V2) (Q3) , Towel Rail (Q3) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Floor Drain Traps (V2) (Q3) , Soap Dish - Case (Q4) , Ply wood 8 foot x 4 foot x 12 mm thick 32 Sqft , Partical board 8 foot x 4 foot x 19 mm thick, 32 Sqft , Looking mirror 600 x 450 MM with frame , Aluminium sliding door bolt 300mm long, 16mm dia , Screw Steel 50 mm , Screw Steel 25 mm , Screw Steel 75 mm , Fevicol 1 kg , GI Nails 25mm , Alum bow handle 125mm Rod dia 12 mm , GI Nails 50 mm , Wooden beading of 20mm x 6mm x 8 foot , Wooden beading for fixing Glass 10x10x6mm , Round plug wooden, 25mm , Aluminium door stopper 100mm long with leg , Alum Bow handle 150 mm Rod dia 12 mm , Bracket for curtain rod SS , GI Screw 20 mm, 25mm, 35mm, 50mm , Stainless steel wire mesh 0.36 mm nominal dia of wire and width aperature 1.40 , Plywood 8 foot x 4 foot x 4mm 32 Sqft , Screw Steel 15 mm , Putty 1 Kg pkt , Alum sheet 0 POINT 5mm thick, 1 mtr wide 24G , Super flush strip 100 mm wide 10 mtr long , CP grating 100 or 102mm , Reducing Tee 25 mm x 20 mm , GI Bend 15mm , GI Nipple 20 mm x 80 mm , GI Nipple 20 mm x 150 mm , GI Reducing socket 20 x 25 mm , PVC handle for flushing cistern , Tank cover PVC for 1000 ltr capacity , Tank cover PVC for 500 ltr capacity , M Seal , GI Nipple 25 mm x 50 mm , SS Robe Hook , Brass jumper washer for 15 mm bib tap , GI bend 20mm , HDPE grating 127 mm dia round , GI Hook for pipeline , GI Bend 25 mm , GI Check Nut 20mm , GI Check Nut 25mm , CP Bottle trap for WHB 32 mm dia , MS angle bracket for WHB , Drill Bit for brick hole 4mm,5mm,6mm,8mm ,10mm

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

Almirah Mess utensil, Chair Dining, Locker Steel, Sofa Set 4 seater, Book case library pattern, Table office officer Steel, Table clerk steel, Teapoy Verandah, Rack side four spaces, Saluting stand with two steps, Combined Tray two spaces, Rack laundry, Rack stationary steel, Table dressing Gents w/mirror, Sofa Set 2 seater, Visitor Chair, Dressing Mirror, Chair Computer, Chair Dining with long back, FD-1032(All as shown in drawing) (Almirah small Steel with shelves), FD-229(All as shown in drawing)(Chair Easy), FD- 256(All as shown in drawing) (Chair Verandah), FD/E6/Map/14(All as shown in drawing)(Stool dressing cushion), FD/E6/Map/03(All as shown in drawing)(Table Computer), FD- 1004(All as shown in drawing)(Table office clerk Steel)), FD/E6/Map/15(R)(All as shown in drawing)(Table Bed side), FD-49(All as shown in drawing)(Table cook house), FD-273(All as shown in drawing)(Table Dining 8 person), FD/E6/Map/08R(All as shown in drawing)(Bed hard ply top), FD/E6/Map/12(All as shown in drawing)(Chair Writing), FD-241(All as shown in drawing)(Side board), FD-1008(All as shown in drawing)(Table 900 x 600 x 760 mm steel with drawer), FD-1009(All as shown in drawing)(Table 900 x 900 x 760 mm steel), FD-139(All as shown in drawing)(Table serving), FD-1023(All as shown in drawing)(Rack side 3 spaces), FD-1007(All as shown in drawing)(Table 900 x 600 x 760 mm steel with out drawer), FD-6100(All as shown in drawing)(Table IT), FD-1032(All as shown in drawing) (Almirah steel medium with shelves), FD-384(All as shown in drawing)(Peg Table), FD/E6/Map/02R(All as shown in drawing)(Rack shoe steel), FD-104(M)(All as shown in drawing)(Almirah large steel glass door), FD-1032(All as shown in drawing)(Almirah Steel Medium with shelves), FD-145 (M)(All as shown in drawing)(Bench Work shop(1800 x 900 x 760)), FD/E6/MAP/09(All as shown in drawing)(Bin Solid linen), FD/E6/MAP-II/07(All as shown in drawing) (Dressing table ladies), FD/E6/MAPII/04(All as shown in drawing)(Table Dining 1200 x 900 x 760 mm), FD/E6/MAP/13(All as shown in drawing)(Receptacle PVC Bucket)

**Searched String:** Almirah Mess utensil  
Steel Almirah / Cabinets (V4)

**Searched String:** Chair Dining  
Stainless Steel Dining Table With Fixed Chair (V2), Revolving Chair (V5), Stainless Steel Dining Table With Fixed Chair, LCR Meter, Counter Seat (Chair or Stool) (V2), Chair for General Purpose, Styling Chair / Salon Chair / Swiveling Barber Chair, Dining Bowl (V3), Dining Plates (V3), Dining Sets - Handicraft

**Searched String:** Locker Steel  
Steel Almirah / Cabinets (V4)

**Searched String:** Sofa Set 4 seater  
Sofa (V3)

**Searched String:** Book case library pattern  
Steel Bookcases conforming To Is 7761 (V2)

बिड विवरण/Bid Details **Searched String:** Table office officer Steel

Executive Table (V4)

**Searched String:** Table clerk steel

Clerk Maxwell Apparatus, Steel Almirah / Cabinets (V4), Dharapathy With Tilttable Steel Table (Ayurvedic Treatment Table) For Panchakarma, Stainless Steel Dining Table With Fixed Chair, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, FOOSBALL TABLE - SOCCER TABLE, Table - Tennis Table (V2), Modular Table / Meeting Table / Centre Table (V2), Executive Table (V4), Stainless Steel Dining Table With Fixed Chair (V2)

**Searched String:** Teapoy Verandah

P.F. Huts with PUF Panel (MHA)

**Searched String:** Rack side four spaces

Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2)

**Searched String:** Saluting stand with two steps

Coat Stand, Metal Storage Cabinet, Indian National Flag for Table with Stand, Stationery Holder/Pen Stand(V3), Laundrometer (Wash Fastness Tester with Standard Accessories), Sofa (V3), Wrought Aluminium Utensils (V2) as per IS 1660, Cloth Dryer Stand, Laboratory Glass Adapters, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2)

**Searched String:** Combined Tray two spaces

Bunk Beds as per IS 17636

**Searched String:** Rack laundry

Laundry Bag, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Dumbbell Rack, Bathroom Rack, Networking / Server Rack, Emulsifier for Industrial Laundry, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Dumbbells Rack (Version 2), Heavy Duty Storage Racks, Laboratory Reagent rack

**Searched String:** Rack stationary steel

Stainless Steel Shoe Rack, Steel Almirah / Cabinets (V4), Stainless Steel Shelf Rack, Dumbbell Rack, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Bathroom Rack, Dumbbells Rack (Version 2), Metal Storage Cabinet, Laboratory Reagent rack, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2)

**Searched String:** Table dressing Gents w/mirror

Dressing Table, Bathroom or Toilet Mirror (V3), Treatment Couch (V2), Dressing Tables-handcrafted, General Operating Table, Wooden Furniture from Hoshiarpur - ODOP, Orthopedic Operating Table, White LED Based Solar Study Lamp as per MNRE Specifications

**Searched String:** Sofa Set 2 seater

Sofa (V3)

बिड विवरण/Bid Details	Searched String: Visitor Chair
	<p>Chair for General Purpose</p> <p><b>Searched String:</b> Dressing Mirror</p> <p>Bathroom or Toilet Mirror (V3), Gonioscopy Mirror, Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Dental Mouth Mirror, Wooden Almirah / Wardrobe (V2), Plane Mirror Strips, POSTURAL TRAINING MIRROR, Dressing Table, Inspection Mirror Tool, Treatment Couch (V2)</p> <p><b>Searched String:</b> Chair Computer</p> <p>Revolving Chair (V5)</p> <p><b>Searched String:</b> Chair Dining with long back</p> <p>Stainless Steel Dining Table With Fixed Chair, Revolving Chair (V5), Stainless Steel Dining Table With Fixed Chair (V2), Auditorium Chair (V2), Counter Seat (Chair or Stool) (V2), Chair for General Purpose, Long Fluted Machine Reamers with Morse Taper Shank - IS 5445, Deep Water Barricading with Net and Anchor 8 km Long - UP PAC, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Portable Mobile Lab with power backup</p> <p><b>Searched String:</b> FD-1032(All as shown in drawing) (Almirah small Steel with shelves)</p> <p>Stainless Steel Shoe Rack</p> <p><b>Searched String:</b> FD-229(All as shown in drawing)(Chair Easy)</p> <p>Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Handloom Wool Blankets as per IS 894, Food Safety Magic Box, GI Grating (in MT)</p> <p><b>Searched String:</b> FD- 256(All as shown in drawing) (Chair Verandah)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> FD/E6/Map/14(All as shown in drawing) (Stool dressing cushion)</p> <p>Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Elastomer Insulated Flexible Cables for use in Mines (V2) as per IS 14494, Fire Resisting (Insulating) Filing Cabinets As Per IS 14561 (V2), shoes school pvc boys girls, Fire Resisting (Insulating) Filing Cabinets (FRFC) as per IS 14561, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, PVC Coated Nylon Fabric for Awning and Gun Covers as per Indian Navy Specification, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1), Pre School Uniform - Pinafore as per Government of Gujarat Specification</p> <p><b>Searched String:</b> FD/E6/Map/03(All as shown in drawing) (Table Computer)</p> <p>All in One PC (V2), Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Food</p>

बिड विवरण / Bid Details

Safety Magic Box, Inner Arm Assembly (BHEL), shoes school pvc boys girls, Handheld Terminal (V2), Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Bamboo Tent Poles (V2) as per IS 7344, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), GI Grating (in MT)

**Searched String:** FD- 1004(All as shown in drawing)(Table office clerk Steel))

Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, GI Grating (in MT)

**Searched String:** FD/E6/Map/15(R)(All as shown in drawing)(Table Bed side)

Waterproof Boot Boot Combat Rubber In Pairs as per Defence Specification, Cyfluthrin - Emulsion in Water (EW) as per IS 15228, Handloom Cotton Bed Sheets (V2) as per IS 745, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Cap Comforter as per Defence Specification, shoes school pvc boys girls, Ceramic Fibre Blanket Insulation as per IS 15402, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Bunk Beds as per IS 17636

**Searched String:** FD-49(All as shown in drawing)(Table cook house)

Knives as per IS 16301, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Household Insecticides (V2), Broth Media

**Searched String:** FD-273(All as shown in drawing)(Table Dining 8 person)

Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523

**Searched String:** FD/E6/Map/08R(All as shown in drawing) (Bed hard ply top)

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** FD/E6/Map/12(All as shown in drawing) (Chair Writing)

Hydrazine Hydrate Conforming to IS 12086 (In Kg), Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Food Safety Magic Box, Button Cotton Unbreakable as per Defence Specification, Vitamin C Injection with Vitamin B12, Folic Acid, Niacinamide Injection (2 Part Combi Pack Multivitamin Injection), Bamboo Tent Poles (V2) as per IS 7344, Education\_Tech (Ed\_Tech) Ver 2.0, shoes school pvc boys girls, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Auditorium Chair (V2)

**Searched String:** FD-241(All as shown in drawing)(Side board)

Trackside Indicator Boards and Signages as per IRICEN Manual, Boot Ankle Textile Jungle Boot Direct Moulded Pu

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

Sole In Pairs as per FDDI specification, Food Safety Magic Box, Saw Blades or Hacksaw Blades (V2) as per IS 2594, GI

Grating (in MT)

**Searched String:** FD-1008(All as shown in drawing)(Table 900 x 600 x 760 mm steel with drawer)

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** FD-1009(All as shown in drawing)(Table 900 x 900 x 760 mm steel)

Dry Erase Writing Boards (V3), Dunnage Pallets Made from Recycled Plastic Wastes for Warehousing Applications as per IS 16058, The Indian National Flag as per IS 1

**Searched String:** FD-139(All as shown in drawing)(Table serving)

Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Food Safety Magic Box, GI Grating (in MT), High performance Computing (HPC) in a Box

**Searched String:** FD-1023(All as shown in drawing)(Rack side 3 spaces)

Stainless Steel Shoe Rack, Inflatable Tent

**Searched String:** FD-1007(All as shown in drawing)(Table 900 x 600 x 760 mm steel with out drawer)

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** FD-6100(All as shown in drawing)(Table IT)

Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Bore Gauge With Its Accessories (BHEL), Wrought Aluminium and its Alloys - Drawn Tubes for General Engineering Purposes as per IS 738, Food Safety Magic Box, Shirts Plain Weave Polyester and Cotton Full Sleeve as per Defence Specification, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1), Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Med\_Tech Ver 2.0, GI Grating (in MT)

**Searched String:** FD-1032(All as shown in drawing) (Almirah steel medium with shelves)

Stainless Steel Shoe Rack

**Searched String:** FD-384(All as shown in drawing)(Peg Table)

Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Boot Multipurpose as per Defence Specification, Food Safety Magic Box, Boot High Ankle Leather DVS as per Defence Specification, GI Grating (in MT), High performance Computing (HPC) in a Box

**Searched String:** FD/E6/Map/02R(All as shown in drawing)

बिड विवरण/Bid Details

(Rack shoe steel)

Stainless Steel Shoe Rack, Pipe Clamps (V2), Steel Shot for use in Foundries (V2) as per IS 4606, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Grinding Media Balls as per IS 6079, Studs- IS:1862, Aluminized steel sheet OR Aluminium Zinc Alloy Metallic Coated Steel Strip And sheet as per IS 15961, Shoes Black Leather Derby as per Indian Navy Specification, Pre - Painted Aluminum Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain) (V2) as per IS 15965, shoes school pvc boys girls

**Searched String:** FD-104(M)(All as shown in drawing)  
(Almirah large steel glass door)

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** FD-1032(All as shown in drawing)  
(Almirah Steel Medium with shelves)

Stainless Steel Shoe Rack

**Searched String:** FD-145 (M)(All as shown in drawing)  
(Bench Work shop(1800 x 900 x 760))

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** FD/E6/MAP/09(All as shown in drawing)  
(Bin Solid linen)

Mobile Containers For Solid Waste Conforming to IS 12402, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, shoes school pvc boys girls, WELDING ELECTRODE - Solid wire for TIG welding ( BEML) - as per C4012 BEML Welding Electrode, Food Safety Magic Box, Bamboo Tent Poles (V2) as per IS 7344, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), GI Grating (in MT), Pre School Uniform - Pinafore as per Government of Gujarat Specification

**Searched String:** FD/E6/MAP-II/07(All as shown in drawing)  
(Dressing table ladies)

Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Bamboo Tent Poles (V2) as per IS 7344

**Searched String:** FD/E6/MAPII/04(All as shown in drawing)  
(Table Dining 1200 x 900 x 760 mm)

Dry Erase Writing Boards (V3), Dunnage Pallets Made from Recycled Plastic Wastes for Warehousing Applications as per IS 16058, The Indian National Flag as per IS 1

**Searched String:** FD/E6/MAP/13(All as shown in drawing)  
(Receptacle PVC Bucket)

Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To

बिड विवरण / Bid Details	IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Technical Grade Sulfur Hexafluoride (SF 6) for use in Electrical Equipment as per IS 13072, shoes school pvc boys girls, PVC Coated Nylon Fabric for Awning and Gun Covers as per Indian Navy Specification, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Plywood for General Purposes Marked to IS 303 (V3)</li> </ul>
बीओक्यू शीर्षक /BOQ Title	BOQ Items
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	1 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	3
विगत प्रदर्शन / <b>Past Performance</b>	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20

मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
---	----

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its

subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

### **Bathroom Or Toilet Mirror (V3) ( 5 pieces )**

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Aluminium Coated
	<b>Frame</b>	Without
	<b>Frame Material</b>	NA (Frameless)
	<b>Frame Color</b>	NA
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>40 to ?45
	<b>Height/Diameter of Mirror (inch)</b>	>45 to ?50
	<b>Thickness of Mirror (mm)</b>	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

**Ceramic ( Vitreous China ) Flushing Cisterns For Water Closets And Urinals Conforming To IS 774 ( 10 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 774</b>	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Flushing Device</b>	Cistern
Construction & Material	Materials for Various Components of Flusing Cistern	As per Table 1 of IS 774
	Construction	As per Clause 5 of IS 774
	<b>Material for Flush Pipe</b>	Polyethylene Pipe (Conformity to Is 4984)
	<b>Material for Overflow Pipe</b>	Polyethylene Pipe (Conformity to Is 4984)
	<b>Cistern Discharge Capacity</b>	Full Flush (4.8 ± 0.5 liters) Reduced Flush (2.8 ± 0.5 liters)
Performance & Finish	Finish	As per Clause 6 of IS 774
	Operational and Performance Requirements	As per Clause 7 of IS 774

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 15 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 9763</b>	Yes
	<b>Product Type</b>	Plastic Bib Tap
	<b>Nominal Size (in mm)</b>	15 mm (1/2")
	<b>Hot/Cold Identification of Control Devices</b>	Blue Color or Letter C for Cold Water
	Recommended Limit for Correct Operations	As per Table 2 of IS 9763

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Materials	<b>Material of Body of Tap/ Valve</b>	PP Copolymer (conforming to IS 10910)
	<b>Material of Bonnet of Tap/ Valve</b>	Nylon 66 (conforming to 13464)
	<b>Material of Spindle of Tap/ Valve</b>	PBT (conforming to IS 13193)
	<b>Material of Handle of Tap/ Valve</b>	PP Copolymer (conforming to IS 10910)
	<b>Material of Seal of Tap/ Valve</b>	Rubber
Dimensions & Construction	<b>Dimensions (in mm)</b>	Bib Taps (As per Table 3 of IS 9763)
Finish, Construction & Workmanship	Construction, Workmanship and Finish	As per Clause 8 of IS 9763

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	15	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	One hole pillar mounted combination tap assembly
	<b>Dimension</b>	As per table 7 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 2 )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Item	Type 2 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Angle stop valve
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Stainless steel sheet
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Extruded brass rods
	<b>Material of circlip, wire locks</b>	Stainless steel
	<b>Material of 'O' ring , gasket, and seat washer</b>	Neoprene rubber
	<b>Material of Knob and knob components</b>	Cast brass
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	No
Warranty	<b>Warranty (in months)</b>	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 2 )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Type 2 wall mounted combination tap assembly
	<b>Dimension</b>	As per table 6 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Die cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Forged brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Phosphor bronze sheet
	<b>Material of 'O' ring , gasket, and seat washer</b>	Neoprene rubber
	<b>Material of Knob and knob components</b>	Die cast brass
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	Yes
Warranty	<b>Warranty (in months)</b>	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

## Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 2 )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Single lever wall mounted sink mixture with swivel spout
	<b>Dimension</b>	As per table 13 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Brass rods
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Cast brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Stainless steel
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Zinc base alloys
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	Yes
Warranty	<b>Warranty (in months)</b>	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 12 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Stop valve with internal thread
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Brass rods
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Stainless steel
	<b>Material of 'O' ring , gasket, and seat washer</b>	Neoprene rubber
	<b>Material of Knob and knob components</b>	Zinc base alloys
Generic	<b>Aerating device fitted with tap</b>	No
	<b>Flow straightening device fitted with tap</b>	Yes
Warranty	<b>Warranty (in months)</b>	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	12	30

**Bathroom Or Toilet Mirror (V3) ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Aluminium Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Aluminium
	<b>Frame Color</b>	Silver
	<b>Mirror Mounting / Fixing System</b>	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>5.1 to ?7.5
	<b>Height/Diameter of Mirror (inch)</b>	>7.5 to ?10
	<b>Thickness of Mirror (mm)</b>	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### Bathroom Water Shower (V2) ( 5 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	ABS
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Rainflow
	Shape of Shower	Square
Dimensions	Size of Shower	150 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	300
Warranty	Warranty (in Years)	1

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

## Towel Rail ( 5 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	<b>Rail Material</b>	Stainless Steel (SS 304)
	<b>Mounting Bracket Material</b>	Stainless Steel (SS 304)
	<b>Towel Rail Length (in mm) (Tolerance : ± 10 mm)</b>	600 mm
	<b>Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)</b>	19 mm
	<b>Projection from Wall (in mm) (Tolerance : ± 10 mm)</b>	80 mm
Design & Configuration	<b>Towel Rail Type</b>	Folding Rail
	Edge Design	Seamless Edge
	<b>Bar Shape of Rail</b>	Round
	Mounting Plate Shape	Round
Surface Finish/ Color	Surface Finish/ Color	Chrome Plated
Load & Performance	<b>Recommended Load Capacity (in kg)</b>	Up to 3 kg
	Suitable for Wet Areas	Yes
Fixing & Accessories	<b>Fixing Hardware Included</b>	Yes
	<b>Fasteners Material</b>	Stainless Steel

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

## Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 20 )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	<b>Material of Waste Fitting</b>	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	<b>Nominal Size</b>	32 mm for washbasin
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	2

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	20	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 9 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Stop valve with external thread
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Stainless steel sheet
	<b>Material of diverter and diverter components</b>	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Extruded brass rods
	<b>Material of circlip, wire locks</b>	Phosphor bronze sheet
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Zinc base alloys
Generic	<b>Aerating device fitted with tap</b>	No
	<b>Flow straightening device fitted with tap</b>	No
Warranty	<b>Warranty (in months)</b>	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	9	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Single lever wall mounted sink mixture with swivel spout
	<b>Dimension</b>	As per table 13 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

**Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 6 )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
DIMENSION	Nominal Size	50 mm for sink
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	3

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

**Bathroom Water Shower (V2) ( 4 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	Brass
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Rectangular
Dimensions	Size of Shower	130x 120 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	120

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Warranty	Warranty (in Years)	1

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	4	30

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 9763</b>	Yes
	<b>Product Type</b>	Stop Valve
	<b>Nominal Size (in mm)</b>	15 mm (1/2")
	<b>Hot/Cold Identification of Control Devices</b>	Blue Color or Letter C for Cold Water
	Recommended Limit for Correct Operations	As per Table 2 of IS 9763
Materials	<b>Material of Body of Tap/ Valve</b>	PP Copolymer (conforming to IS 10910)
	<b>Material of Bonnet of Tap/ Valve</b>	PP Copolymer (conforming to IS 10910)
	<b>Material of Spindle of Tap/ Valve</b>	PP Copolymer (conforming to IS 10910)
	<b>Material of Handle of Tap/ Valve</b>	PP Copolymer (conforming to IS 10910)
	<b>Material of Seal of Tap/ Valve</b>	Rubber
Dimensions & Construction	<b>Dimensions (in mm)</b>	Stop Valves (As per Table 5 of IS 9763)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Finish, Construction & Workmanship	Construction, Workmanship and Finish	As per Clause 8 of IS 9763

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

**Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	<b>Material of Waste Fitting</b>	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	<b>Nominal Size</b>	32 mm for washbasin
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	3

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

**Floor Drain Traps (V2) ( 10 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Material</b>	Stainless Steel
Design & Construction	Shape	Round
	<b>Trap Seal Depth (in mm)</b>	50 mm
	<b>Removable Grating</b>	Yes
	<b>Anti-Insect Feature</b>	Yes
	<b>Anti-Odor Feature</b>	Yes
	<b>Corrosion Resistance</b>	Yes
Dimensions	<b>Overall Size (Length x Breadth x Height) in mm</b>	125 mm x 125 mm x 90 mm
Performance	<b>Flow Rate Capacity</b>	Heavy Duty
Finish & Appearance	Surface Finish and Color	Polished

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Stop valve with external thread
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Forged brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Forged brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

**Floor Drain Traps (V2) ( 3 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Material	Stainless Steel

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Design & Construction	Shape	Round
	Trap Seal Depth (in mm)	40 mm
	Removable Grating	No
	Anti-Insect Feature	Yes
	Anti-Odor Feature	Yes
	Corrosion Resistance	Yes
Dimensions	Overall Size (Length x Breadth x Height) in mm	125 mm x 125 mm x 100 mm
Performance	Flow Rate Capacity	Heavy Duty
Finish & Appearance	Surface Finish and Color	Polished

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	3	30

**Towel Rail ( 10 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	Rail Material	Stainless Steel (SS 304)
	Mounting Bracket Material	Stainless Steel (SS 304)
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	600 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	22 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Design & Configuration	<b>Towel Rail Type</b>	Single Bar
	Edge Design	Rounded Edge
	<b>Bar Shape of Rail</b>	Round
	Mounting Plate Shape	Round
Surface Finish/ Color	Surface Finish/ Color	Chrome Plated
Load & Performance	<b>Recommended Load Capacity (in kg)</b>	Up to 3 kg
	Suitable for Wet Areas	Yes
Fixing & Accessories	<b>Fixing Hardware Included</b>	Yes
	<b>Fasteners Material</b>	Stainless Steel

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

**Soap Dish - Case ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	<b>Material of the box</b>	Tough and durable plastic
Lid Details	<b>Type of Lid</b>	TRANSPARENT
	<b>Lid type (according to fixation)</b>	HINGED
Base Details	Type of Base	TRANSPARENT
	Perforated base of the Soap box	FLAT

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

**Bathroom Water Shower (V2) ( 10 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	Brass
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Monorail
	Shape of Shower	Round
Dimensions	Size of Shower	80 mm
	Overall length of Hand Shower (in mm)	205
	Length of Hand Shower Tube (in mt)	1.5
	Diameter of Hand Shower Tube (in mm)	12
	Material of Hand Shower Tube	Stainless Steel
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	2

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Ply Wood 8 Foot X4 Foot X 12 Mm Thick 32 Sqft

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	1	30

### Partical Board 8 Foot X 4 Foot X 19 Mm Thick, 32 Sqft

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	1	30

### Looking Mirror 600 X 450 MM With Frame

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Aluminium Sliding Door Bolt 300mm Long, 16mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Screw Steel 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	500	30

### Screw Steel 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	500	30

### Screw Steel 75 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	500	30

### Fevicol 1 Kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	1	30

### GI Nails 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	500	30

### Alumn Bow Handle 125mm Rod Dia 12 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	9	30

### GI Nails 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	500	30

### Wooden Beading Of 20mm X 6mm X 8 Foot

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	24	30

### Wooden Beading For Fixing Glass 10x10x6mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	24	30

### Round Plug Wooden, 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	3	30

### Aluminium Door Stopper 100mm Long With Leg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Alum Bow Handle 150 Mm Rod Dia 12 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Bracket For Curtain Rod SS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	12	30

### GI Screw 20 Mm, 25mm, 35mm, 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

### Stainless Steel Wire Mesh 0.36 Mm Nominal Dia Of Wire And Width Aperature 1.40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Plywood 8 Foot X4 Foot X4mm 32 Sqft

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	1	30

### Screw Steel 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	1	30

### Putty 1 Kg Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Alumn Sheet 0 POINT 5mm Thick,1 Mtr Wide 24G

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

### Super Flush Strip 100 Mm Wide 10 Mtr Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

### CP Grating 100 Or 102mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	20	30

### Reducing Tee 25 Mm X 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### GI Bend 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

### GI Nipple 20 Mm X 80 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

### GI Nipple 20 Mm X 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### GI Reducing Socket 20 X 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

### CP Grating 100 Or 102mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

### PVC Handle For Flushing Cistern

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	10	30

### Tank Cover PVC For 1000 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### Tank Cover PVC For 500 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### M Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	4	30

### GI Nipple 25 Mm X 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	3	30

### SS Robe Hook

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### Brass Jumper Washer For 15 Mm Bib Tap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	24	30

### GI Bend 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	3	30

### HDPE Grating 127 Mm Dia Round

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### GI Hook For Pipeline

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

### GI Bend 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	1	30

### GI Check Nut 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	3	30

### GI Check Nut 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	1	30

### CP Bottle Trap For WHB 32 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	2	30

### MS Angle Bracket For WHB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

### GI Reducing Socket 20 X 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	6	30

### Drill Bit For Brick Hole 4mm,5mm,6mm,8mm ,10mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Purnia	5	30

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

### 2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 3. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

### 4. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

### 5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- Make and model approved by Comd HQs/E-in-C's branch will only be accepted. Bidders are requested to pls upload the the approval letter of the make being offered by the bidders. Failing which the bidder will be technically disqualified.
- An Affidavit be submitted by the bidder on Rs 100 stamp paper duly signed by the notary that the firm is not in black list from any Govt agency. (The affidavit should not more than 6 months old)
- Copy of last FY 2024-25 GST return and also submitted ITR last year.
- ISO certification of the OEM/ bidder.
- BIDDERS MUST UPLOAD BID SPECIFIC OEM AUTHORISATION VERIFIABLE ON LINE OR BY TELEPHONE NUMBERS GIVEN OF THE AUTHORISED SIGNATORY OF THE OEM.
- Bidder must be submitted past performance certificated and also submitted CRAC/ Completion certificate of similar product.
- Valid BIS license of each item and also Test report and technical data sheet of each product.

8. SELLER MUST UPLOAD LAST THREE YEARS FINANCIAL TURNOVER CERTIFIED BY CHARTERED ACCOUNTANT.

9. BIDDER MUST UPLOAD BANK SOLVENCY CERTIFICATE NOT OLDER THAN ONE YEAR FROM BID PUBLISHED DATE. BANK SOLVENCY SHOULD MENTION NAME, EMPLOYEE CODE & MOBILE NUMBER OF ISSUING AUTHORITY

#### 6. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including

specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**