

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	04-05-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	04-05-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2320
वस्तु श्रेणी /Item Category	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 (Q3) , Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 (Q2) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Towel Rail (Q3) , Towel Ring (Q3) , Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 (Q3) , Bathroom or Toilet Mirror (V3) (Q4)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	9 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Tower Bolts (Non-Ferrous Metals) V2 as per IS 204
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	91763

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SBSO

Hq Cwe Agra, Department of Military Affairs, Indian Army, Ministry of Defence
(Indrajit Kumar Rai)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The

buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (169 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	73	20
2	*****	*****AGRA	69	20
3	*****	*****FATEHGARH	27	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (32 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Item	Type 2 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	17	20
2	*****	*****FATEHGARH	15	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (116 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	96	20
2	*****	*****AGRA	7	20

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
3	*****	*****FATEHGARH	13	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (65 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Brass rods
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	65	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (67 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 2 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	15	20
2	*****	*****AGRA	32	20
3	*****	*****FATEHGARH	20	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (85 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Forged brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Forged brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Forged brass

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	17	20
2	*****	*****AGRA	68	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (27 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Forged brass
	Material of diverter and diverter components	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	10	20
2	*****	*****FATEHGARH	17	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (54 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic butadiene rubber (SBR)
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	24

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	21	20
2	*****	*****AGRA	33	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (57 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Concealed stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Acrylonitrille butadiene rubber (ABR)
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	24

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	38	20
2	*****	*****AGRA	12	20
3	*****	*****FATEHGARH	7	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (26 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Concealed stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	20
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****FATEHGARH	26	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with external thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Forged brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Acrylonitrille butadiene rubber (ABR)
	Material of Knob and knob components	Forged brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	36

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	12	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (18 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 2 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	12	20
2	*****	*****FATEHGARH	6	20

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (307 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Plastic Bib Tap
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
	Recommended Limit for Correct Operations	As per Table 2 of IS 9763
Materials	Material of Body of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Bonnet of Tap/ Valve	Nylon 66 (conforming to 13464)
	Material of Spindle of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Handle of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	Dimensions (in mm)	Bib Taps (As per Table 3 of IS 9763)
Finish, Construction & Workmanship	Construction, Workmanship and Finish	As per Clause 8 of IS 9763

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	132	20
2	*****	*****AGRA	78	20
3	*****	*****FATEHGARH	97	20

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (86 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Plastic Bib Tap
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	PVC (conforming to 9766)
	Material of Bonnet of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Spindle of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Handle of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Seal of Tap/ Valve	Nitrile PVC
Dimensions & Construction	Dimensions (in mm)	Bib Taps (As per Table 3 of IS 9763)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	86	20

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (90 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Pillar Tap
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	ABS
	Material of Bonnet of Tap/ Valve	ABS
	Material of Spindle of Tap/ Valve	ABS
	Material of Handle of Tap/ Valve	ABS
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	Dimensions (in mm)	Pillar Taps (As per Table 4 of IS 9763)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	68	20
2	*****	*****FATEHGARH	22	20

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (185 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Stop Valve
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Bonnet of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Spindle of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Handle of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	Dimensions (in mm)	Stop Valves (As per Table 5 of IS 9763)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	65	20
2	*****	*****AGRA	97	20
3	*****	*****FATEHGARH	23	20

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (44 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Stop Valve
	Nominal Size (in mm)	20 mm (3/4")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Bonnet of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Spindle of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Handle of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Seal of Tap/ Valve	Thermoplastic Polyester based Elastomaster
Dimensions & Construction	Dimensions (in mm)	Stop Valves (As per Table 5 of IS 9763)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****FATEHGARH	44	20

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (103 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Angle Valve
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Bonnet of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Spindle of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Handle of Tap/ Valve	PBT (conforming to IS 13193)
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	Dimensions (in mm)	Angle Valves (As per Table 6 of IS 9763)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****FATEHGARH	103	20

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (26 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Plastic Bib Tap
	Nominal Size (in mm)	20 mm (3/4")

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Hot/Cold Identification of Control Devices	Red Color or Letter H for Hot Water
Materials	Material of Body of Tap/ Valve	ABS
	Material of Bonnet of Tap/ Valve	ABS
	Material of Spindle of Tap/ Valve	ABS
	Material of Handle of Tap/ Valve	ABS
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	Dimensions (in mm)	Bib Taps (As per Table 3 of IS 9763)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	26	20

Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 (273 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Governing Specification	As per IS 204
	BIS Marked	Yes
	Type of tower bolts as per CI 3.1 of IS 204	Barrel Tower Bolts
	Sub-type of tower bolts as per CI 3.1 of IS 204	Aluminium Alloy Barrel Tower Bolts (Type - 4A)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	Material of Aluminium alloy tubes as per Table 3 of IS 204(Part 2)	designation 63400 WP or 63400 P of IS 1285
	Material of Aluminium alloy extruded rods as per Table 3 of IS 204(Part 2)	Designation 65032 WP of IS 733
	Brass sheets as per Table 3 of IS 204(Part 2)	Alloy designation CuZn 40 Condition HD of IS 410
	Cast brass as per Table 3 of IS 204(Part 2)	Grade CB.2 of IS 292
	Extruded brass as per Table 3 of IS 204(Part 2)	Type II Half hard condition of IS 319
	Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)	Alloy Zn A14 Die casting of IS 742
Constructional	Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)	Screwed
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	Yes
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	NA
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	150
	Diameter of Barrel and Skeleton Tower bolts (mm)	10.0
	Width of Barrel Tower bolts (mm)	32
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	6
	Length of socket as per Table 1 of IS 204 (Part 2)	25
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	2
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.6

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
	Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	Yes
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	NA
TEST REPORT	Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	Yes
	Test reports to be furnished to buyer on demand	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	205	20
2	*****	*****AGRA	22	20
3	*****	*****AGRA	46	20

Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 (28 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Governing Specification	As per IS 204
	BIS Marked	Yes
	Type of tower bolts as per CI 3.1 of IS 204	Barrel Tower Bolts
	Sub-type of tower bolts as per CI 3.1 of IS 204	Aluminium Alloy Barrel Tower Bolts (Type - 4A)
MATERIAL	Material of Aluminium alloy tubes as per Table 3 of IS 204(Part 2)	designation 63400 WP or 63400 P of IS 1285
	Material of Aluminium alloy extruded rods as per Table 3 of IS 204(Part 2)	Designation 65032 WP of IS 733
	Brass sheets as per Table 3 of IS 204(Part 2)	Alloy designation CuZn 40 Condition HD of IS 410
	Cast brass as per Table 3 of IS 204(Part 2)	Grade CB.2 of IS 292
	Extruded brass as per Table 3 of IS 204(Part 2)	Type II Half hard condition of IS 319
	Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)	Alloy Zn A14 Die casting of IS 742
Constructional	Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)	Screwed
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	NA
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	200
	Diameter of Barrel and Skeleton Tower bolts (mm)	10.0
	Width of Barrel Tower bolts (mm)	32
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	8
	Length of socket as per Table 1 of IS 204 (Part 2)	25
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.5
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.6
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
	Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	Yes
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	NA
TEST REPORT	Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	No
	Test reports to be furnished to buyer on demand	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****FATEHGARH	28	20

Waste Fittings For Washbasin And Sinks As Per IS 2963 (197 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	173	20
2	*****	*****AGRA	24	20

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (13 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass rods
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Acrylonitrille butadiene rubber (ABR)
	Material of Knob and knob components	Brass rods
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Warranty	Warranty (in months)	24

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	13	20

Towel Rail (70 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	Rail Material	Stainless Steel (SS 202)
	Mounting Bracket Material	Stainless Steel (SS 202)
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	600 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	19 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	Towel Rail Type	Single Bar
	Bar Shape of Rail	Round
Load & Performance	Recommended Load Capacity (in kg)	Up to 3 kg
Fixing & Accessories	Fixing Hardware Included	No
	Fasteners Material	Stainless Steel

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	46	20
2	*****	*****AGRA	18	20
3	*****	*****FATEHGARH	6	20

Towel Rail (23 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	Rail Material	PVC Plastic
	Mounting Bracket Material	PVC Plastic
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	600 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	22 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	Towel Rail Type	Single Bar
	Bar Shape of Rail	Flat
Load & Performance	Recommended Load Capacity (in kg)	Up to 3 kg
Fixing & Accessories	Fixing Hardware Included	Yes
	Fasteners Material	Plastic

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	23	20

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

Towel Ring (27 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Ring Shape	Circular
Material & Dimensions	Ring Material	Brass
	Mounting Bracket Material	Brass
	Inner Diameter of Ring (in mm) (Tolerance : ± 10 mm)	140 mm
	Ring Rod Thickness (in mm) (Tolerance : ± 10 mm)	6 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	50 mm
	Mounting Plate Size (in mm)	40 mm
Design & Configuration	Ring Movement Type	Swing Ring
Load & Performance	Recommended Load Capacity (in kg)	Up to 2 kg
Fixing & Accessories	Fixing Hardware Included	Yes
	Fasteners Material	Stainless Steel

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	27	20

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (21 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	25 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet renewable seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable	Leaded Tin Bronze (conforming to LTB 2 of IS 318)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	12.0 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	4.6 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	13.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	10 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	39 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Face to Face Dimensions of Flanged Valves (in mm)	NA for Screwed Valves

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	12	20
2	*****	*****FATEHGARH	9	20

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (49 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	20 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet renewable seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Leaded tin bronze (conforming to LTB 2 of IS 318)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	10.5 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	4.1 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	13.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	9 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	32 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	29	20
2	*****	*****AGRA	9	20
3	*****	*****FATEHGARH	11	20

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (17 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	40 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet integral seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Brass (conforming to DCB 2 of IS 1264)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	13.5 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	5.0 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	15.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	12 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	55 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	7	20
2	*****	*****FATEHGARH	10	20

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	50 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet integral seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Brass (conforming to DCB 2 of IS 1264)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	17.0 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	6.0 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	20.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	12 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	68 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	4	20

Bathroom Or Toilet Mirror (V3) (29 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	Without
	Frame Material	NA (Frameless)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Frame Color	NA
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>40 to ?45
	Height/Diameter of Mirror (inch)	>45 to ?50
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****AGRA	11	20
2	*****	*****AGRA	5	20
3	*****	*****FATEHGARH	13	20

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

HQ CWE Agra
payable at
at Agra

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

BUYER BID SPECIFIC ADDITIONAL TERMS AND CONDITIONS

1. **Consignee Instructions.**

(a) Stores will be consigned on freight to pay basis after inspection by authorized representative and Board of Officers at consignee location.

(b) The rates quoted and accepted are for delivery of stores inside the premises of the consignee (price at destination) that is, unloading the consignees end will be arranged by the supplier for which no extra payment will be offered by the department.

2. No insurance charges will be paid by the department. The Consignees accepts no responsibility and no liability for the stores loss or damage to the stores in transit or for the rejected stores lying inside its premises for whatsoever reason. No extra charges will be paid towards installation of new equipment as the manufacturer guide lines.

3. Bidder has supply items/product which not obsolete in market and exact specification mentioned in bid.

4. Bidder must upload following documents along with the bid as ATC documents.

(a) EXPERIENCE CERTIFICATE: As per GeM condition, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the financial year.

(b) PAST PERFORMANCE: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for **50%** of

bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year

(c) BIDDER TURN OVER: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document is required. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. Kindly upload last three years financial turnover duly certified by CA

(d) OEM TURN OVER: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document is required. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. Kindly upload last three years financial turnover duly certified by CA.

(e) OEM AUTHORIZATION: Bid specific OEM/Manufacturer authorization letter.

(f) MII (MAKE IN INDIA) CERTIFICATE: Make in India (MII) certificate is acceptable which is issued by OEM only stating that the actual local content in (%) in their product and also mentioned Class 1 or 2. MII Certificate given by Reseller on their letter pad is not acceptable.

(g) COMPLIANCE OF BOQ: OEM/Manufacturer/bidder confirm in writing on their letter pad that they will match and deliver the exact technical specification required in bid.

(h) MAKE/BRANDS OF ITEMS REQUIRED IN THIS BID: Only E-in-Cs' Branch New Delhi or HQ CE CC Lucknow approved make/brands will be accepted.

Make: All items - **Prayag, Polymers, Polytuf, Cera, Prima, Jaquar or equiv**

alent as per technical specification

(For more details read key specifications of items)

5. As per the specification of items mentioned in bid, bidder shall upload the brand name of the items along with cat part no/ product ID/MRP on a separate data sheet along with technical bid. Bid uploaded without giving make, brand and cat part number shall be treated as vague bid and will be summarily rejected.
6. Bidder shall also upload the duly sign copy of this ATC along with the bid or give certificate that they agree all terms and conditions as mentioned at srl n o. 01 to 05 of this buyer ATC apart from GEM ATC.
7. Bids will be rejected of that OEM/Manufacturer/bidder if they fail to upload above all documents as ATC documents.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.

10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

