

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	09-02-2026 16:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	09-02-2026 16:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	180 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Uttar Pradesh
<b>विभाग का नाम/Department Name</b>	Energy Department Uttar Pradesh
<b>संगठन का नाम/Organisation Name</b>	Uttar Pradesh Power Corporation Limited (uppl)
<b>कार्यालय का नाम/Office Name</b>	Electricity Civil Transmission Circle 132 Kv S/s Martinpurwa Lucknow
<b>कुल मात्रा/Total Quantity</b>	774
<b>वस्तु श्रेणी /Item Category</b>	Steel Round as per IS 2062 (Q3) , Steel Flat as per IS 2062 (Q3)
<b>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	8 Lakh (s)
<b>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover</b>	No
<b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</b>	No
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
लागू आरसीएम/ <b>RCM Applicable</b>	Yes
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Steel Round as per IS 2062
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	PUNJAB NATIONAL BANK
ईएमडी राशि/EMD Amount	16000

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	PUNJAB NATIONAL BANK
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Superintending Engineer  
Electricity Transmission Circle, Uttar Pradesh Power Transmission Corporation Limited (UPPTCL),  
BLW Road, Bikharipur, Varanasi  
(Superintending Engineer)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**जीएसटी की धारा 9(3)/Section 9(3) Of GST**

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this

Bid.

### जीएसटी की धारा 9(3)। / Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

### Steel Round As Per IS 2062 ( 250 kilogram )

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certifications & Standards	<b>Conformity to Indian Standard</b>	As per latest IS 2062, IS 5517-1993, IS 1570-part 2-1979, IS 13015-1991, IS 4163-2004, IS 8221-1976, IS 4431-1978, IS 2062-1999, IS 1875-1992, IS 1079-2009, IS 3748-1990, IS 4432-1988, IS 1239-PRT 1-2004, IS 808-1989, IS 5872-1990, IS 513-2008, IS 3739-1987, IS 7226-1974, IS 2004-1991, IS 7138-1973, IS 6527-1995, IS 1786-2008, IS 1852-1985, IS 4368-1967, IS 4929-1997, IS 4454-PART 2-2001, IS 3739-1987, IS 1870-1965, IS 4923-1987, IS 7226-1974, IS 8791, JSS 9510-01-2013, JSS 9510-06-2000, BS 970-PART 1 -1983, BS 970-PART 2- 1983, BS 970-PART 3 -1983, BS 1449-1983, BS 1449-1991, GOST 1778-1970, GOST 14959-1979, GOST V 10230-75, GOST 2590-1988, GOST 1050-1988, GOST-B-84-748-1981, TY-14-1-2884-80, TY-14-1-2232-77
Technical Specification	Grade	A
	<b>Material</b>	Steel, Stainless Steel, Mild Steel, Alloy Steel, Carbon Steel
	Thickness	40.0, 10.0 (millimeter)
Dimensions	Diameter	40.0, 10.0 (millimeter)
	Length	4000.0, 3880.0 (millimeter)
Reports & Certifications	<b>Availability of ISO certification of manufacture</b>	Yes, No

### Additional Specification Parameters - Steel Round As Per IS 2062 ( 250 kilogram )

Specification Parameter Name	Bid Requirement (Allowed Values)
1. Length 2. Finishing 3. Technical Specification	1- Straight lengths of MS rods of standard diameter of 40 mm in minimum length of 4 m shall be supplied. 2- All finished MS rods for Below Ground Earthing shall be free from sharp edges, corners, burs & unevenness. 3- Bidder to supply order quantity indicated in the Specification. Overall tolerance on total dispatched quantity shall be restricted to + 3% in line with IS 2062

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Naveen Kumar	221104,ELECTRICITY 400 KV TRANSMISSION SUB STATION DIVISION SARNATH VARANSI	250	30

#### Steel Round As Per IS 2062 ( 36 kilogram )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certifications & Standards	<b>Conformity to Indian Standard</b>	As per latest IS 2062, IS 5517-1993, IS 1570-part 2-1979, IS 13015-1991, IS 4163-2004, IS 8221-1976, IS 4431-1978, IS 2062-1999, IS 1875-1992, IS 1079-2009, IS 3748-1990, IS 4432-1988, IS 1239-PRT 1-2004, IS 808-1989, IS 5872-1990, IS 513-2008, IS 3739-1987, IS 7226-1974, IS 2004-1991, IS 7138-1973, IS 6527-1995, IS 1786-2008, IS 1852-1985, IS 4368-1967, IS 4929-1997, IS 4454-PART 2-2001, IS 3739-1987, IS 1870-1965, IS 4923-1987, IS 7226-1974, IS 8791, JSS 9510-01-2013, JSS 9510-06-2000, BS 970-PART 1 -1983, BS 970-PART 2- 1983, BS 970-PART 3 -1983, BS 1449-1983, BS 1449-1991, GOST 1778-1970, GOST 14959-1979, GOST V 10230-75, GOST 2590-1988, GOST 1050-1988, GOST-B-84-748-1981, TY-14-1-2884-80, TY-14-1-2232-77

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Technical Specification	Grade	A
	<b>Material</b>	Steel, Stainless Steel, Mild Steel, Alloy Steel, Carbon Steel
	Thickness	40.0, 20.0 (millimeter)
Dimensions	Diameter	40.0, 200.0 (millimeter)
	Length	4000.0, 3000.0 (millimeter)
Reports & Certifications	<b>Availability of ISO certification of manufacture</b>	Yes, No

#### Additional Specification Parameters - Steel Round As Per IS 2062 ( 36 kilogram )

Specification Parameter Name	Bid Requirement (Allowed Values)
1. Length 2. Finishing 3. Technical Specification	1-Straight lengths of MS rods of standard diameter of 40 mm in minimum length of 3 m shall be supplied. 2- All finished MS rods for Below Ground Earthing shall be free from sharp edges, corners, burs & unevenness. 3- Bidder to supply order quantity indicated in the Specification. Overall tolerance on total dispatched quantity shall be restricted to + 3% in line with IS 2062.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Naveen Kumar	221104,ELECTRICITY 400 KV TRANSMISSION SUB STATION DIVISION SARNATH VARANSI	36	30

#### Steel Flat As Per IS 2062 ( 50 kilogram )

**तकनीकी विशिष्टियाँ / Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certifications & Standards	<b>Conformity to Indian Standard</b>	As per latest IS 2062, IS 5517-1993, IS 1570-part 2-1979, IS 13015-1991, IS 4163-2004, IS 8221-1976, IS 4431-1978, IS 2062-1999, IS 1875-1992, IS 1079-2009, IS 3748-1990, IS 4432-1988, IS 1239-PRT 1-2004, IS 808-1989, IS 5872-1990, IS 513-2008, IS 3739-1987, IS 7226-1974, IS 2004-1991, IS 7138-1973, IS 6527-1995, IS 1786-2008, IS 1852-1985, IS 4368-1967, IS 4929-1997, IS 4454-PART 2-2001, IS 3739-1987, IS 1870-1965, IS 4923-1987, IS 7226-1974, IS 8791, JSS 9510-01-2013, JSS 9510-06-2000, BS 970-PART 1 -1983, BS 970-PART 2- 1983, BS 970-PART 3 -1983, BS 1449-1983, BS 1449-1991, GOST 1778-1970, GOST 14959-1979, GOST V 10230-75, GOST 2590-1988, GOST 1050-1988, GOST-B-84-748-1981, TY-14-1-2884-80, TY-14-1-2232-77
Technical Specification	Grade	A
	<b>Material</b>	Mild Steel
	Thickness	10.0, 5.0 ( <b>millimeter</b> )
Dimensions	Length	4000.0, 3000.0 ( <b>millimeter</b> )
	Breadth	75.0, 65.0 ( <b>millimeter</b> )
Reports & Certifications	<b>Availability of ISO certification of manufacture</b>	Yes, No

**Additional Specification Parameters - Steel Flat As Per IS 2062 ( 50 kilogram )**

Specification Parameter Name	Bid Requirement (Allowed Values)
1 Lengths 2 Finishing 3 Technical Specification.	1-Straight lengths of MS flat in minimum length of 4 m shall be supplied. 2- All finished MS flat for Below Ground Earthing shall be free from sharp edges, corners, burs & unevenness. 3- Bidder to supply order quantity indicated in the Specification. Overall tolerance on total dispatched quantity shall be restricted to + 3% in line with IS 2062

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Naveen Kumar	221104,ELECTRICITY 400 KV TRANSMISSION SUB STATION DIVISION SARNATH VARANSI	50	30

**Steel Flat As Per IS 2062 ( 338 kilogram )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certifications & Standards	<b>Conformity to Indian Standard</b>	As per latest IS 2062, IS 5517-1993, IS 1570-part 2-1979, IS 13015-1991, IS 4163-2004, IS 8221-1976, IS 4431-1978, IS 2062-1999, IS 1875-1992, IS 1079-2009, IS 3748-1990, IS 4432-1988, IS 1239-PRT 1-2004, IS 808-1989, IS 5872-1990, IS 513-2008, IS 3739-1987, IS 7226-1974, IS 2004-1991, IS 7138-1973, IS 6527-1995, IS 1786-2008, IS 1852-1985, IS 4368-1967, IS 4929-1997, IS 4454-PART 2-2001, IS 3739-1987, IS 1870-1965, IS 4923-1987, IS 7226-1974, IS 8791, JSS 9510-01-2013, JSS 9510-06-2000, BS 970-PART 1 -1983, BS 970-PART 2- 1983, BS 970-PART 3 -1983, BS 1449-1983, BS 1449-1991, GOST 1778-1970, GOST 14959-1979, GOST V 10230-75, GOST 2590-1988, GOST 1050-1988, GOST-B-84-748-1981, TY-14-1-2884-80, TY-14-1-2232-77
Technical Specification	Grade	A
	<b>Material</b>	Mild Steel
	Thickness	6.0, 10.0 ( <b>millimeter</b> )
Dimensions	Length	4000.0, 3000.0 ( <b>millimeter</b> )
	Breadth	50.0, 65.0 ( <b>millimeter</b> )
Reports & Certifications	<b>Availability of ISO certification of manufacture</b>	Yes, No

**Additional Specification Parameters - Steel Flat As Per IS 2062 ( 338 kilogram )**

Specification Parameter Name	Bid Requirement (Allowed Values)
1. Length 2. Finishing 3. Technical Specification	1-Straight lengths of MS flat in minimum length of 4 m shall be supplied. 2- All finished MS flat for Below Ground Earthing shall be free from sharp edges, corners, burs & unevenness. 3- Bidder to supply order quantity indicated in the Specification. Overall tolerance on total dispatched quantity shall be restricted to + 3% in line with IS 2062

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Naveen Kumar	221104,ELECTRICITY 400 KV TRANSMISSION SUB STATION DIVISION SARNATH VARANSI	338	30

**Steel Flat As Per IS 2062 ( 100 kilogram )****तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certifications & Standards	<b>Conformity to Indian Standard</b>	As per latest IS 2062, IS 5517-1993, IS 1570-part 2-1979, IS 13015-1991, IS 4163-2004, IS 8221-1976, IS 4431-1978, IS 2062-1999, IS 1875-1992, IS 1079-2009, IS 3748-1990, IS 4432-1988, IS 1239-PRT 1-2004, IS 808-1989, IS 5872-1990, IS 513-2008, IS 3739-1987, IS 7226-1974, IS 2004-1991, IS 7138-1973, IS 6527-1995, IS 1786-2008, IS 1852-1985, IS 4368-1967, IS 4929-1997, IS 4454-PART 2-2001, IS 3739-1987, IS 1870-1965, IS 4923-1987, IS 7226-1974, IS 8791, JSS 9510-01-2013, JSS 9510-06-2000, BS 970-PART 1 -1983, BS 970-PART 2- 1983, BS 970-PART 3 -1983, BS 1449-1983, BS 1449-1991, GOST 1778-1970, GOST 14959-1979, GOST V 10230-75, GOST 2590-1988, GOST 1050-1988, GOST-B-84-748-1981, TY-14-1-2884-80, TY-14-1-2232-77
Technical Specification	Grade	A
	<b>Material</b>	Mild Steel
	Thickness	6.0 (millimeter)
Dimensions	Length	4000.0, 3500.0 (millimeter)
	Breadth	25.0, 8.0 (millimeter)
Reports & Certifications	<b>Availability of ISO certification of manufacture</b>	Yes, No

#### Additional Specification Parameters - Steel Flat As Per IS 2062 ( 100 kilogram )

Specification Parameter Name	Bid Requirement (Allowed Values)
1. Length 2. Finishing 3. Technical Specification	1-Straight lengths of MS flat in minimum length of 4 m shall be supplied. 2- All finished MS flat for Below Ground Earthing shall be free from sharp edges, corners, burs & unevenness. 3- Bidder to supply order quantity indicated in the Specification. Overall tolerance on total dispatched quantity shall be restricted to + 3% in line with IS 2062

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Naveen Kumar	221104,ELECTRICITY 400 KV TRANSMISSION SUB STATION DIVISION SARNATH VARANSI	100	30

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

### 4. Past Project Experience

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

### 5. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Superintending Engineer Electricity Transmission Circle, Varanasi  
Account No.  
4045002101942734

IFSC Code  
PUNB0404500  
Bank Name  
Punjab National Bank  
Branch address  
Bhikharipur, BLW, Varanasi

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

#### 6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to

such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**