

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-02-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-02-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	95 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Steel
विभाग का नाम/Department Name	Steel Authority Of India Limited
संगठन का नाम/Organisation Name	Durgapur Steel Plant
कार्यालय का नाम/Office Name	Durgapur
कुल मात्रा/Total Quantity	20
वस्तु श्रेणी /Item Category	CL ELECTRODE Cat No MU919600 , REF ELECTRODE Cat no MU919700 , ISE TUBING 3 Cat No B97642 , DRYING NOZZLE Cat No MU8464 , R SYRINGE Cat no B69039 , SAMPLE SYRINGE Module Package B44676 , ISE BUFFER VALVE Cat No C28717 , DIAPHAGRAM VACUUM PUMP Cat no MF7685 , WASTE PUMP REPAIR KIT Cat No C66250 , WASH PIPE Cat No MU8518 , WASH PIPE Cat No B32175
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	CL ELECTRODE, Cat No.-MU919600, REF ELECTRODE, Cat no.-MU919700, ISE TUBING 3, Cat No.-B97642, DRYING NOZZLE, Cat No.- MU8464, R SYRINGE, Cat no.-B69039, SAMPLE SYRINGE Module Package,B44676, ISE BUFFER VALVE,Cat No.-C28717, DIAPHAGRAM (VACUUM PUMP),Cat no.-MF7685, WASTE PUMP REPAIR KIT,Cat No.-C66250, WASH PIPE, Cat No.-MU8518, WASH PIPE, Cat No.-B32175
	<p>Searched String: CL ELECTRODE, Cat No.-MU919600</p> <p>Petti Coat, White - Military Hospital Clothing, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Trousers Sleeping Flannel and Trousers Sleeping Cotton - Military Hospital Clothing, Cloth Cotton Pagri- IAF Specification, Cloth All Worsted, Shirt Disposable Cotton Voile for Special Clothing Personnel Related to Special Platform, Diesel Exhaust Fluid ISI marked to IS 17042, Trouser Disposable Cotton Voile for Special Clothing Personnel Related to Special Platform, Non Woven Wipes (V2) Conforming to IS 17787, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification</p> <p>Searched String: REF ELECTRODE, Cat no.-MU919700</p> <p>Copper (In the Form of Refinery Shapes) ISI marked to IS</p>

विड विवरण / Bid Details 191 Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Non Refrigerated

Centrifuge for General Purpose and research, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Body Seat Ring For Non Return Valve-IS:5312, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Diesel Exhaust Fluid ISI marked to IS 17042

Searched String: ISE TUBING 3, Cat No.-B97642

One Man Meals Ready to Eat (Menu No 3) (V3) (Defence), Methyl Benzoate, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, N - Hexadecane, Endotracheal Tube - Sterile (Single Use), Fast Green FCF, Food Grade - IS 6022, Brass seamless Tube 19B-OFB, Methyl 4 Hydroxybenoate (Methylparaben), Brass Tube 18A-OFB, Package No. 3 Atal Tinkering Lab of Niti Aayog Mechanical, Electrical and Measurement Tools

Searched String: DRYING NOZZLE, Cat No.- MU8464

Plasma nozzle/Metal cutting nozzle, Dry Military Compass (MHA), Air Nozzle, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Foam Eductor Nozzle, Water Curtain Nozzle, Master Stream Foam Nozzle, Full-jet Cone Spray Nozzle, Hand held Nozzle Pistol Grip Type, Stacked Tip Nozzles

Searched String: R SYRINGE, Cat no.-B69039

Diesel Exhaust Fluid ISI marked to IS 17042, Towel Hand Cotton Turkish (IAF), Jungle Hats FSPM, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Polycarbonate Lathi (MHA), Culture Tube With Screw Cap, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Sofa (V3), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2)

Searched String: SAMPLE SYRINGE Module Package,B44676

Sterile Hypodermic Needles for Single use (V2), Transformer oil Sampling Bottles, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Syringe Infusion Pump, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial

Searched String: ISE BUFFER VALVE,Cat No.-C28717

Body Seat Ring For Non Return Valve-IS:5312, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Broth Media, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Jungle Hats FSPM, Diesel Exhaust Fluid ISI marked to IS 17042, Electric Bass Guitar, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Knife Edge Gate Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846

Searched String: DIAPHRAGM (VACUUM PUMP),Cat no.- MF7685

Vacuum Pump, High Vacuum Pump, Vacuum Pump Oil, Vacuum pump oils, industrial vacuum cleaner, Centrifugal

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details	Vacuum Residue Pump (IOCL), Laboratory Desiccator (V2), Diesel Exhaust Fluid ISI marked to IS 17042
	<p>Searched String: WASTE PUMP REPAIR KIT,Cat No.-C66250</p> <p>Vehicle Servicing and Repairing Kit (Gujarat Govt), Electric Appliances Repairing Kit (Gujarat Govt), Footwear Repairing Kit (Mochikam) (Gujarat Govt), Mobile Repairing Kit (Gujarat Govt), Puncture Kit (Gujarat Govt) as per IS 996, Special Tools (Deepwell Hand Pumps Components) as per IS 15500, Automatic Fully Mechanised Organic Waste Machine for Compost Non Heating Type, Bag Kit Universal (Defence), Multi Gas Detector (LEL,O2,H2S and CO/NH3/SO2/C12 Level) with Pump - Combustible Sensor Detector (Catalytic Type) (IOCL), Non Sparking Tools Kit as per IS 4595</p> <p>Searched String: WASH PIPE, Cat No.-MU8518</p> <p>Non Sparking Pipe Wrench (V2), Kerosene oil fired bukhari complete with exhaust pipes (MHA), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Non - Smooth External Surface Pipe, Type B as per IS 16098, Travis, Cast Iron / Ductile Iron Drainage Pipe Fittings for Over Ground Non - Pressure Pipeline Socket and Spigot Series as per IS 1729, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Connector Pipes for Washbasins/ Sinks/ Geyser, Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Diesel Exhaust Fluid ISI marked to IS 17042</p> <p>Searched String: WASH PIPE, Cat No.-B32175</p> <p>Non Sparking Pipe Wrench (V2), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Non - Smooth External Surface Pipe, Type B as per IS 16098, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Cast Iron / Ductile Iron Drainage Pipe Fittings for Over Ground Non - Pressure Pipeline Socket and Spigot Series as per IS 1729, Connector Pipes for Washbasins/ Sinks/ Geyser, Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Diesel Exhaust Fluid ISI marked to IS 17042, Kerosene oil fired bukhari complete with exhaust pipes (MHA)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Endotracheal Tube - Sterile (Single Use)
बीओक्यू शीर्षक / BOQ Title	CL ELECTRODE Cat No MU919600
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	CL ELECTRODE Cat No MU919600
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

CL ELECTRODE Cat No MU919600

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	1	40

REF ELECTRODE Cat No MU919700

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	1	40

ISE TUBING 3 Cat No B97642

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	4	40

DRYING NOZZLE Cat No MU8464

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	4	40

R SYRINGE Cat No B69039

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	2	40

SAMPLE SYRINGE Module Package B44676

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	1	40

ISE BUFFER VALVE Cat No C28717

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	2	40

DIAPHAGRAM VACUUM PUMP Cat No MF7685

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	2	40

WASTE PUMP REPAIR KIT Cat No C66250

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	1	40

WASH PIPE Cat No MU8518

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	1	40

WASH PIPE Cat No B32175

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Baidyanath Hansda	713205,DSP Main Hospital, Durgapur Steel Plant, B-Zone, Durgapur-713205, West Bengal	1	40

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---