

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	31-01-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	31-01-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Odisha
विभाग का नाम/Department Name	Energy Department Odisha
संगठन का नाम/Organisation Name	Odisha Power Generation Corporation Limited
कार्यालय का नाम/Office Name	Opgc Banharpali
वस्तु श्रेणी /Item Category	Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2) - Industry Unit; Supply, Fabrication, and Installation of 30 nos of Safety Sign Boards at Ash Pond Area; Service Provider
अनुबंध अवधि /Contract Period	1 Year(s) 17 Day(s)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	1 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	5 Year (s)
इसी तरह की सेवाओं का पिछला आवश्यक अनुभव है/Past Experience of Similar Services required	Yes
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
अनुमानित बिड मूल्य /Estimated Bid Value	364361
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मूल्य दर्शाने वाला वित्तीय दस्तावेज ब्रेकअप आवश्यक है / Financial Document Indicating Price Breakup Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई अनुपालन/MII Compliance

एमआईआई अनुपालन/MII Compliance	Yes
-------------------------------	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Years of Past Experience required: The bidder must have experience for number of years as indicated above in bid document (ending month of March prior to the bid opening) of providing similar type of services to any Central / State Govt Organization / PSU. Copies of relevant contracts / orders to be uploaded along with bid in support of having provided services during each of the Financial year.
3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price. The buyers are advised to refer to the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Experience of Similar Services: The bidder must have successfully executed/completed similar Services over the last three years i.e. the current financial year and the last three financial years(ending month of March prior to the bid opening): -
 1. Three similar completed services costing not less than the amount equal to 40% (forty percent) of the estimated cost; or
 2. Two similar completed services costing not less than the amount equal to 50% (fifty percent) of the estimated cost; or
 3. One similar completed service costing not less than the amount equal to 80% (eighty percent) of the estimated cost.

अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required

Buyer to mention scope of work:[1768375586.pdf](#)

Terms and Conditions/ Deductions etc to be mentioned by Buyer as per their

requirement:[1768375596.pdf](#)

Any other details to be mentioned by buyer for repair work:[1768375616.pdf](#)

Any other details to be mentioned by buyer for repair work:[1768375656.pdf](#)

Repair, Maintenance, And Installation Of Plant/ Systems/Equipments (Version 2) - Industry Unit; Supply, Fabrication, And Installation Of 30 Nos Of Safety Sign Boards At Ash Pond Area; Service Provider (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Premise	Industry Unit
Type of Item/Product/System to be repaired or Installed	Supply, Fabrication, and Installation of 30 nos of Safety Sign Boards at Ash Pond Area
Consumables to be provided by	Service Provider
Spare parts to be provided by	Service Provider
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Estimated number of visits as per last year records	we will execute/fix 30 boards in this FY-2025-26

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Project based requirement (quantity to be kept as 1)	अतिरिक्त आवश्यकता /Additional Requirement
---------------	---	-------------	---	---

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Project based requirement (quantity to be kept as 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	Sajan Kumar Dash	768234,BANHARPALI	1	<ul style="list-style-type: none"> Estimated Cost of Spare/Consumables/Items on Reimbursement basis in Rs (please input 0 if not applicable) : 364361

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The buyer can increase or decrease the contract quantity or contract duration up to 25 percent at the time of issue of the contract. However, once the contract is issued, contract quantity or contract duration can only be increased up to 25 percent. Bidders are bound to accept the revised quantity or duration

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Scope of Work

The scope of work involves execution of the following activities for the installation of safety sign boards in the Ash Pond Area:

1. Excavation Work: Earth work in excavation for foundations of the sign boards, ensuring proper depth, alignment, and disposal of excavated material.
2. Foundation Concrete Work: Laying of reinforced cement concrete for foundation pedestals of sign boards with necessary curing, finishing, and preparation for anchoring steel posts.
3. Fabrication and Erection of Steel Structures: Fabrication, supply, painting, and erection of mild steel structural elements for supporting sign boards including posts and frames with required surface preparation and coatings.

Technical Specifications

Item 1: Earth Work in Excavation

Description:

Excavation up to 1.5 meters depth in gravelly soil for the foundations of sign boards.

Specifications:

- The bed shall be properly dressed, leveled and compacted.
- Excavated earth shall be deposited at designated locations within the lead range.
- The work shall be carried out with proper safety precautions and environmental considerations.

Inclusions:

- Cost of all labour, tools, and tackles
- Conveyance and disposal of excavated soil
- Dressing and leveling of the base
- Taxes, duties, and all incidental charges

Item 2: Reinforced Cement Concrete (1:1.5:3) Work

Description:

Laying of RCC for pedestals and foundations of sign boards in ground level.

Specifications:

- Mix Ratio: 1:1.5:3 (Cement: Coarse Sand: 12 to 20 mm graded granite chips)
- Concrete Grade: M20 (nominal)
- Placement Level: Ground floor
- Curing: Minimum 7 days wet curing
- Aggregates: Hard granite crusher broken chips (12mm-20mm)
- Cement: OPC/PPC conforming to IS standards
- Sand: Coarse river sand, well graded and clean

Inclusions:

- Mixing, hoisting, laying, compacting and curing
- Cost of all materials, transport, and royalties
- Labour, scaffolding, tools and plant
- All taxes and duties

Exclusions:

- Reinforcement rods and cantering/shuttering (to be paid separately)

Item 3: Supply, Fabrication, and Erection of Mild Steel Structures

Description:

Fabrication and installation of MS structural components for the support and framing of safety sign boards.

Specifications:

- Steel Type: Mild Steel (SAIL/TISCO approved make)
- Section Weight: Up to 19.8 kg/m

- Components: Posts, angles, channels, plates, brackets, etc.
- Fabrication as per approved drawings and IS standards.
- Painting: Two coats of high-gloss enamel paint over one coat of red oxide primer
- Surface Preparation: Wire brushing, cleaning of rust, oil, and foreign material before primer application

Inclusions:

- Cost of MS material, fabrication, and transport
- Installation/erection at required elevations and levels
- Painting materials and application
- Labour, tools, scaffoldings, and consumables
- All taxes, duties, and sundries

General Notes

- All work shall be executed as per latest relevant IS codes and CPWD specifications.
- Contractor shall obtain prior approval of materials and fabrication drawings from Engineer-in-Charge before execution.
- Safety of workers, proper PPE usage, and environmental compliance during work is mandatory.
- Site shall be cleared and left in tidy condition after completion of work.
- All surplus material and debris shall be removed by the contractor at their own cost.

SPECIAL CONDITIONS OF CONTRACT

Name of work: Supply, Fabrication, and Installation of Safety Sign Boards at Ash Pond Area

1. The period of contract is 01 (One) months (excluding mobilization period of 07 days) from the date of LOA/ Work order.
2. The prices quoted by the contractor will remain firm throughout the contract period. Any changes in minimum wages or material rates during the contract period shall be borne by the contractor.
3. The contractor is required to mobilise his men, material, plant & equipment at his work site within 07 days of date of LOA/Work order at the commencement of the contract, failing which the engineer-in-charge will annul the contract agreement at his discretion. In the event of any such annulment, the owner reserves the right to recover the cost and the other financial losses from the contractor in any manner deemed legally correct besides forfeiture of the EMD converted as ISD. The responsibility of proving that the delay in mobilization was beyond the control lies with the contractor, the engineer-in-charge after satisfying himself with the reason for the delay if any, may allow extension of time to avoid the annulment of the

contract.

4. Contractor has to arrange all machineries and T&P required for work.

5. All the vehicles used for the purpose of the work should have proper documents and driver should have professional license.

6. 10% of gross bill will be deducted towards security deposit (SD), which will be released after the completion of defect liability period of one year from the date of completion of work.

7. In the event of failure of contractor to undertake/attend to any job/supply of material under the scope with in the specified time, the Engineer-in-charge shall have the right to levy penalty as deemed suitable equal to 10% of the cost if that item of work/material. Accordingly, the actual billing amount shall stand reduced to the extent of penalty cost imposed/recovered.

8. The contractor shall abide by the "EHS policy" and general guidelines for Environmental protection of OPGC.

9. ESI of the workman engaged in the work is mandatory.

10. The contractor shall abide by the legal provisions with the regards to health, welfare and safety of workers engaged by him, he is also responsible for medical care of the person engaged by him.

11. Any defective work noticed within the defect liability/ warrantee period of one year shall be rectified by the contractor immediately on receipt of information without extra financial burden to OPGC.

.

4. **Buyer Added Bid Specific Scope Of Work(SOW)**

File Attachment [Click here to view the file.](#)

5. **Buyer Added Bid Specific Scope Of Work(SOW)**

Text Clause(s)

Specifications:

- The bed shall be properly dressed, leveled and compacted.
- Excavated earth shall be deposited at designated locations within the lead range.
- The work shall be carried out with proper safety precautions and environmental considerations.

Inclusions:

- Cost of all labour, tools, and tackles
- Conveyance and disposal of excavated soil
- Dressing and leveling of the base

Taxes, duties, and all incidental charges

Item 2: Reinforced Cement Concrete (1:1.5:3) Work

Description:

Laying of RCC for pedestals and foundations of sign boards in ground level.

Specifications:

Mix Ratio: 1:1.5:3 (Cement: Coarse Sand: 12 to 20 mm graded granite chips)

Concrete Grade: M20 (nominal)

Placement Level: Ground floor

Curing: Minimum 7 days wet curing

Aggregates: Hard granite crusher broken chips (12mm-20mm)

Cement: OPC/PPC conforming to IS standards

Sand: Coarse river sand, well graded and clean

Inclusions:

Mixing, hoisting, laying, compacting and curing

Cost of all materials, transport, and royalties

Labour, scaffolding, tools and plant

All taxes and duties

Exclusions:

Reinforcement rods and cantering/shuttering (to be paid separately)

Item 3: Supply, Fabrication, and Erection of Mild Steel Structures

Description:

Fabrication and installation of MS structural components for the support and framing of safety sign boards.

Specifications:

Steel Type: Mild Steel (SAIL/TISCO approved make)

Section Weight: Up to 19.8 kg/m

Components: Posts, angles, channels, plates, brackets, etc.

Fabrication as per approved drawings and IS standards.

Painting: Two coats of high-gloss enamel paint over one coat of red oxide primer

Surface Preparation: Wire brushing, cleaning of rust, oil, and foreign material before primer application

Inclusions:

Cost of MS material, fabrication, and transport

Installation/erection at required elevations and levels

Painting materials and application

Labour, tools, scaffoldings, and consumables

☐ All taxes, duties, and sundries

General Notes

☐ All work shall be executed as per latest relevant IS codes and CPWD specifications.

☐ Contractor shall obtain prior approval of materials and fabrication drawings from Engineer-in-Charge before execution.

☐ Safety of workers, proper PPE usage, and environmental compliance during work is mandatory.

☐ Site shall be cleared and left in tidy condition after completion of work.

☐ All surplus material and debris shall be removed by the contractor at their own cost

Specifications:

☐ The bed shall be properly dressed, leveled and compacted.

☐ Excavated earth shall be deposited at designated locations within the lead range.

☐ The work shall be carried out with proper safety precautions and environmental considerations.

Inclusions:

☐ Cost of all labour, tools, and tackles

☐ Conveyance and disposal of excavated soil

☐ Dressing and leveling of the base

☐ Taxes, duties, and all incidental charges

Item 2: Reinforced Cement Concrete (1:1.5:3) Work

Description:

Laying of RCC for pedestals and foundations of sign boards in ground level.

Specifications:

☐ Mix Ratio: 1:1.5:3 (Cement: Coarse Sand: 12 to 20 mm graded granite chips)

☐ Concrete Grade: M20 (nominal)

☐ Placement Level: Ground floor

☐ Curing: Minimum 7 days wet curing

☐ Aggregates: Hard granite crusher broken chips (12mm-20mm)

☐ Cement: OPC/PPC conforming to IS standards

☐ Sand: Coarse river sand, well graded and clean

Inclusions:

☐ Mixing, hoisting, laying, compacting and curing

☐ Cost of all materials, transport, and royalties

☐ Labour, scaffolding, tools and plant

☐ All taxes and duties

Exclusions:

☐ Reinforcement rods and cantering/shuttering (to be paid separately)

Item 3: Supply, Fabrication, and Erection of Mild Steel Structures

Description:

Fabrication and installation of MS structural components for the support and framing of safety sign boards.

Specifications:

- ☐ Steel Type: Mild Steel (SAIL/TISCO approved make)
- ☐ Section Weight: Up to 19.8 kg/m
- ☐ Components: Posts, angles, channels, plates, brackets, etc.
- ☐ Fabrication as per approved drawings and IS standards.
- ☐ Painting: Two coats of high-gloss enamel paint over one coat of red oxide primer
- ☐ Surface Preparation: Wire brushing, cleaning of rust, oil, and foreign material before primer application

Inclusions:

- ☐ Cost of MS material, fabrication, and transport
- ☐ Installation/erection at required elevations and levels
- ☐ Painting materials and application
- ☐ Labour, tools, scaffoldings, and consumables
- ☐ All taxes, duties, and sundries

General Notes

- ☐ All work shall be executed as per latest relevant IS codes and CPWD specifications.
- ☐ Contractor shall obtain prior approval of materials and fabrication drawings from Engineer-in-Charge before execution.
- ☐ Safety of workers, proper PPE usage, and environmental compliance during work is mandatory.
- ☐ Site shall be cleared and left in tidy condition after completion of work.
- ☐ All surplus material and debris shall be removed by the contractor at their own cost

Specifications:

- ☐ The bed shall be properly dressed, leveled and compacted.
- ☐ Excavated earth shall be deposited at designated locations within the lead range.
- ☐ The work shall be carried out with proper safety precautions and environmental considerations.

Inclusions:

- ☐ Cost of all labour, tools, and tackles
- ☐ Conveyance and disposal of excavated soil
- ☐ Dressing and leveling of the base

Taxes, duties, and all incidental charges

Item 2: Reinforced Cement Concrete (1:1.5:3) Work

Description:

Laying of RCC for pedestals and foundations of sign boards in ground level.

Specifications:

Mix Ratio: 1:1.5:3 (Cement: Coarse Sand: 12 to 20 mm graded granite chips)

Concrete Grade: M20 (nominal)

Placement Level: Ground floor

Curing: Minimum 7 days wet curing

Aggregates: Hard granite crusher broken chips (12mm-20mm)

Cement: OPC/PPC conforming to IS standards

Sand: Coarse river sand, well graded and clean

Inclusions:

Mixing, hoisting, laying, compacting and curing

Cost of all materials, transport, and royalties

Labour, scaffolding, tools and plant

All taxes and duties

Exclusions:

Reinforcement rods and cantering/shuttering (to be paid separately)

Item 3: Supply, Fabrication, and Erection of Mild Steel Structures

Description:

Fabrication and installation of MS structural components for the support and framing of safety sign boards.

Specifications:

Steel Type: Mild Steel (SAIL/TISCO approved make)

Section Weight: Up to 19.8 kg/m

Components: Posts, angles, channels, plates, brackets, etc.

Fabrication as per approved drawings and IS standards.

Painting: Two coats of high-gloss enamel paint over one coat of red oxide primer

Surface Preparation: Wire brushing, cleaning of rust, oil, and foreign material before primer application

Inclusions:

Cost of MS material, fabrication, and transport

Installation/erection at required elevations and levels

Painting materials and application

Labour, tools, scaffoldings, and consumables

☐ All taxes, duties, and sundries

General Notes

☐ All work shall be executed as per latest relevant IS codes and CPWD specifications.

☐ Contractor shall obtain prior approval of materials and fabrication drawings from Engineer-in-Charge before execution.

☐ Safety of workers, proper PPE usage, and environmental compliance during work is mandatory.

☐ Site shall be cleared and left in tidy condition after completion of work.

☐ All surplus material and debris shall be removed by the contractor at their own cost

we will execute/fix 30 boards in this FY (FY 25-26).

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Any ATC clause in contravention with GeM GTC Clause 4 (xiii)(h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
16. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
17. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or

bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---