

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-02-2026 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-02-2026 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	67
वस्तु श्रेणी /Item Category	2530 018232 VALVE RELAY AIR PRESSURE , 89031M80000 TANK ASSY FUEL , 2573 4370 0153 GRADUATED HAND BRAKE VALVE , 8854 4101 1210 CROSS ASSY , 540742700150 ASSY PARKING BRAKE CABLE , 540742700151 HAND BRAKE CABLE , B OYO2343 IGNITION SWITCH , 2525 2015 6305 V BELT , 2770 5424 4902 RELAY 24 V , 2520 72 0000522 MASTER CYL POWER UNIT , 09482M00551 SPARK PLUG , G278918130104 ASSY OIL FILTER , 13401M830A1 BODY ASSY THROTTLE , 6680 000506 CABLE ASSY SPEEDO METER , F 002A50023 FEED PUMP , 5930 72 0466969 2 POLE ISOLATOR SWITCH , 2920 72 0473247 MOTOR ENGINE STARTER , 540882400120 WIPER BLADE FRONT , X 3943800 SPRING BRAKE CHAMBER , 2641 2910 0117 CLUTCH MASTER CYLINDER , F 8307200 HOLD RELAY , F7456100 BALL JOINT , 3110-001963 BEARING TAPERED ROLLER , 006919 SWITCH PNEUMATIC PRESSURE , 2530 72 0001934 RELAY EMERGENCY VALVE , 4710 72 0000406 PIPE PLASTIC , 37200M83200-23H SWITCH ASSY CHANGE OVER , 15910M830A0 CABLE ASSY ACCELERATOR , 424619120000 STARTER MOTOR , 09305M13002 BUSH SPRING SHACKLE , 8030 001186 SEALING COMPOUND , 5640 72 0000506 WEATHER STRIP , 4720 016125 HOSE NON METALIC

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

VALVE RELAY AIR PRESSURE, TANK ASSY FUEL, GRADUATED HAND BRAKE VALVE, CROSS ASSY, ASSY PARKING BRAKE CABLE, HAND BRAKE CABLE, IGNITION SWITCH, V BELT, RELAY 24 V, MASTER CYL POWER UNIT, SPARK PLUG, ASSY OIL FILTER, BODY ASSY THROTTLE, CABLE ASSY SPEEDOMETER, FEED PUMP, 2-POLE ISOLATOR SWITCH, MOTOR ENGINE STARTER ELECTRICAL, WIPER BLADE FRONT 600, SPRING BRAKE CHAMBER, CLUTCH MASTER CYLINDER (19.05 DIA, HOLD RELAY, BALL JOINT /BALL JOINT LH, BEARING TAPPER ROLLER15X42, SWITCH PNEUMATIC PRESSURE, RELAY EMERGENCY VALVE, PIPE PLASTIC/COVER FLOW HOSE, SWITCH ASSY CHANGE OVER, CABLE ASSY ACCELERATOR, STARTER MOTOR, BUSH SPRING SHACKLE, SEALING COMPOUND /ANABOND 673, WEATHER STRIP, HOSE NON METALLIC

Searched String: VALVE RELAY AIR PRESSURE

Pressure reducing valve, Pressure Safety Valve, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Air Safety Valve (BHEL), Tyre Air Pressure Gauge, High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Pressure and Vacuum Relief Valve, Element Filter Compressor, Positive Air Pressure Suit (NPCIL), Pressure Relief Device/Valve (PRV/PRD) For Oil Filled Transformer (BHEL)

Searched String: TANK ASSY FUEL

Collapsible Fuel Storage Tanks (Defence), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Fuel Dispensing Units, Environmental Chamber, Accelerated Curing Tank, Spent Fuel Storage Trays and Accessories (NPCIL), CADAVER STORAGE TANK, Canvas Water Tank, Fuel Containers (Version 2)

Searched String: GRADUATED HAND BRAKE VALVE

Handpump Sub - Assemblies (Deepwell Hand Pumps Components) as per IS 15500 (Part 3), Bicycle Air Pump Conforming To IS 9225, LCR Meter

Searched String: CROSS ASSY

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Cross Trainers, Cross over bench, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Elliptical Cross Trainer, LCR Meter, Leather Cross Belt - Uniforms, Cable Cross Over (Version 2), Cross Over For Premium Casing (Petroleum Industry), Cross Laminated Thermoplastic Fumigation (CLTF) Covers

Searched String: ASSY PARKING BRAKE CABLE

Category not available on GeM for the text string uploaded by the buyer

Searched String: HAND BRAKE CABLE

Brake Rectifier, Nitrile Coated/Nitrile Hand Gloves (V2), Hydraulic Press Brake Machine, LCR Meter, Automotive Hydraulic Brake Fluid, Heavy Duty (V2) Conforming to IS

विड विवरण / Bid Details 8654, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Field Telephone Cable

(Telecommunication Cable), Handheld Telecom Cable Fault Locator, Digital Multimeter, Hand Lamp

Searched String: IGNITION SWITCH

Isolator switch, Layer 2 Access Switch (V2), Limit Switch, Reed Switch, Modular Piano Type Domestic Electrical Switches as per IS 3854, Rotary Switch, Argon Plasma Coagulator with ESU, Time Switch, modular electrical enclosure switch board boxes for modular type accessories, Industrial Switch

Searched String: V BELT

V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Insulation Tester, PENICILLIN V, Belt Trainer, Timing Belt, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Belt Oil skimmer, Weigh Belt Feeder, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559

Searched String: RELAY 24 V

V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Cleaning Duster (V3), PENICILLIN V, Plug In Relay, 24V DC (BHEL-SCR), Overload Relay, Trap Cage for forest Department Use, Relay Module, CONTACTOR RELAY, Transport Cage for forest Department Use, LED Flasher Relay

Searched String: MASTER CYL POWER UNIT

Thyristor Power Unit, Power Generator - DG Set (up to 900 KVA), Portable Power Supply Unit, Hydraulic Torque Wrench Set, Power Cable Fault Locator, Portable Welding Machine (V2), Air operated pneumatic power cylinder, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor

Searched String: SPARK PLUG

Spark plugs, Spark Arrestor, Laboratory Vials (V2), Electrical Plugs (V2) ISI Marked to IS 1293, Mobile Containers For Solid Waste Conforming to IS 12402, Plain Plug Gauges as per IS 6137, Rubber Plug (V2), Thread Plug Gauge, Plug and Socket Distribution Board, Non Sparking Engineer's Files

Searched String: ASSY OIL FILTER

Oil Filter Cartridges, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Oil filter assembly for wheel loader, Syringe Filter, Bag filter, Filter Cartridge, Filter Sand, Industrial Kitchen Chimney, Pollen filter, Oil Filtration Machine (NTPC)

Searched String: BODY ASSY THROTTLE

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Mortuary Cabinet (V2), Body Protector, Body Cleansing Gel, Hopper Tipper Dumper for Garbage, Body Composition Analyzer, Heavy Body Impression Material, E-cart for Goods, Body Level Hearing Aid, Body Worn Camera (V2)

बिड विवरण / Bid Details	Searched String: CABLE ASSY SPEEDOMETER
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>RELAY FRAME ASSY., MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Field Telephone Cable (Telecommunication Cable), Cable tray Systems and Cable ladder systems (Overhead power Cable tray), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Cable Tie (V2), LCR Meter, Compression cable lugs, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cable network tester</p>
	<p>Searched String: FEED PUMP</p> <p>Feeding Pump, Styling Chair / Salon Chair / Swiveling Barber Chair, Crushed Feed Oats, Power Maize Dehuskar cum Sheller, Descaling Pump, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Drainage Pump, Broiler Chicken Feed as per IS 1374, Dosing pump, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4</p>
	<p>Searched String: 2-POLE ISOLATOR SWITCH</p> <p>Isolator switch, Layer 2 Access Switch (V2), Signal Isolator, Switch Fuse Unit, BEARING ISOLATOR, Modular Piano Type Domestic Electrical Switches as per IS 3854, Layer - 2 Access Switch for Railways, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Metal Pole, Electrical Extension Box (V4)</p>
	<p>Searched String: MOTOR ENGINE STARTER ELECTRICAL</p> <p>Starter Motors for IC Engines, Submersible Pump Starters (Motor starter controls), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Power Maize Dehuskar cum Sheller, Compressed Natural Gas (CNG) Compressor As per HPCL Specification (V2), Reciprocating Air Compressors - Electric Motor Driven, Hand Held Brush Cutter (V2), HEDGE TRIMMER or HEDGE CUTTER, Electric Two Wheeler - Motorcycle, Scooter and Moped, Electric Motorized Treadmill (V3)</p>
	<p>Searched String: WIPER BLADE FRONT 600</p> <p>Pin Up Notice Board (V2), HEDGE TRIMMER or HEDGE CUTTER</p>
	<p>Searched String: SPRING BRAKE CHAMBER</p> <p>Brake Rectifier, water baths, Spring Loaded Fail Safe Brakes, Humidity Chamber, Environmental Chamber, Inoculation Chamber, Stability Chamber, File/Folder (V3), Sterilization Chamber, Plant Growth Chamber</p>
	<p>Searched String: CLUTCH MASTER CYLINDER (19.05 DIA</p> <p>PCR Master Mix for In Vitro Diagnostic (IVD) Use, Calibration Gas, Master mix for COVID-19 testing, LCR Meter, Laboratory Vials (V2), Auditorium Chair (V2), PCR Master Mix</p>
	<p>Searched String: HOLD RELAY</p> <p>Malathion 02% House Hold Spray, Pipe Clamps (V2), Overload Relay, Relay Testing Educational Kit, Relay</p>

विड विवरण/Bid Details
Module, CONTACTOR RELAY, LED Flasher Relay, Voltage Monitor Relay, Time delay relay, Surgical Forceps

Searched String: BALL JOINT /BALL JOINT LH

Redundant Joint Apparatus, Groove Joint Pliers, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Medicine Ball, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Squash Ball, Shooting Ball, Oxide Inhibiting Electrical Joint Compound, CPVC Ball Valve, Swiss Gym Ball

Searched String: BEARING TAPPER ROLLER15X42

BEARING ISOLATOR, Cleaning Duster (V3), Bearing (BHEL), Fan Bearing, Bush Bearing, Bearing Induction Heater, Roller Bearing (BHEL), Thrust Bearing (BHEL), Ring Type Needle Bearings - IS 4215, File/Folder (V3)

Searched String: SWITCH PNEUMATIC PRESSURE

Digital Pressure Switch, Differential Pressure Switch (BHEL), Pneumatic Impact Tool, Pneumatic fender, Pneumatic Planter, Pneumatic Grinder, Layer 2 Access Switch (V2), Isolator switch, Modular Piano Type Domestic Electrical Switches as per IS 3854, Limit Switch

Searched String: RELAY EMERGENCY VALVE

Overload Relay, Relay Module, CONTACTOR RELAY, LED Flasher Relay, Voltage Monitor Relay, Time delay relay, Gas Operated Relay (Buchholz relay) as per IS : 3637, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Emergency / Survival Ration (Defence), Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank)

Searched String: PIPE PLASTIC/COVER FLOW HOSE

Rubber Steam Hose (V2) as per IS 10655, Modular Toilet, Electronic PD Flow Metering System, Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainage And Sewerage-IS:16098, Solvent cement for use with unplasticized polyvinylchloride plastic pipe and fittings conforming to IS 14182, Solvent Cements for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe and Fittings conforming to IS 18837, Oxygen Flow Meter, Polyethylene Pipes for Water Supply conforming to IS 4984, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Structured-Wall Plastics Pipes For Non-Pressure Drainage And Sewerage-IS:16098

Searched String: SWITCH ASSY CHANGE OVER

Cross over bench, Power Over Ethernet (PoE) Switch

Searched String: CABLE ASSY ACCELERATOR

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Field Telephone Cable (Telecommunication Cable), Graphics Card, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Cable tray Systems and Cable ladder systems (Overhead power Cable tray), LCR Meter, Cable Tie (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as

विड विवरण / Bid Details	per IS 694, Compression cable lugs
	<p>Searched String: STARTER MOTOR</p> <p>Starter Motors for IC Engines, Submersible Pump Starters (Motor starter controls), DOL starter, vortex mixers, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Star Delta Starter (V2), Starters For Fluorescent Lamps - IS 2215, Sieve Shaker, DC WINCH MOTOR, Synchronous servo motor</p> <p>Searched String: BUSH SPRING SHACKLE</p> <p>Forged Shackles for General Lifting Purpose (V2) Conforming to IS/ISO 2415, Carbon Bush, LCR Meter, Bush Bearing, File/Folder (V3), Spring post, Porcelain Insulators for Overhead Power Lines with a Nominal Voltage up to and Including 1000 V as per IS 1445, Spring Balance, Spring Rider, Double ferrule fittings for air spring</p> <p>Searched String: SEALING COMPOUND /ANABOND 673</p> <p>Gasket sealing Compound, Hot Applied Sealing Compounds For Joints In Concrete-IS:1834</p> <p>Searched String: WEATHER STRIP</p> <p>Compact Weather Station, Pocket Weather Tracker, EFF Strip, Tapered Bearings as per IS 12102, Strip Heater, Packing Strip, PVC Strip Curtain, Men's Shirt Cold Weather Thermal Under Garment for Glacier Region (Polypropylene) (Defence), Terminal Strip Connectors, Anaerobic Indicator Strip</p> <p>Searched String: HOSE NON METALLIC</p> <p>Non Metallic Bellow, Modular Metal Drawer File Cabinet Pedestal, non metallic nameplates, Mine Prodder, Multipara Monitor - Low End, NMA based Non - Metallic Octane Booster (V2) (NRL), Metallic cubes, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Compressed non-asbestos jointing sheet, Aluminium Sulphate, Non - Ferric as per IS 260</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • OEM Spares for Automobiles
बीओक्यू शीर्षक /BOQ Title	MT SPARES
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	2530 018232 VALVE RELAY AIR PRESSURE
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
--------------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

2530 018232 VALVE RELAY AIR PRESSURE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	2	15

89031M80000 TANK ASSY FUEL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

2573 4370 0153 GRADUATED HAND BRAKE VALVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

8854 4101 1210 CROSS ASSY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	4	15

540742700150 ASSY PARKING BRAKE CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

540742700151 HAND BRAKE CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

B OYO2343 IGNITION SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

2525 2015 6305 V BELT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

2770 5424 4902 RELAY 24 V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	8	15

2520 72 0000522 MASTER CYL POWER UNIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	2	15

09482M00551 SPARK PLUG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	4	15

G278918130104 ASSY OIL FILTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

13401M830A1 BODY ASSY THROTTLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

6680 000506 CABLE ASSY SPEEDO METER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	2	15

F 002A50023 FEED PUMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

5930 72 0466969 2 POLE ISOLATOR SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	2	15

2920 72 0473247 MOTOR ENGINE STARTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

540882400120 WIPER BLADE FRONT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

X 3943800 SPRING BRAKE CHAMBER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	2	15

2641 2910 0117 CLUTCH MASTER CYLINDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

F 8307200 HOLD RELAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	4	15

F7456100 BALL JOINT**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	4	15

3110-001963 BEARING TAPERED ROLLER**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	4	15

006919 SWITCH PNEUMATIC PRESSURE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

2530 72 0001934 RELAY EMERGENCY VALVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

4710 72 0000406 PIPE PLASTIC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	4	15

37200M83200-23H SWITCH ASSY CHANGE OVER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

15910M830A0 CABLE ASSY ACCELERATOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

424619120000 STARTER MOTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

09305M13002 BUSH SPRING SHACKLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	4	15

8030 001186 SEALING COMPOUND

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

5640 72 0000506 WEATHER STRIP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	2	15

4720 016125 HOSE NON METALIC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BURDWAN	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period}$ (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---