

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	31-01-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	31-01-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Energy And Petro Chemicals Department Gujarat
संगठन का नाम/Organisation Name	Gujarat State Electricity Corporation Limited (gsecl) Vadodara
कार्यालय का नाम/Office Name	Gsecl Corpotate Office
कुल मात्रा/Total Quantity	68
वस्तु श्रेणी /Item Category	Junction Box for Lighting (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	10
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Junction Box for Lighting
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	4 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	Yes ( <a href="#">Arbitration clause document</a> ) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Schedule-B-Price Bid-Juction Box - [1765772745.xlsx](#)

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / <b>Evaluation Schedules</b>	वस्तु/श्रेणी / <b>Item/Category</b>	मात्रा / <b>Quantity</b>
Schedule 1	Junction Box For Lighting	8
Schedule 2	Junction Box For Lighting	8
Schedule 3	Junction Box For Lighting	10
Schedule 4	Junction Box For Lighting	10
Schedule 5	Junction Box For Lighting	16
Schedule 6	Junction Box For Lighting	16

### Junction Box For Lighting ( 8 pieces )

तकनीकी विशिष्टियाँ /**Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम / <b>Specification Name</b>	बिड के लिए आवश्यक अनुमत मूल्य / <b>Bid Requirement (Allowed Values)</b>
GENERIC	<b>Material of Junction Box</b>	CRCA Steel Sheet
	<b>Shape of Junction Box</b>	Rectangle
	<b>Degree of protection</b>	IP65 (as per IS/IEC 60529:2001 latest)
	<b>Safety compliances</b>	Fire retardant Class - FV-0 (as per IS:11731 Part-II), Flame proof, IIA, T6 temp. Class (as per IS/IEC 60079-0 & 1 : 2007 latest), No
DIMENSIONS	<b>Junction Box Width (in mm)</b>	400
	<b>Junction Box Height (in mm)</b>	500
	<b>Junction Box Depth (in mm) )</b>	75, 80, 85, 90, 100, 110, 125, 150, 155, 165, 175, 180, 190, 200, 215, 230, 250, 275, 300, 350, 62, 70, 77, 92, 112, 122, 120, 170, 220, 50, 36, 57, 52, 55, 67, 91, 160
	<b>Material (sheet) thickness (in mm)</b>	2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	<b>Type of front cover fixing on junction box (front side)</b>	Lockable door type with key
	<b>No of way on Junction Box (in Nos)</b>	2 (Top side), 4 (Top side), 6 (Top side), 8 (Top side), 10 (Top side), 2 (Bottom side), 4 (Bottom side), 6 (Bottom side), 8 (Bottom side), 10 (Bottom side), 20 mm Hole One each side
	<b>Cable Glands on junction box</b>	Yes, No
	<b>Voltage Grade of terminal block</b>	750 V, 50 HZ, AC, 1100 V, 50 HZ, AC, Without terminal block
	<b>Number of terminal connector on junction box</b>	2, 3, 4, 10, 20, 0, 5
	<b>Terminal connector supporting for maximum size of conductor (in Sq mm)</b>	2.5, 4, 6, 10, 16, 25, 35, 50, 70, 0
	<b>Type of mounting</b>	Wall Mounting
	<b>Accessories for each junction box</b>	Earthing HW 2 Nos. SS 304 Grade, Neoprene Rubber Gasket 1 No., Control fuse 1 No., MCB 1 No., Mounting plate Stainless steel (SS304), Pole mounting kits with fixing bolts, Wall mounting kits with fixing bolts, Mating surfaces are provided with round neoprene rubber gasket
	<b>Insulation resistance (between all live parts connected together and the body)</b>	>200 M?
<b>High voltage withstand test (between all live parts connected together and the body)</b>	2 KV (rms) for 1 minute	
CERTIFICATIONS	<b>Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accredited laboratory to prove conformity of the specification</b>	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	8	60

### Junction Box For Lighting ( 8 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Material of Junction Box</b>	Stainless steel (SS Gr.304)
	<b>Shape of Junction Box</b>	Square
	<b>Degree of protection</b>	IP66 (as per IS/IEC 60529:2001 latest)
	<b>Safety compliances</b>	No
DIMENSIONS	<b>Junction Box Width (in mm)</b>	500
	<b>Junction Box Height (in mm)</b>	500
	<b>Junction Box Depth (in mm )</b>	215
	<b>Material (sheet) thickness (in mm)</b>	2
CONSTRUCTION	<b>Type of front cover fixing on junction box (front side)</b>	Lockable door type with key
	<b>No of way on Junction Box (in Nos)</b>	4 (Bottom side), 6 (Bottom side)
	<b>Cable Glands on junction box</b>	No
	<b>Voltage Grade of terminal block</b>	Without terminal block
	<b>Number of terminal connector on junction box</b>	0
	<b>Terminal connector supporting for maximum size of conductor (in Sq mm)</b>	0
	<b>Type of mounting</b>	Wall Mounting
	<b>Accessories for each junction box</b>	Earthing HW 2 Nos. SS 304 Grade
	<b>Insulation resistance (between all live parts connected together and the body)</b>	>200 M?

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>High voltage withstand test (between all live parts connected together and the body)</b>	2 KV (rms) for 1 minute
CERTIFICATIONS	<b>Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accredited laboratory to prove conformity of the specification</b>	Yes

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	8	60

**Junction Box For Lighting ( 10 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Material of Junction Box</b>	Polycarbonate
	<b>Shape of Junction Box</b>	Rectangle
	<b>Degree of protection</b>	IP66 (as per IS/IEC 60529:2001 latest)
	<b>Safety compliances</b>	Fire retardant Class - FV-0 (as per IS:11731 Part-II)
DIMENSIONS	<b>Junction Box Width (in mm)</b>	255
	<b>Junction Box Height (in mm)</b>	355
	<b>Junction Box Depth (in mm )</b>	122
	<b>Material (sheet) thickness (in mm)</b>	3
CONSTRUCTION	<b>Type of front cover fixing on junction box (front side)</b>	Front Lid cover with 4 numbers of quarter turn tool operated locking knobs

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>No of way on Junction Box (in Nos)</b>	2 (Bottom side), 2 (Top side)
	<b>Cable Glands on junction box</b>	Yes
	<b>Voltage Grade of terminal block</b>	Without terminal block
	<b>Number of terminal connector on junction box</b>	0
	<b>Terminal connector supporting for maximum size of conductor (in Sq mm)</b>	0
	<b>Type of mounting</b>	Wall Mounting
	<b>Accessories for each junction box</b>	Wall mounting kits with fixing bolts
	<b>Insulation resistance (between all live parts connected together and the body)</b>	>200 M?
	<b>High voltage withstand test (between all live parts connected together and the body)</b>	2 KV (rms) for 1 minute
CERTIFICATIONS	<b>Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accredited laboratory to prove conformity of the specification</b>	Yes

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	60

**Junction Box For Lighting ( 10 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Material of Junction Box</b>	Polycarbonate
	<b>Shape of Junction Box</b>	Rectangle
	<b>Degree of protection</b>	IP66 (as per IS/IEC 60529:2001 latest)
	<b>Safety compliances</b>	Fire retardant Class - FV-0 (as per IS:11731 Part-II)
DIMENSIONS	<b>Junction Box Width (in mm)</b>	225
	<b>Junction Box Height (in mm)</b>	295
	<b>Junction Box Depth (in mm)</b>	112
	<b>Material (sheet) thickness (in mm)</b>	3
CONSTRUCTION	<b>Type of front cover fixing on junction box (front side)</b>	Front Lid cover with 4 numbers of quarter turn tool operated locking knobs
	<b>No of way on Junction Box (in Nos)</b>	2 (Bottom side), 2 (Top side)
	<b>Cable Glands on junction box</b>	Yes
	<b>Voltage Grade of terminal block</b>	Without terminal block
	<b>Number of terminal connector on junction box</b>	0
	<b>Terminal connector supporting for maximum size of conductor (in Sq mm)</b>	0
	<b>Type of mounting</b>	Wall Mounting
	<b>Accessories for each junction box</b>	Wall mounting kits with fixing bolts
	<b>Insulation resistance (between all live parts connected together and the body)</b>	>200 M?
	<b>High voltage withstand test (between all live parts connected together and the body)</b>	2 KV (rms) for 1 minute
CERTIFICATIONS	<b>Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accredited laboratory to prove conformity of the specification</b>	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	60

**Junction Box For Lighting ( 16 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Material of Junction Box</b>	Polycarbonate
	<b>Shape of Junction Box</b>	Rectangle
	<b>Degree of protection</b>	IP66 (as per IS/IEC 60529:2001 latest)
	<b>Safety compliances</b>	Fire retardant Class - FV-0 (as per IS:11731 Part-II)
DIMENSIONS	<b>Junction Box Width (in mm)</b>	250
	<b>Junction Box Height (in mm)</b>	213
	<b>Junction Box Depth (in mm)</b>	110
	<b>Material (sheet) thickness (in mm)</b>	3
CONSTRUCTION	<b>Type of front cover fixing on junction box (front side)</b>	Hinged door with Fly nuts locking
	<b>No of way on Junction Box (in Nos)</b>	4 (Bottom side)
	<b>Cable Glands on junction box</b>	No
	<b>Voltage Grade of terminal block</b>	750 V, 50 HZ, AC
	<b>Number of terminal connector on junction box</b>	0
	<b>Terminal connector supporting for maximum size of conductor (in Sq mm)</b>	25
	<b>Type of mounting</b>	Wall Mounting
	<b>Accessories for each junction box</b>	Neoprene Rubber Gasket 1 No.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Insulation resistance (between all live parts connected together and the body)</b>	>200 M?
	<b>High voltage withstand test (between all live parts connected together and the body)</b>	2 KV (rms) for 1 minute
CERTIFICATIONS	<b>Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accredited laboratory to prove conformity of the specification</b>	No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	16	60

**Junction Box For Lighting ( 16 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Material of Junction Box</b>	Polycarbonate
	<b>Shape of Junction Box</b>	Rectangle
	<b>Degree of protection</b>	IP66 (as per IS/IEC 60529:2001 latest)
	<b>Safety compliances</b>	Fire retardant Class - FV-0 (as per IS:11731 Part-II)
DIMENSIONS	<b>Junction Box Width (in mm)</b>	205
	<b>Junction Box Height (in mm)</b>	255
	<b>Junction Box Depth (in mm )</b>	112
	<b>Material (sheet) thickness (in mm)</b>	3

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	<b>Type of front cover fixing on junction box (front side)</b>	Front Lid cover with 4 numbers of quarter turn tool operated locking knobs
	<b>No of way on Junction Box (in Nos)</b>	2 (Bottom side), 2 (Top side)
	<b>Cable Glands on junction box</b>	Yes
	<b>Voltage Grade of terminal block</b>	Without terminal block
	<b>Number of terminal connector on junction box</b>	0
	<b>Terminal connector supporting for maximum size of conductor (in Sq mm)</b>	0
	<b>Type of mounting</b>	Wall Mounting
	<b>Accessories for each junction box</b>	Wall mounting kits with fixing bolts
	<b>Insulation resistance (between all live parts connected together and the body)</b>	>200 M?
	<b>High voltage withstand test (between all live parts connected together and the body)</b>	2 KV (rms) for 1 minute
CERTIFICATIONS	<b>Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accredited laboratory to prove conformity of the specification</b>	Yes

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	16	60

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### 3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Bidder must have to follow the attached ATC.

## अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---