



बिड संख्या/Bid Number: GEM/2025/B/7058944

दिनांक /Dated: 08-01-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-01-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-01-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Housing & Urban Affairs (mohua)
विभाग का नाम/Department Name	Ministry Of Housing And Urban Affairs
संगठन का नाम/Organisation Name	Delhi Metro Rail Corporation Limited
कार्यालय का नाम/Office Name	Delhi Metro Rail Corporation Limited
कुल मात्रा/Total Quantity	84050

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Signalling Cable 7 pair X 1.0 Sqmm Armoured FRLS ,
 Signalling ZPAU Cable 28 Pair X 1.0 Sqmm Armoured ,
 Signalling Cable 7 Quad X 1.4 Sqmm Armoured FRLS ,
 Signalling Cable 1 Quad X 1.4 Sqmm Armoured FRLS ,
 Signalling Cable 24 C X 1.5 Sqmm Armoured FRLS. , 6 mm2
 ABC Copper 5-core insulated with FRLS PVC , Signalling
 Cable 1 C X 2.5 Sqmm Armoured FRLS. , 2.5 mm2 ABC
 Copper 2-core , Signalling Cable 10 Quad X 1.4 Sqmm
 Armoured FRLS , Signalling Cable 14 Quad X 1.4 Sqmm
 Armoured FRLS , Signalling Cable 2 Pair X 1.0 Sqmm
 Armoured FRLS , Power Cable 4 C X 1.0 Sqmm Armoured
 FRLS. , Signalling Cable 4 C X 1.4 Sqmm Armoured FRLS. ,
 Signalling Cable 27 C X 1.4 Sqmm Armoured FRLS. ,
 Signalling Cable 5 C X 4 Sqmm Armoured FRLS. , Signalling
 Cable 1 C X 4 Sqmm Armoured FRLS. , Signalling Cable 6 C x
 1.5 sqmm multistrand Twisted pair Copper Screened or
 Armoured ZHLS , 1.5 sqmm ABC Copper Conductor 6 Core
 Conductor insulated with FRLS PVC , Cable 8C x 1.5 sqmm
 Solid Conductor FRLS , Cable 8C x 1.5sqmm Solid Conductor
 LSZH , Signalling Cable 5 Quad X 1.4 Sqmm Armoured FRLS
 , Signalling Cable 3 Quad X 1.4 Sqmm Armoured FRLS ,
 Signalling Cable 4 C X 1.5 Sqmm Armoured FRLS. ,
 Signalling Cable 2 pair X 1.5 Sqmm Armoured FRLS ,
 Signalling Cable 4 C X 1.5 Sqmm Armoured LSZH. ,
 Signalling Cable 2 pair X 1.5 Sqmm Armoured LSZH , Cable
 4 Quad x 0.9 Sq mm Solid Conductor ZHLS , Signalling
 Cable 12 C X 1.5 Sqmm Armoured ZHLS. , Signalling Cable
 12 C X 1.5 Sqmm Armoured FRLS. , Signalling Cable 1 C X
 1.5 Sqmm Armoured FRLS. , Signalling Cable 2 C X 1.5
 Sqmm Signal twisted pair copper without armoured outdoor
 cable black FRLS. , Signalling Cable 1 Quad X 0.9 Sqmm
 Armoured ZHLS , Signalling ZPAU Cable 14 pair X 1.0 Sqmm
 Armoured , Signalling Cable 4 pair X 1.0 Sqmm Armoured
 FRLS , Signalling Cable 8 C X 1.4 Sqmm Armoured FRLS. ,
 Signalling Cable 12 C X 1.4 Sqmm Armoured FRLS. ,
 Signalling Cable 16 C X 1.4 Sqmm Armoured FRLS. ,
 Signalling Cable 5 C X 2.5 Sqmm Armoured ZHLS. ,
 Signalling Cable 5 C X 2.5 Sqmm Armoured FRLS

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched
 Strings used in GeMARPTS**

Signalling Cable 7 pair X 1.0 Sqmm Armoured FRLS,
 Signalling ZPAU Cable 28 Pair X 1.0 Sqmm Armoured FRLS,
 Signalling Cable 7 Quad X 1.4 Sqmm Armoured FRLS,
 Signalling Cable 1 Quad X 1.4 Sqmm Armoured FRLS,
 Signalling Cable 24 C X 1.5 Sqmm Armoured FRLS, 6 mm2
 [7/1.048mm] ABC Copper, 5-core, Signalling Cable 1 C X 2.5
 Sqmm Armoured FRLS, 2.5 mm2 (7/0.67mm) ABC Copper,
 2-core

Searched String: Signalling Cable 7 pair X 1.0 Sqmm
 Armoured FRLS

Signal/ Triad Cable

Searched String: Signalling ZPAU Cable 28 Pair X 1.0
 Sqmm Armoured FRLS

Category not available on GeM for the text string uploaded
 by the buyer

Searched String: Signalling Cable 7 Quad X 1.4 Sqmm
 Armoured FRLS

Signal/ Triad Cable, XLPE Cable for Working Voltages up to

बिड विवरण / Bid Details	and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Signalling Cable 1 Quad X 1.4 Sqmm Armoured FRLS</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Aerial Bunched Cables as per IS 14255, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable, Handheld Telecom Cable Fault Locator</p> <p>Searched String: Signalling Cable 24 C X 1.5 Sqmm Armoured FRLS</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Signal/ Triad Cable</p> <p>Searched String: 6 mm2 [7/1.048mm] ABC Copper, 5-core</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Pin Up Notice Board (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Endotracheal Tube - Sterile (Single Use), rubber bands, Locking Compression Plates (V2), Bone Screw (V2)</p> <p>Searched String: Signalling Cable 1 C X 2.5 Sqmm Armoured FRLS</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Aerial Bunched Cables as per IS 14255, Correspondence Envelopes (V3) Conforming to IS 13892, Signal/ Triad Cable</p> <p>Searched String: 2.5 mm2 (7/0.67mm) ABC Copper, 2-core</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Sofa (V3), High End Desktop Computer, BOD Incubator, Flying Insect Control Traps - Fly Catcher, Multipara Monitor - Low End, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, water baths, Desk and Bench Set for Classroom/Training Area</p>

बिड विवरण / Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 • PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694 • XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)
बीओक्यू शीर्षक / BOQ Title	Procurement of various Signaling Cables
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Certificate (Requested in ATC), OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया / Bid to RA enabled	No
बिड का प्रकार / Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी / Primary product category	Signalling Cable 3 Quad X 1.4 Sqmm Armoured FRLS
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण / जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा) / Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	97103289

बिड विवरण/Bid Details

मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	273000
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	467000
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	231000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	30

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Joint Venture of Govt. of India and Govt. of NCT of Delhi
Office of Controller of Stores, DO Building, Metro Train Depot, Shastri Park, Delhi-110053
(Delhi Metro Rail Corporation Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid

for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Eval uation Schedules	Esti mated Value	Item/Category	Consignee/Reporting Officer	Consignee Address	Q u a n t i t y
Schedule 1	272 826 95. 00	Signalling Cable 7 Pair X 1.0 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1 0 0 0
		Signalling Zpau Cable 28 Pair X 1.0 Sqmm Armoured	Amit Kumar	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	4 0 0 0
		Signalling Cable 2 Pair X 1.0 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1 0 0 0
		Signalling Cable 2 Pair X 1.5 Sqmm Armoured Frls	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	2 5 0 0
		Signalling Cable 2 Pair X 1.5 Sqmm Armoured Lszh	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	5 0 0 0
		Signalling Zpau Cable 14 Pair X 1.0 Sqmm Armoured	Amit Kumar	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	5 5 0 0

		Signalling Zpau Cable 14 Pair X 1.0 Sqmm Armoured	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
		Signalling Cable 4 Pair X 1.0 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
Schedule 2	46685961.30	Signalling Cable 7 Quad X 1.4 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
		Signalling Cable 1 Quad X 1.4 Sqmm Armoured Frls	Amit Kumar	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	5500
		Signalling Cable 10 Quad X 1.4 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
		Signalling Cable 14 Quad X 1.4 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
		Signalling Cable 5 Quad X 1.4 Sqmm Armoured Frls	Vishram Meena	DMRC TRAIN MAINTENANCE DEPOT, DWARKA, D-21 CORPORATE PARK, NEAR DWARKA SECTOR 8 METRO STATION, DWARKA SECTOR 21, NEW DELHI-110075 110075	5000
		Signalling Cable 5 Quad X 1.4 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
		Signalling Cable 3 Quad X 1.4 Sqmm Armoured Frls	Amit Kumar	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	6000
		Signalling Cable 3 Quad X 1.4 Sqmm Armoured Frls	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
		Signalling Cable 3 Quad X 1.4 Sqmm Armoured Frls	Vishram Meena	DMRC TRAIN MAINTENANCE DEPOT, DWARKA, D-21 CORPORATE PARK, NEAR DWARKA SECTOR 8 METRO STATION, DWARKA SECTOR 21, NEW DELHI-110075 110075	3000
		Cable 4 Quad X 0.9 Sq Mm Solid Conductor Zhls	Monica Kaur	KALINDI KUNJ METRO TRAIN DEPOT, NEAR KALINDI KUNJ METRO STATION, Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	1000
		Signalling Cable 1 Quad X 0.9 Sqmm Armoured Zhls	Monica Kaur	KALINDI KUNJ METRO TRAIN DEPOT, NEAR KALINDI KUNJ METRO STATION, Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	1000

Signalling Cable 24 C X 1.5 Sqmm Armoured Frls.	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033 110033	2 0 0 0
6 Mm2 Abc Copper 5-core Insulated With Frls Pvc	Nikunj Sharma	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	3 0 0
Signalling Cable 1 C X 2.5 Sqmm Armoured Frls.	Rohit Chaturvedi	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5 0 0
2.5 Mm2 Abc Copper 2-core	Nikunj Sharma	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	2 0 0
Power Cable 4 C X 1.0 Sqmm Armoured Frls.	Monica Kaur	KALINDI KUNJ METRO TRAIN DEPOT, NEAR KALINDI KUNJ METRO STATION, Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	1 2 0 0
Signalling Cable 4 C X 1.4 Sqmm Armoured Frls.	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	2 0 0 0
Signalling Cable 27 C X 1.4 Sqmm Armoured Frls.	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1 0 0 0
Signalling Cable 5 C X 4 Sqmm Armoured Frls.	Rohit Chaturvedi	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1 0 0 0
Signalling Cable 1 C X 4 Sqmm Armoured Frls.	Rohit Chaturvedi	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5 0 0
Signalling Cable 6 C X 1.5 Sqmm Multistrand Twisted Pair Copper Screened Or Armoured Zhls	Nikunj Sharma	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	3 0 0 0
1.5 Sqmm Abc Copper Conductor 6 Core Conductor Insulated With Frls Pvc	Nikunj Sharma	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	1 5 0 0
Cable 8c X 1.5 Sqmm Solid Conductor Frls	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033 110033	4 0 0 0
Cable 8c X 1.5 Sqmm Solid Conductor Frls	Rohit Chaturvedi	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	2 0 0 0
Cable 8c X 1.5sqmm Solid Conductor Lszh	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033 110033	1 0 0 0

Signalling Cable 4 C X 1.5 Sqmm Armoured Frls.	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	3 5 0 0
Signalling Cable 4 C X 1.5 Sqmm Armoured Lszh.	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	5 0 0
Signalling Cable 12 C X 1.5 Sqmm Armoured Zhls.	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	6 0 0
Signalling Cable 12 C X 1.5 Sqmm Armoured Frls.	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	2 0 0 0
Signalling Cable 12 C X 1.5 Sqmm Armoured Frls.	Nikunj Sharma	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	2 0 0 0
Signalling Cable 1 C X 1.5 Sqmm Armoured Frls.	Rohit Chaturvedi	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5 0 0
Signalling Cable 2 C X 1.5 Sqmm Signal Twisted Pair Copper Without Armoured Outdoor Cable Black Frls.	Nikunj Sharma	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	1 7 5 0
Signalling Cable 8 C X 1.4 Sqmm Armoured Frls.	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1 0 0 0
Signalling Cable 12 C X 1.4 Sqmm Armoured Frls.	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	2 5 0 0
Signalling Cable 16 C X 1.4 Sqmm Armoured Frls.	Rajendra Prakash Yadav	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1 0 0 0
Signalling Cable 5 C X 2.5 Sqmm Armoured Zhls.	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	1 0 0 0
Signalling Cable 5 C X 2.5 Sqmm Armoured Frls	N G Sree Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	2 0 0 0
Signalling Cable 5 C X 2.5 Sqmm Armoured Frls	Nikunj Sharma	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	1 5 0 0

	Signalling Cable 5 C X 2.5 Sqmm Armoured Frls	Rohit Chaturvedi	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1000
--	---	------------------	---	------

Signalling Cable 7 Pair X 1.0 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling ZPAU Cable 28 Pair X 1.0 Sqmm Armoured

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Kumar	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	4000	56

Signalling Cable 7 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 1 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Kumar	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	5500	56

Signalling Cable 24 C X 1.5 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	2000	56

6 Mm2 ABC Copper 5-core Insulated With FRLS PVC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nikunj Sharma	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	300	56

Signalling Cable 1 C X 2.5 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohit Chaturvedi	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	500	56

2.5 Mm2 ABC Copper 2-core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nikunj Sharma	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	200	56

Signalling Cable 10 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 14 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 2 Pair X 1.0 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Power Cable 4 C X 1.0 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Monica Kaur	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	1200	56

Signalling Cable 4 C X 1.4 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	2000	56

Signalling Cable 27 C X 1.4 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 5 C X 4 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohit Chaturvedi	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 1 C X 4 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohit Chaturvedi	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	500	56

Signalling Cable 6 C X 1.5 Sqmm Multistrand Twisted Pair Copper Screened Or Armoured ZHLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nikunj Sharma	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	3000	56

1.5 Sqmm ABC Copper Conductor 6 Core Conductor Insulated With FRLS PVC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nikunj Sharma	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	1500	56

Cable 8C X 1.5 Sqmm Solid Conductor FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	4000	56

Cable 8C X 1.5 Sqmm Solid Conductor FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohit Chaturvedi	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	2000	56

Cable 8C X 1.5sqmm Solid Conductor LSZH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	1000	56

Signalling Cable 5 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishram Meena	110075,DMRC TRAIN MAINTENANCE DEPOT, DWARKA, D-21 CORPORATE PARK, NEAR DWARKA SECTOR 8 METRO STATION, DWARKA SECTOR 21, NEW DELHI- 110075	5000	56

Signalling Cable 5 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 3 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Kumar	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	6000	56

Signalling Cable 3 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 3 Quad X 1.4 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vishram Meena	110075,DMRC TRAIN MAINTENANCE DEPOT, DWARKA, D-21 CORPORATE PARK, NEAR DWARKA SECTOR 8 METRO STATION, DWARKA SECTOR 21, NEW DELHI- 110075	3000	56

Signalling Cable 4 C X 1.5 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	3500	56

Signalling Cable 2 Pair X 1.5 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	2500	56

Signalling Cable 4 C X 1.5 Sqmm Armoured LSZH.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	500	56

Signalling Cable 2 Pair X 1.5 Sqmm Armoured LSZH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	500	56

Cable 4 Quad X 0.9 Sq Mm Solid Conductor ZHLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Monica Kaur	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	1000	56

Signalling Cable 12 C X 1.5 Sqmm Armoured ZHLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	600	56

Signalling Cable 12 C X 1.5 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	2000	56

Signalling Cable 12 C X 1.5 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nikunj Sharma	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	2000	56

Signalling Cable 1 C X 1.5 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohit Chaturvedi	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	500	56

Signalling Cable 2 C X 1.5 Sqmm Signal Twisted Pair Copper Without Armoured Outdoor Cable Black FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nikunj Sharma	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	1750	56

Signalling Cable 1 Quad X 0.9 Sqmm Armoured ZHLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Monica Kaur	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	1000	56

Signalling ZPAU Cable 14 Pair X 1.0 Sqmm Armoured

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amit Kumar	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	5500	56

Signalling ZPAU Cable 14 Pair X 1.0 Sqmm Armoured

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 4 Pair X 1.0 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 8 C X 1.4 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 12 C X 1.4 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	2500	56

Signalling Cable 16 C X 1.4 Sqmm Armoured FRLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Prakash Yadav	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

Signalling Cable 5 C X 2.5 Sqmm Armoured ZHLS.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	1000	56

Signalling Cable 5 C X 2.5 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	N G Sree Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI- 110033	2000	56

Signalling Cable 5 C X 2.5 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nikunj Sharma	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	1500	56

Signalling Cable 5 C X 2.5 Sqmm Armoured FRLS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohit Chaturvedi	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1000	56

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

DELHI METRO RAIL CORPORATION LIMITED
Account No.
35281970524
IFSC Code
SBIN0000691
Bank Name

STATE BANK OF INDIA
Branch address
11, SANSAD MARG, NEW DELHI-110001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

5.0 ANNEXURE-A (General Conditions):

5.1 For Copper Cables: The supplier shall ensure the quality of material as per the specifications. Material Testing Certificate (MTC) shall be submitted with every batch. Third party testing as per annexure "X" shall be got done by supplier at his own cost for every batch from CPRI/NTH/ ERDA/TPIA/RITESA. As far as possible cable shall be manufactured in one batch and at the most two batches may be allowed as special case. Third Party testing at factory premises or anywhere else can also be done through Third Party Inspection Agency (TPIA) by performing various tests as per specifications/annexure on accredited test instruments. TPIA shall be approved/accredited by National Accreditation Board for Certification Bodies (NABCB)/National Accreditation Board for Testing and Calibration Laboratories (NABL) for electrical cables (i.e. TPIA shall have a valid NABCB/NABL certificate on the date of inspection), For inspection done through TPIA testing shall be done on instruments duly calibrated from NAB approved/accredited calibration agencies for all tests. All related certificates and test reports shall be submitted to DMRC for review along with bid documents. Cost of all such tests/inspections shall be borne by the supplier.

5.2 DMRC may choose to witness above mentioned tests.

5.3 All the cables should comply relevant standards (IRS: 35/93)/ (IRS: TC30/2005)/ (IS 694/2010)/ (IRS: 63/2007)/(TEC/GR/TX/CDS-008/03/MAR-11)/ (IRS:TC 55-2006)/(RDSO/SPN/TC/72/07)/ (IRS: 63/2014 Rev 4) or latest.

5.4 Warranty: For Copper cables, warranty shall be 24 months from the date of supply.

5.5 Eligibility Criteria:

5.5.1 In case of signalling copper cables, the supplier should be RDSO approved for the particular cable to be supplied as per the relevant specification (Annexure C) at the time of bid.

5.5.2 In case of Power Cable/Earthing cables the supplier should have valid BIS/RDSO/TEC license for or required std.i.e.IS:694.

5.6 Test Procedures/ Inspection Procedures of Copper Cables:

5.6.1 As per Annexure-C for copper cable and relevant specifications mentioned in Annexure X. F

actory Acceptance Test at the premises of the manufacturer should be conducted by above mentioned TPIA only.

5.6.2 In addition to Factory Acceptance Test, the cables shall also be got Type tested through independent reputed/accredited NABL labs on random sample basis as per following norms/frequency:

5.6.2.1 For cables whose total cost is upto Rs.50 Lacs irrespective of length-No Type Test.

5.6.2.2 For cables whose total cost is beyond Rs.50 Lacs and up to 100 Km length -One Type Test for each type of cable.

5.6.2.3 For cables whose total cost is beyond Rs.50 Lacs and between 100 Km to 200 Km length -Two Type Test for each type of cable.

5.6.2.4 For cables whose total cost is beyond Rs.50 Lacs and above 100 Km length -In similar way in multiple of 100 Kms.

5.6.3. All testing charges will be borne by the supplier and accordingly payment terms may be regulated.

5.6.4. Every Type test report shall be submitted to DMRC.

5.7 Delivery schedule for Copper Cables Eight (08) weeks from the date of Purchase order.

5.8 All Signalling cables shall have continuous operating life of at least 30 years.

5.9 For all signalling Cables IRS specifications shall be preferably inspected by RDSO inspection.

5.10 Penalty Clause: The faulty cable drums shall be replaced within 21 days and a fine of 1% of the drum cost shall be imposed for the first drum, of 2% for second drum and henceforth till a maximum of 10% per drum.

5.11 Item Specification: **As per Annexure-C**

5.12 The above items are required strictly as per specification mentioned in clause 1 of Buyer Added Bid Specific ATC at above. The bidder must ensure that the specifications if offered other than specification as mentioned in clause 1 of Buyer Added Bid Specific ATC at above than their offer shall be summarily rejected.

5.13 If the authorized channel partners of OEMs are participating in the bid then they have to submit the bid specific OEM authorization certificate, failing which offer is liable to be rejected.

5.14 The bidders are required to submit the Percentage of Local Content declaration from OEM of the offered product.

5.15 Supply of material shall be allowed in maximum two lots.

5.16 Qty Tolerance: Qty tolerance in each drum will be +/-5% and overall tolerance of each type of cable should not be more than +/-2%.

5.17 Contact Person as Nodal: Sh. Arvind Maddheshiya (arvindmaddheshiya@dmrc.org), AM/S&T/L4, Extn. 534806/630643, Mob: 8800145301.

5.18 Annexure X: Copper cable should match the following specification: -

5.18.1 ZHLS test on copper cable should match the following specification: -

ZHLS Properties	Unit	Value
Oxygen Index on Sheath	%	29 (min.) as per ASTM D-2863
Smoke Density on Insulation & Sheath	%	30 (max.) as per ASTM D-2843
HCL Emission on Insulation & Sheath	%	0.5 (max.) as per IEC 60754-1
Temperature Index on Sheath	deg. C	235°C(min.) as per ASTM D2863
Flammability Test	--	Shall Pass as per IEC 60332-Part1 & Part 3

5.18.2 FRLS test on copper cable should match the following specification: -

FRLS Properties	Unit	Value
Oxygen Index on Sheath	%	29 (min.) as per ASTM D-2863
Smoke Density on Insulation & Sheath	%	60 (max.) as per ASTM D-2843
HCL Emission on Insulation & Sheath	%	20 (max.) as per IEC 60754-1
Temperature Index on Sheath	deg. C	235°C(min.) as per ASTM D2863
Flammability Test	--	Shall Pass as per IEC 60332-Part1 & Part3
UV Resistance Test*	All cable	Shall pass as per ASTM G154

*Shall be included in Type Test only for Copper Cables.

5.19 The EMD shall be accepted **only through online mode** for this bid. No other forms of payment will be entertained.

5.20 The successful bidder shall submit the PBG in prescribed attached format.

5.21 **Important:** Offered rates shall be in meters (quantity). Bidders are required to check the bid details and submit their offer accordingly.

5.22 **Important:** The specification uploaded in Buyer Added/Uploaded ATC Document will supersede all other specification attached in specification tab. Bidders are requested to submit their offer as per specification uploaded in Buyer Added/Uploaded ATC Document.

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The

Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---