

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-02-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	16-02-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Jammu & Kashmir
विभाग का नाम/Department Name	Higher Education Department Jammu And Kashmir
संगठन का नाम/Organisation Name	Islamic University Of Science & Technology
कार्यालय का नाम/Office Name	One University Avenue Awantipora Pulwama Kashmir
कुल मात्रा/Total Quantity	3
वस्तु श्रेणी /Item Category	Milling Machine as per IS 6893, IS 8614, IS 9474 (Q2) , Hydraulic Horizontal Surface Grinders (Q3) , Radial Drilling Machine (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	16 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	128 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Milling Machine as per IS 6893, IS 8614, IS 9474
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	3200000
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	HDFC Bank
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	40000
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	18000

Schedule 3 ईएमडी राशि/EMD Amount (In INR)

6000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required

No

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Finance Officer

One University Avenue Awantipora Pulwama Kashmir, Higher Education Department Jammu and Kashmir, Islamic University of Science & Technology,
(Sameer Wazir)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference

No

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

<p>सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)</p>	<p>Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)</p>
--	--

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make in India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are

not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	2000000	Milling Machine As Per Is 6893, Is 8614, Is 9474	1
Schedule 2	900000	Hydraulic Horizontal Surface Grinders	1
Schedule 3	300000	Radial Drilling Machine	1

Milling Machine As Per IS 6893, IS 8614, IS 9474 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Standards	Confirmity to specification IS 6893 part 2 for Horizontal /Universal Knee Type Milling Machine	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Confirmity to specification IS 6893 part 6 for Vertical spindle Knee Type Milling Machine	Yes
Performance Parameters	Type of Milling	Universal Milling
	Nature of Operation	Heavy Duty
	Table Total Area (Length x Width) (mm x mm)	1600 x 325
	ISO Compliance for Milling Machine	ISO 50 for Heavy Duty Milling Machine
	Size of Milling Arbor	As per ISO 50 for Heavy Duty Milling Machine
	Interlocking through switches for Medium Duty and Heavy Duty (For Light Duty Put NA)	Yes
	Shear Pin or mechanical over load coupling for feed drive For medium duty and Heavy Duty , For Light Duty Put NA	Yes
	Interlocking of spindle & feed Drive For medium duty and Heavy Duty , For Light Duty Put NA	Yes
	Instantaneous braking of spindle and all Axis feed drive for medium duty and heavy duty, for light duty put NA	Yes
	Feed & Rapid drive thru Electromagnetic clutch for Medium Duty and Heavy duty Milling Machine	Yes
	Automatic Lubrication to all slide	Yes
	Electric equipment	Yes
	Period of AMC in years if yes	0
	Warranty in years	1
	Foundation Turnkey Charges included	Yes
Erection And Commisioning Charges Included In Offered Prices Without Foundation	Yes	
Dimensional & Material parameters	Lead screw -Ground profile	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Standard Accessories	Two arbor support bearing bracket for horizontal & Universal milling (put NA for Vertical Milling Machine)	Yes
	Milling Arbor for horizontal & Universal milling size dia 22x500 & dia 27x500mm (NA for Vertical Milling)	Yes
Optional Accessories	3 Axis DRO	Yes
	Angle plate & sine plate	Yes
	Universal dividing head 135mm with tailstock, supporting block, 3 jaw self centering chuck dia 160mm & train of gears for Universal Milling Machine only for rest Put NA	Yes
	Vertical Milling head	Yes
	Hand operated round table minimum dia 400 mm	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Majid Hameed Koul	192122, One University Avenue, Awantipora, Pulwama, Kashmir	1	45

Hydraulic Horizontal Surface Grinders (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameter	Transverse moments of wheel head or table	Hydraulic
	Grinding Wheel Speed in rpm	2800

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Capacity of Grinding Wheel Head Motor in kw	1.11
	Motor Capacity for Pump for Hydraulically operation in kw	1.11
	Speed of motor of pump for Hydraulically operation in rpm	1440
	Capacity of coolant motor in hp	1.5
	Number of T slots on Table	1
	Width of T slots on Table in mm	8
	Warranty in years	3
Standard Parameter	Conformity to standards of Horizontal surface grinder for Technical Evaluation	As per IS 6893-1988 Part 1 with latest amendment
Dimensional and Material Parameter	Working Surface Area of the table or Table Clamping area (L x W) in mm x mm	150 x 300
	Max Height from table to Grinding Wheel in mm	100
	Least count of hand wheel for in feed in mm	0.01
Standard Accessories	Availability of Switch for operating electromagnetic chuck	No
	Availability of Handle operated electromagnetic chuck	Yes
Optional Accessories	Precision Three Jaw Self Centering Chucks to hold up to 50 mm jobs	Yes
	Magnetic Chuck size 250 mm X 112 mm	Yes
	Magnetic base Table, minimum 200 mm X 125 mm with magnetizing & demagnetizing	Yes
	Internal attachment, suitable quills to grind up to 100 mm deep jobs	No
	Grinding Wheel Balancing stand to balance minimum 300 mm Dia Wheel	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Grinding Wheel dressing attachment	No
	Diamond Tool holders for Wheel dressing	Yes
	Dust Exhaust equipment suitable for grinding machine	Yes
	Extra grinding wheels	Yes
	Face plate along with dog carrier	No
	Steady Rest	No
	Radius grinding attachment	No
	Flanges	No
	Diamond Dresser	No
	Precision Three Jaw Self Centering Chucks size 100 mm	No
	Precision Three Jaw Self Centering Chucks size 150 mm	No
	Precision Three Jaw Self Centering Chucks size 200 mm	No
	Four Jaw Chuck size 150 mm	No
	Four Jaw Chuck size 200 mm	No
	Circular magnetic chuck	No
	Hand operated chuck	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Majid Hameed Koul	192122,One University Avenue, Awantipora, Pulwama, Kashmir	1	15

Radial Drilling Machine (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameter	Material which can be drill	Steel, Cast Iron, Aluminium, Copper, Nylon
	Nature of Duty of Operation of Drill machine	Heavy Duty
	Feed Range in mm/rev	0.07-.6
	Number of feed	6
	Number of Spindle speed	8
	Taper in Spindle as per IS 2582-1972 with Latest amendment	MT 4
	Range of Spindle Speed in Forward Direction in rev/min	35-2000
	Main Motor Power in kW	2
	Arm motor power in kW	0.75
	Type of Cooling	Fluid cooling
	Main Spindle Bearing confirming Pre-loaded Standard make hint: Spindle Bearing High precision class Double Row taper roller bearings at Front & Single Row taper roller bearing at back	Yes
	Power supply	Three Phase Supply (415 V, 50 Hz)
	Warranty in years	1
	Coolant Pump output in kw as per IS 2161:1962 latest	0.11
	Sleeve Travel Type	Power Operated
	Tapping in steel - metric fine threads	M27
	Type of Lubrication	Oil
Taping in cast Iron	M30	
Dimensional Parameter	Maximum Drill Diameter for steel in mm	40
	Maximum Drill Diameter for cast iron in mm	60
	Maximum Drill Diameter for non ferrous material in mm	50

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Maximum Quill Traverse in mm	250
	Column Sleeve Diameter in mm	200
	Width of Arm Guide Ways in mm	175
	Maximum Drilling Radius in mm with tolerance ± 10 mm	1200
	Minimum Drilling Radius in mm	500
	Maximum Length of Bed in mm with tolerances ± 50 mm	1250
	Maximum Width of Bed in mm with tolerance ± 50 mm	800
	Maximum Drill head traverse in mm with tolerance ± 50 mm	750
	Arm Traverse in mm with tolerance ± 30 mm	800
	Spindle travel (drilling depth) in mm with tolerance ± 10 mm	250
	Maximum Distance from Base plate to spindle in mm with tolerances ± 50 mm	970
	Minimum distance from Base plate to spindle in mm	300
	Travel of Sleeve in mm	250
	Lead Screw Diameter in mm	25
	Lead Screw Pitch in mm	7
Optional Accessories	Universal table for 32 mm drill capacity	No
	Universal table for 40 mm drill capacity	No
	Universal table for 50 mm drill capacity	No
	Universal table for 60 mm drill capacity	No
	Machine Vice with fixed base 80 mm clamping range 0-50 mm pull type	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Machine Vice with fixed base 80 mm clamping range 0-50 mm push type	No
	Machine Vice with fixed base 160mm clamping range 0-100 mm pull type	Yes
	Machine Vice with fixed base 160 mm clamping range 0-100 mm push type	No
	Machine Vice with fixed base 315 mm clamping range 0-200 mm pull type	No
	Machine Vice with fixed base 315 mm clamping range 0-200 mm push type	No
	Machine Vice with Swivel base 80 mm clamping range 0-50 mm push type	No
	Machine Vice with Swivel base 160 mm clamping range 0-100 mm pull type	No
	Machine Vice with Swivel base 160mm clamping range 0-100 mm push type	No
	Machine Vice with Swivel base 315mm clamping range 0-200 mm push type	No
	Machine Vice with Swivel base 315mm clamping range 0-200 mm pull type	No
	Suitable Tapping Attachment drill capacity 32 mm	No
	Suitable Tapping Attachment drill capacity 40 mm	No
	Suitable Tapping Attachment drill capacity 50 mm	No
	Suitable Tapping Attachment drill capacity 60 mm	No
	Drill chuck quick change 32 mm	No
	Drill chuck quick change 40 mm	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Drill chuck quick change 50 mm	No
	Drill chuck quick change 60 mm	No
	Boring Head 32mm	No
	Boring Head 40mm	No
	Boring Head 50mm	No
	Boring Head 60mm	No
	Co-ordinate table 32 mm	NO
	Co-ordinate table 40mm	NO
	Box Table 32 mm	No
	Box Table 40 mm	Yes
	Box Table 50 mm	No
	Drill drift 4 number	Yes
	Quick indexing dividing head	NO
Reports	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove Conformity to specification	NO
	Copies of test report to be furnished to the buyer on demand at the time of supplies	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Majid Hameed Koul	192122,One University Avenue, Awantipora, Pulwama, Kashmir	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Central Workshop
Department of Mechanical Engineering
Islamic University of Science and Technology
Awantipora, Pulwama
Jammu and Kashmir
.

3. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

6. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

7. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

9. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been

selected in ATC):

NA

Post Receipt Inspection at consignee site before acceptance of stores:
Central Verification Committee, IUST

10. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

Finance Officer

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

11. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

12. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

The successful (L1) bidder shall have to provide the following accessories along with the Machine/s provided by him. The successful bidder shall include the cost of the accessories in the price/rate of the each machine/s quoted by him in the financial bid.

<u>ACCESSORIES (For Universal Milling Machine):</u>			
<i>Sr. No.</i>	<i>Item</i>	<i>Model/Specifications</i>	<i>Quantity</i>
01.	Horizontal Arbour Assembly	φ 32, φ 27, φ 22 (Suitable Length)	01 No. (Complete job)
02.	LED work Lamp	----	01 No.
03.	Stub Milling Arbour (for Vertical Milling Head)	Diameter in mm φ16, φ22, φ27, φ32 & φ40	01 No. Each
04.	Self-Centring Vice	10 – 100 mm	01 No.
05.	Universal Dividing Head with Tail Stock, Supporting Block, 3-jaw self-centring Chuck & Train of Gears.	Dividing Head: 135 mm Chuck Dia. : 160 mm	01 No. (Complete job)
06.	Reduction Sleeves	MT-1, MT-2, MT-3, MT-4 & MT-5	01 No. Each

07.	End Mill Holder	Diameter in mm: 5, 6, 8, 10,12, 14, 16, 18, & 20	01 No. (Complete job)
08.	Collet Holder with set of Conical Collets	Size in mm: 5, 6, 8, 10, 12, 14, 16, 18 & 20	01 No. (Complete job)
09.	Machine Vice with Swivel Base	200 mm	01 No.
10.	Operation, Instruction & Spare Parts Manual	-----	02 No.
11.	Certification	-----	01 No.
12.	3- Axis DRO	-----	01 No.
13.	Vertical Milling Attachment	-----	01 No.
14.	Slotting Attachment	-----	01 No.
15.	Vertical Head Mounting Attachment on Column	-----	01 No.
16.	Rotary Table	Size:300 mm	01 No.
17.	Electric Motors with Control Gears.	-----	Complete job
18.	Anti - Vibration Mount	-----	04 Nos.
19.	Coolant System	-----	Complete job
20.	All Axis Auto Feed Box Equipped with Servo Motor	-----	Complete job
Cutting Tool Set (Universal Milling Machine):			

01.	Milling Cutter - Disc type form (Gear Cutter)	Rotary Form Relieved Involute Gear Cutter Inclusive Range of Teeth for Spur Gears Cutter No 1 135 to Rack 522 Cutter No 2 55 to 134 Cutter No 3 35 to 54 Cutter No 4 26 to 34 Cutter No 5 21 to 25 Cutter No 6 17 to 20 Cutter No 7 14 to 16 Cutter No 8 12 to 13 Diametral Pitch: 16.9333 Circular Pitch: 0.1855 Module: 1.5 Pressure Angle: 20 Degree Hardness: 62-65 HRC Material: High Speed Steel Bore: $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$	Set of 8 Pieces
-----	---	--	-----------------

02.	Milling Cutter - Disc type form(Gear Cutter)	<p>Rotary Form Relieved Involute Gear Cutter Inclusive Range of Teeth for Spur Gears</p> <p>Cutter No 1 135 to Rack 522 Cutter No 2 55 to 134 Cutter No 3 35 to 54 Cutter No 4 26 to 34 Cutter No 5 21 to 25 Cutter No 6 17 to 20 Cutter No 7 14 to 16 Cutter No 8 12 to 13</p> <p>Diametral Pitch: 16.9333 Circular Pitch: 0.1855 Module: 2.0</p> <p>Pressure Angle: 20 Degree Hardness: 62-65 HRC Material: High Speed Steel Bore: $\varnothing 27.0 \text{ H7 } (+0.021 / -0.0) \text{ mm}$</p>	Set of 8 Pieces
03.	Face Milling Cutter with Indexable Inserts with Suitable Arbor	Size: 100 & 125 mm (Spare inserts: 02 sets Each)	01 No. Complete job
04.	Milling Cutter - Dovetail Cutter.	Outer Diameter = 20 mm, Angle= 45°, Shank Diameter = 12 mm Material: HSS-M2 Hardness: 760 HV to 900 HV	01 No.
05.	Milling Cutter - Dovetail Cutter,	Outer Diameter = 20 mm, Angle=60°, Shank Diameter = 12 mm Material: HSS-M2 Hardness: 760 HV to 900 HV	01 No.

06.	Milling Cutter - Indexible Shoulder Mill, 8 Cutting Edges, Right hand	Outer Diameter = 50 mm, Bore Diameter = 22 mm (with 2-sets of inserts)	01 No. Complete job
07.	Milling Cutter - Shoulder Cutter, Cylindrical Shank, 2 Indexing, , Right hand	Diameter = 20 mm, Length = 200mm (Set of 10 Pieces of inserts)	01 No. Complete job
08.	Milling Cutter - Shoulder Cutter, Cylindrical Shank, 4 Indexing, , Right hand	Diameter = 25 mm, Length = 165mm. (Set of 10 Pieces of inserts)	01 No. Complete job
09.	Milling Cutter - Slitting Saw Cutter.	Outer Diameter = 100 mm, Width = 6 mm, Bore Diameter = 27 mm Material: HSS Hardness: 55 to 60 HRC	03 Nos.
10.	Milling Cutter - Cylindrical -	Outer Diameter = 80 mm, Length = 90 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$ Material: HSS-M2 Hardness: 760 HV to 900 HV	02 Nos.
11.	Milling Cutter - Equal Angle Cutter 45°	Outer Diameter = 100 mm, Width = 25 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$ Material: HSS-M2 Hardness: 760 HV to 900 HV	02 Nos.
12.	Milling Cutter - Indexible Shoulder Mill, 8 Cutting Edges, , Right hand	Outer Diameter = 80 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$ (with 2-sets of inserts)	01 No. Complete job

13.	Milling Cutter - Plain Side and Face.	Outer Diameter = 100 mm, Width = 12 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$, 24 Teeth Material: HSS-M2 Hardness: 760 HV to 900 HV	02 Nos.
14.	Milling Cutter - Plain Side and Face	- Outer Diameter = 160 mm, Width = 10 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$, 24 Teeth Material: HSS-M2 Hardness: 760 HV to 900 HV	02 Nos.
15.	Milling Cutter - Convex - Outer	Diameter = 80 mm, Radius = 6 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$ Material: HSS-M2 Hardness: 760 HV to 900 HV	02 Nos.
16.	Milling Cutter - Concave -	Outer Diameter = 80 mm, Radius = 6 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$ Material: HSS-M2 Hardness: 760 HV to 900 HV	02 Nos.
17.	Milling Cutter - Concave -	Outer Diameter = 80 mm, Radius = 8 mm, Bore Diameter = $\varnothing 27.0 \text{ H7 (+0.021 / -0.0) mm}$ Material: HSS-M2 Hardness: 760 HV to 900 HV	02 Nos.

18.	End Milling Cutters (Four Fluted Centred Cutting)	Diameter in mm: 5, 6, 8, 10,12, 14, 16, 18, & 20 Material: HSS-M2 Hardness: 760 HV to 900 HV.	02 Sets.
-----	--	--	----------

ii

(For Hydraulic Feed Surface Grinder Machine): -		
Sr. No.	Item Description	Quantity.
01.	Tool Box, Spanners, screw Drivers, Plier etc.	01 No. (Complete Job)
02.	Magnetic Chuck (112 x 250) mm	01 No.
03.	Diamond Tool Holders for Wheel Dressing	03 Sets.
04.	Diamond Wheel Dresser	03 Nos.
05.	Extra Grinding Wheels	04 No.
06.	Precision Three Jaw Self-Centring Chuck to hold up to 100 mm jobs.	01 No.
07.	Internal Attachment, Suitable Quills to grind up to 100 mm deep jobs.	01 Set. (Complete Job).
08.	LED Work Lamp	01 No.
09.	Operation, Instruction & Spare Parts Manual	02 Nos.
10.	Certification	01 No.
11.	Magnetic base table, minimum (200 x125)mm with magnetizing & de-magnetizing.	01 No.
12.	Balancing stand	01 No.
13.	Radius Grinding attachment	01 No.
14.	Dust exhaust Equipment Suitable for grinding machine.	01 No.
15.	Coolant Pump with all fittings	01 No.

1

ACCESSORIES (For Heavy Duty Radial Drilling Machine)		
Sr. No.	Item Description	Quantity.
01.	Box Shape Worktable.	01 No.
02.	Drill Drift	04 Nos
03.	Set of Service Tools	02 Set.
04.	Machine Vice with fixed base,160 mm, Clamping range up To 100 mm Push Type	01 No.
05.	Operational Manual	02 Nos.
06.	Grease gun	01 No.
07.	LED Work Lamp	01 No.
08.	Coolant Pump with all fittings	01 No.
09.	MT-1, MT-2, MT-3, MT-4 & MT-5	01 No. Each.
10.	JT-6 Arbour for drill chuck	02 Nos
11.	Extra Drill Chuck with key	03 Nos.
12.	Tapping Attachment	01 No.
13.	Tap Collets M6-M30.	01 Set.
Twist Drill Set		
01.	<u>Drill Twist - Straight Shank</u> (1 mm to 13 mm by 0.5 mm)	03 Sets

02.

Drill Twist - Taper Shank

01 No Each

1. (Ø14mm, Ø15mm, Ø16mm, Ø18mm, Ø20mm, Ø22mm,

Shank: MT-2

Cutting Portion Material: HSS-M2

Finish: Milled / Ground

HARDNESS

Cutting Portion: 760 HV to 900 HV

Shank Portion: 185 HV Min.

Surface Treatment: Flutes should be Steam Tempered for better wear resistance and performance

2. Ø24mm, Ø25mm, Ø30mm.)

01 No Each

Shank: MT-3

Cutting Portion Material: HSS-M2

Finish: Milled / Ground

HARDNESS

Cutting Portion: 760 HV to 900 HV

Shank Portion: 185 HV Min.

Surface Treatment: Flutes should be Steam Tempered for better wear resistance and performance

03.	<p><u>Counter Sink - Parallel Shank</u></p> <ol style="list-style-type: none"> 1. Out Diameter = 16 mm, Angle = 60° 2. Out Diameter = 25 mm, Angle = 60° <p>Shank: MT-2</p> <p>Cutting Portion Material: HSS-M2</p> <p>Finish: Milled / Ground</p> <p>HARDNESS</p> <p>Cutting Portion: 760 HV to 900 HV</p> <p>Shank Portion: 185 HV Min.</p> <p>Surface Treatment: Bright Finish</p>	

13. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

14. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

15. Warranty

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

16. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document

in support of contract execution like Third Party Inspection release note, etc. Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---