

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-06-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-06-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health Research
संगठन का नाम/Organisation Name	Indian Council Of Medical Research (icmr)
कार्यालय का नाम/Office Name	Puducherry
कुल मात्रा/Total Quantity	1698
वस्तु श्रेणी /Item Category	Kim wipes , Molecular grade ethanol 500ml , Autoclave indicator tape , Sterapid spray bottle 500ml , DMEM Media 10L , Strepto-pencillin antibiotic 6g , Dimethyl sulphoxide, DMSO, 500ml , Sterapid 500ml , Ivermectin 12mg , whatman no 1 filter paper , Stericup 500ml , Filter paper sheets, 46,57cm,10 , 3 4 5 dimethylthiazol 2 y1 2, 5 diphenyl tetrazolium bromide, MTT, 500mg , Phosphate buffer solution 500ml , 96 well plate , 24 well tissue culture plate , 6 well tissue culture plate , Methanol molecular grade 5L , n hexane molecular grade 5L , Ethanol molecular grade 1L , Tween 20 100ml , Tween 80 100ml , Temephos larvicide 5g , Bugdorm insect rearing cage, colour white, size W30 x B30xH30 cm, front , clear vinyl, back side and top pannels, nylon netting, floor white vinyl , Liquid paraffin 400ml , Dressing gauze bandage roll 15cm x 4 mtr , Dressing gauze bandge roll 8cm x 4 mtr , Inj Penidure LA 12, Benzathine penicillin 12 lakh units , Water for injection 10ml , Water for injection 5ml , White petroleum 500gms , Pinkare lancents for RBS testing , Im needle 22g , 1m needle 21G , Glucose test strips for Accu chek instant.S , Glucose test strips for Accu chek active , Potassium permanganate , Clotrimazole soap , Normal saline 500ml , Savlon 500ml , Inj Neurobion , Inj TT

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

Kim wipes, Molecular grade ethanol, Autoclave indicator tape, Sterapid spray bottle 500ml, DMEM Media 10L, Strepto-pencillin antibiotic 6g, Dimethyl sulphoxide, DMSO, 500ml, Sterapid 500ml, Ivermectin 12mg, whatman no.1 filter paper, Stericup 500ml, Filter paper sheets (46x57cm x10), 3-(4,5-dimethylthiazol-2-y1)-2,5-diphenyl tetrazolium bromide (MTT) 500mg, Phosphate buffer solution 500ml, 96 well plate, 24 well tissue culture plate, 6 well tissue culture plate, Methanol molecular grade 5L, n-hexane molecular grade 5L, Ethanol molecular grade 1L, Tween 20 100ml, Tween 80 100ml, Temephos larvicide 5g, Bugdorm insect rearing cage, Liquid paraffin 400ml, Dressing gauze bandage roll 15cm x 4 mtr, Dressing gauze bandage roll 8cm x 4 mtr, Inj.Penidure LA 12 (Benzathine penicillin 12 lakh units), Water for injection 10ml, Water for injection 5ml, White petroleum 500gms, Pinkare lancets for RBS testing , 1m needle 22g, 1m needle 21G, Glucose test strips for Accu chek instant.S, Glucose test strips for Accu chek active, Potassium permanganate, Clotrimazole soap, Normal saline 500ml, Savlon 500ml, Inj. Neurobion, Inj.TT

**Searched String:** Kim wipes

Non Woven Wipes (V2) Conforming to IS 17787, Napkin Dispenser, Non Woven Disposable Wipes, Bag Kit Universal (Defence), Tool bag

**Searched String:** Molecular grade ethanol

Molecular Grade Water, Wooden Podium, Carbon Molecular Sieves, Molecular Diagnostic Extraction Kits, Pole Mounted Stainless Steel Dustbin (V2), Methyl Di-Ethanol Amine - ONGC, Ethidium Bromide, Rapid Molecular Diagnostics Test Instrument, Laboratory Graduated Cylinders as per IS 878, Molecular Sieves (V2) Conforming to IS 14211

**Searched String:** Autoclave indicator tape

Dental Autoclave, Autoclave (ICMR Specs), Vertical Autoclave, Autoclave (Horizontal), Horizontal Autoclave, Chemical Indicator for Vaporized Hydrogen Peroxide (Plasma) Sterilization Process, Vertical Autoclave (FSSAI), Hydrothermal Autoclave Reactor, Chemical Indicator for Steam Sterilization Process, Table Top Autoclave

**Searched String:** Sterapid spray bottle 500ml

Spray Bottles, Rust Remover Solution, Bottle for Chemical Laboratory, Urine Culture Bottle (V2), Plastic Wash Bottle, Paint spray gun, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Air Freshener liquid (V3), Isopropyl Alcohol (2 - Propanol), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2)

**Searched String:** DMEM Media 10L

Agar Media, Ultra low temperature laboratory deep freezer, Broth Media, Oxygen Concentrator (V2), Media Player Device, water baths, Optical Storage Media, Fiber Media converter, Nitrile Coated/Nitrile Hand Gloves (V2), Agar Media (V2)

**Searched String:** Strepto-pencillin antibiotic 6g

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Dimethyl sulphoxide, DMSO, 500ml

Isopropyl Alcohol (2 - Propanol), Dimethyl sulfoxide, High Level Medical Device Disinfectant

**Searched String:** Sterapid 500ml

Sterile Hypodermic Syringe (V3), Azospirillum (Bio Fertilizers)-IS:14806, Shaker Incubator, Azotobacter (Bio Fertilizers)-IS:9138, Blood Collection Tube, Zinc Solubilizing Biofertilizers (ZSB), Ultra low temperature laboratory deep freezer, Phosphate Solubilizing Bacteria, Deep freezer, Laboratory Glassware Volumetric Flask

**Searched String:** Ivermectin 12mg

Ivermectin Tablet, Cleaning Duster (V3), Ivermectin Tablets for NCVBDCP, Laboratory Vials (V2), Vacuum Oven, Surgical Sutures, Hydrochlorothiazide Tablet, Electrocardiography (ECG) Machine (V2), Desk and Bench Set for Classroom/Training Area, Impact Wrench

**Searched String:** whatman no.1 filter paper

Cellulose Nitrate Filter Paper (V2), Towel Hand Cotton Turkish (IAF), Laboratory Filter Papers (V2), Laboratory Filter Papers, Writing and Printing Papers Conforming to IS 1848 (Part 1), Toilet Paper (V2) as per IS 14661, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), One Man Meals Ready to Eat (Menu No 1) (V3) (Defence), The Indian National Flag as per IS 1, Air Sampler

**Searched String:** Stericup 500ml

Sterile Hypodermic Syringe (V3), Azospirillum (Bio Fertilizers)-IS:14806, Shaker Incubator, Azotobacter (Bio Fertilizers)-IS:9138, Blood Collection Tube, Zinc Solubilizing Biofertilizers (ZSB), Ultra low temperature laboratory deep freezer, Phosphate Solubilizing Bacteria, Deep freezer, Laboratory Glassware Volumetric Flask

**Searched String:** Filter paper sheets (46x57cm x10)

Cellulose Nitrate Filter Paper (V2), Cleaning Duster (V3), Laboratory Filter Papers (V2), Computer Paper (V3) Conforming to IS 12766 (In Packet), Laboratory Filter Papers, Air Sampler, Braille Paper conforming to IS 11647, Dry Erase Writing Boards (V3), File/Folder (V3), Pin Up Notice Board (V2)

**Searched String:** 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl tetrazolium bromide (MTT) 500mg

MTT (3-(4,5-Dimethylthiazol-2-yl)-2,5-Diphenyltetrazolium Bromide), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Patio Furniture Set-Handicraft (Bamboo), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, shoes school pvc boys girls, Inflatable Tent

**Searched String:** Phosphate buffer solution 500ml

Ammonia Buffer Solution, Modular Table / Meeting Table / Centre Table (V2), PH buffer solution, Buffer Capsules, Ultra

बिड विवरण / Bid Details

low temperature laboratory deep freezer, Buffer Tablets, Tisab III Solution, Executive Table (V4), Buffer Solutions, Rust Remover Solution

**Searched String:** 96 well plate

Deep well plates, Rubberized Weight Plates, Malathion 96%ULV (Ultra Low Volume), PCR Mini Cooler, Calamine Powder, Locking Compression Plates (V2), Pressure Plate, Steel Pipe Flanges as per IS 6392, Squatting Plate, Earthing Plate

**Searched String:** 24 well tissue culture plate

Multiwell plates for tissue culture, Tissue culture Racks for Plant Tissue culture in pre hardening Units, Deep well plates, Tissue cultured Bamboo plants, Petri plates or dishes(V2), Non-Locking Bone Plate, petri plates or dishes, Locking Compression Plates (V2), Agar Media, PTFE (Polytetrafluoroethylene) Wire

**Searched String:** 6 well tissue culture plate

Multiwell plates for tissue culture, Tissue culture Racks for Plant Tissue culture in pre hardening Units, Laboratory Hot plate, Deep well plates, CAT 6 Information outlet, Tissue cultured Bamboo plants, Locking Compression Plates (V2), Petri plates or dishes(V2), petri plates or dishes, Agar Media

**Searched String:** Methanol molecular grade 5L

Molecular Grade Water, Stainless Steel Shelf Rack, Methanol - (Commercial Grade) for ONGC as per IS 517, Glycine, Carbon Papers as per IS 1551, Ethidium Bromide, Prelaminated MDF Board, Sucrose, Tris(hydroxymethyl)aminomethane, Multipurpose or General Test Tubes (V2) as per IS 2618

**Searched String:** n-hexane molecular grade 5L

N - Hexane AR Grade, Stainless Steel Shelf Rack, N-Hexane, Molecular Grade Water, Carbon Papers as per IS 1551, Glycine, Prelaminated MDF Board, Ethidium Bromide, Sucrose, Multipurpose or General Test Tubes (V2) as per IS 2618

**Searched String:** Ethanol molecular grade 1L

Molecular Grade Water, Multipurpose or General Test Tubes as per IS 2618, Glycine, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Ethidium Bromide, Badminton Court Mat, Sucrose, Prelaminated MDF Board, Multipurpose or General Test Tubes (V2) as per IS 2618, Suction Catheters (V2)

**Searched String:** Tween 20 100ml

Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), Cleaning Duster (V3), Poly Oxyethylene Sorbitan Mono Oleate (TWEEN-80) - ONGC, Acetamiprid 20% SP, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Quinalphos 20 % AF (Aqueous Flowable), Laboratory Glassware - Burettes (V2) as per IS 1997, Transmission Fluid T-20-Defence (V2), Sterile Hypodermic Syringe (V3), Fenvalerate 20% Emulsifiable Concentrate Conforming to IS 11997

बिड विवरण / Bid Details	Searched String: Tween 80 100ml
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Poly Oxyethylene Sorbitan Mono Oleate (TWEEN-80) - ONGC, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Sulphur 80% WG (Wettable Granule), PH buffer solution, Zinc Phosphide 80% Powder(V2), Sterile Hypodermic Syringe (V3), Sorbitan Mono Oleate (Span - 80) (ONGC), CPVC Industrial Pipe Fittings, Schedule 80, Shaker Incubator, Fipronil 80% Water-Dispersible Granules (V2)</p> <p><b>Searched String:</b> Temephos larvicide 5g</p> <p>Temephos Granules 1%, All in One PC (V2), Temephos as per IS 8498 (V2), Temephos Emulsifiable Concentrate (EC) (V2) Conforming to IS 8498, File/Folder (V3), Smartphones (V3), Cellular USB Modem, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Industrial Cellular Modem, High End Desktop Computer</p> <p><b>Searched String:</b> Bugdorm insect rearing cage</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Liquid paraffin 400ml</p> <p>Liquid Paraffin for Cosmetic Industry (V2) Conforming to IS 7299, Ultra low temperature laboratory deep freezer, Paraffin Oil, Paraffin Wax Bath, Sterile Hypodermic Syringe (V3), Paraffin Gauze Dressings, Paraffin Gauze Dressings Conforming to IS 16291, Modular Metal Drawer File Cabinet Pedestal, paraffin wax medical for wax bath, Antiseptic Liquid</p> <p><b>Searched String:</b> Dressing gauze bandage roll 15cm x 4 mtr</p> <p>Crepe Bandage Conforming to IS 4605, Non Woven Bandage Roll Conforming to IS 16660, Elastic Bandage Conforming to IS 16111, Open Weave Bandage, Zinc Oxide Elastic Self - Adhesive Bandage (V2), Gamjee Rolls / Pads (V2), X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2)</p> <p><b>Searched String:</b> Dressing gauze bandge roll 8cm x 4 mtr</p> <p>Non Woven Bandage Roll Conforming to IS 16660, X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Gamjee Rolls / Pads (V2), X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2)</p> <p><b>Searched String:</b> Inj.Penidure LA 12 (Benzathine penicillin 12 lakh units)</p> <p>BENZATHINE PENICILLIN</p> <p><b>Searched String:</b> Water for injection 10ml</p> <p>Sterile Water for Injection, water baths, Water Injection Corrosion Inhibitor for Mumbai Assets (ONGC), Corrosion Inhibitor for Water Injection in Assam Asset - ONGC, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), CORROSION INHIBITOR FOR WATER INJECTION, GANDHAR FIELD, ANKLESHWAR- ONGC, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1),</p>

बिड विवरण / Bid Details

water for chromatography, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Primary Current Injection Kit

**Searched String:** Water for injection 5ml

Sterile Water for Injection, File/Folder (V3), Water Injection Corrosion Inhibitor for Mumbai Assets (ONGC), Levetiracetam Injection, Corrosion Inhibitor for Water Injection in Assam Asset - ONGC, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), CORROSION INHIBITOR FOR WATER INJECTION, GANDHAR FIELD, ANKLESHWAR- ONGC, water for chromatography, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Primary Current Injection Kit

**Searched String:** White petroleum 500gms

Petroleum ether, Dry Erase Writing Boards (V3), White Yam Seeds, Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664, Calcofluor white stain, WHITE CLOVER (SHAFTAL) Seeds, Register (V2), Whiteboard Duster (V2), Ultra low temperature laboratory deep freezer, Bleached White Dhoti as per Jharkhand Government

**Searched String:** Pinkare lancets for RBS testing

Distance Vision Testing Drum (V2) - RBSK, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Photometer / Colorimeter for Water Testing, High Volume Fibre Tester (Textile), Flexural Testing apparatus of Concrete - IS 9399, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Lea Grating Paddles for Vision Testing, Master mix for COVID-19 testing, Spring Testing Machine (V2), Stabilometric Balance Platform For Vertigo Clinincs

**Searched String:** 1m needle 22g

Needle Threader, water baths, Needle Valve, Spinal Needle (V2), Machine Needle, Sterile Hypodermic Syringe (V3), Proctor Needle, Introducer Needle (V2), Epidural Needle, Surgical Sutures

**Searched String:** 1m needle 21G

Needle Threader, Nitrile Coated/Nitrile Hand Gloves (V2), Needle Valve, Spinal Needle (V2), Machine Needle, File/Folder (V3), Proctor Needle, Endoscopic Injection Needle (V2), Epidural Needle, Multipara Monitor - Low End

**Searched String:** Glucose test strips for Accu chek instant.S

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Glucose test strips for Accu chek active

Glucometer Strips, Biochemistry Reagent Kit for Human Samples

**Searched String:** Potassium permanganate

Potassium Permanganate (V2) Conforming to IS 333, Flame Photometer, Potassium Persulfate (Potassium

बिड विवरण / Bid Details	<p>Peroxodisulfate), Potassium Dichromate, Blood Collection Tube, Potassium metabisulfite, Potassium Iodide as per IS 7163, Potassium Pyroantimonate, Potassium Mobilizing Bio-Fertilizer (KMB), Potassium Tetraborate</p> <p><b>Searched String:</b> Clotrimazole soap</p> <p>CLOTRIMAZOLE, Touchless Soap Dispenser (V3), Toilet Soap Conforming to IS 2888 (V3), Whistle (V2), Soap Dish - Case, Touchless Soap Dispenser (Version 2), Soft Soap as per IS 7532 (Lubricating Soap), Shaving Soap-IS 5784, Soap Dish/ Case (V2), Toilet Soap, Liquid (V3) Conforming to IS 4199</p> <p><b>Searched String:</b> Normal saline 500ml</p> <p>Normal Saline (Sodium Chloride) Nasal Drops, Sterile Hypodermic Syringe (V3), Phosphate Buffered Saline, Phosphate Buffered Saline (V2), Saline Stand (V2), Shaker Incubator, Azospirillum (Bio Fertilizers)-IS:14806, Human Normal Immunoglobulin Injection, Blood Collection Tube, N-Hexane</p> <p><b>Searched String:</b> Savlon 500ml</p> <p>Toilet Soap, Liquid (V3) Conforming to IS 4199, Sterile Hypodermic Syringe (V3), Bathing Soap Bar (V3) Conforming to IS 13498, Shaker Incubator, Blood Collection Tube, Hygiene Kit for Gujarat, Ultra low temperature laboratory deep freezer, Toilet Soap as per IS 2888 (V2), Deep freezer, Hand Cleaner Soap as per IS 2888</p> <p><b>Searched String:</b> Inj. Neurobion</p> <p>Vitamin C Injection with Vitamin B12, Folic Acid, Niacinamide Injection (2 Part Combi Pack Multivitamin Injection), Fuel Injection Pump Assembly, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Virechan Peeth For Panchakarma, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Whistle (V2), Endoscopic Injection Needle (V2), Sterile Water for Injection, Thiopentone Injection, Cisatracurium Besylate Injection</p> <p><b>Searched String:</b> Inj.TT</p> <p>Tetanus Toxoid Injection, Table Tennis - Table, Stainless Steel Bucket (V2) as per IS 4768:2022, Table Tennis Net Assembly-IS 3345, Virechan Peeth For Panchakarma, Lactose TTC Agar with Tergitol 7, DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Ergonomically Designed Backpack 70 L, Whistle (V2), Vitamin C Injection with Vitamin B12, Folic Acid, Niacinamide Injection (2 Part Combi Pack Multivitamin Injection)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Potassium Permanganate (V2) Conforming to IS 333</li> </ul>
बीओक्यू शीर्षक /BOQ Title	CONSUMABLES
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	3 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	3 Lakh (s)

<b>बिड विवरण/Bid Details</b>	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ <b>Years of Past Experience Required for same/similar service</b>	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / <b>MSE Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	4
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Molecular grade ethanol 500ml
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Item wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No

**बिड विवरण/Bid Details**

सुलह खंड/Mediation Clause	No
---------------------------	----

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid

for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / <b>Evaluation Schedules</b>	वस्तु/श्रेणी / <b>Item/Category</b>	मात्रा / <b>Quantity</b>
Schedule 1	Kim Wipes	20
Schedule 2	Molecular Grade Ethanol 500ml	10
Schedule 3	Autoclave Indicator Tape	3
Schedule 4	Sterapid Spray Bottle 500ml	3
Schedule 5	Dmem Media 10l	1
Schedule 6	Strepto-pencillin Antibiotic 6g	1
Schedule 7	Dimethyl Sulphoxide, DmsO, 500ml	2
Schedule 8	Sterapid 500ml	3
Schedule 9	Ivermectin 12mg	1
Schedule 10	Whatman No 1 Filter Paper	1
Schedule 11	Stericup 500ml	10
Schedule 12	Filter Paper Sheets, 46,57cm,10	50
Schedule 13	3 4 5 Dimethylthiazol 2 Y1 2, 5 Diphenyl Tetrazolium Bromide, Mtt, 500mg	1
Schedule 14	Phosphate Buffer Solution 500ml	1
Schedule 15	96 Well Plate	20
Schedule 16	24 Well Tissue Culture Plate	20

Schedule 17	6 Well Tissue Culture Plate	20
Schedule 18	Methanol Molecular Grade 5l	1
Schedule 19	N Hexane Molecular Grade 5l	1
Schedule 20	Ethanol Molecular Grade 1l	1
Schedule 21	Tween 20 100ml	1
Schedule 22	Tween 80 100ml	1
Schedule 23	Temephos Larvicide 5g	1
Schedule 24	Bugdorm Insect Rearing Cage, Colour White, Size W30 X B30xh30 Cm, Front , Clear Vinyl, Back Side And Top Pannels, Nylon Netting, Floor White Vinyl	100
Schedule 25	Liquid Paraffin 400ml	100
Schedule 26	Dressing Gauze Bandage Roll 15cm X 4 Mtr	100
Schedule 27	Dressing Gauze Bandge Roll 8cm X 4 Mtr	100
Schedule 28	Inj Penidure La 12, Benzathine Penicillin 12 Lakh Units	60
Schedule 29	Water For Injection 10ml	20
Schedule 30	Water For Injection 5ml	60
Schedule 31	White Petroleum 500gms	2
Schedule 32	Pinkare Lancents For Rbs Testing	300
Schedule 33	1m Needle 22g	50
Schedule 34	1m Needle 21g	200
Schedule 35	Glucose Test Strips For Accu Chek Instant.s	100
Schedule 36	Glucose Test Strips For Accu Chek Active	50
Schedule 37	Potassium Permanganate	25
Schedule 38	Clotrimazole Soap	200
Schedule 39	Normal Saline 500ml	5
Schedule 40	Savlon 500ml	3
Schedule 41	Inj Neurobion	40
Schedule 42	Inj Tt	10

## Kim Wipes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	20	15

**Molecular Grade Ethanol 500ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	10	15

**Autoclave Indicator Tape**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	3	15

**Sterapid Spray Bottle 500ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	3	15

**DMEM Media 10L**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR-Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Strepto-pencillin Antibiotic 6g**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR-Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Dimethyl Sulphoxide, DMSO, 500ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	2	15

**Sterapid 500ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	3	15

**Ivermectin 12mg**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayananane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Whatman No 1 Filter Paper**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

### Stericup 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	10	15

### Filter Paper Sheets, 46,57cm,10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	50	15

**3 4 5 Dimethylthiazol 2 Y1 2, 5 Diphenyl Tetrazolium Bromide, MTT, 500mg**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Phosphate Buffer Solution 500ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**96 Well Plate**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	20	15

**24 Well Tissue Culture Plate**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	20	15

**6 Well Tissue Culture Plate**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	20	15

**Methanol Molecular Grade 5L**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR-Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**N Hexane Molecular Grade 5L**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR-Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Ethanol Molecular Grade 1L**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Tween 20 100ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Tween 80 100ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Temephos Larvicide 5g**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	1	15

**Bugdorm Insect Rearing Cage, Colour White, Size W30 X B30xH30 Cm, Front , Clear Vinyl, Back Side And Top Pannels, Nylon Netting, Floor White Vinyl**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	100	15

**Liquid Paraffin 400ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	100	15

**Dressing Gauze Bandage Roll 15cm X 4 Mtr**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	100	15

**Dressing Gauze Bandge Roll 8cm X 4 Mtr**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	100	15

**Inj Penidure LA 12, Benzathine Penicillin 12 Lakh Units**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	60	15

**Water For Injection 10ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	20	15

**Water For Injection 5ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	60	15

**White Petroleum 500gms**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	2	15

**Pinkare Lancents For RBS Testing**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	300	15

**Im Needle 22g**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	50	15

**1m Needle 21G**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	200	15

## Glucose Test Strips For Accu Chek Instant.S

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	100	15

## Glucose Test Strips For Accu Chek Active

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	50	15

### Potassium Permanganate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	25	15

### Clotrimazole Soap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	200	15

**Normal Saline 500ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	5	15

**Savlon 500ml**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	3	15

**Inj Neurobion**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR- Vector Control Research Centre,Indira Nagar, Puducherry.	40	15

**Inj TT**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Devanarayanane	605006,The Director, ICMR-Vector Control Research Centre,Indira Nagar, Puducherry.	10	15

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

5. **Generic**

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

6. **Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

7. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at

the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**8. Generic**

**Shelf Life:** The Product/Spare parts to be supplied as part of the services must have minimum

1 Year  
Shelf Life. On the date of supply, minimum  
1 Year  
usable shelf life should be available / balance.

**9. Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

**10. Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

**11. OEM**

**IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.

9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---