

बिड दस्तावेज / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	23-05-2026 13:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	23-05-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
कुल मात्रा / Total Quantity	3509
	Adjustable loop cortical graft fixation eightdashpoint knotless fixationdevice with internal brace for ACL reconstruction , fiber tape 2mm wide comma 97 mm longcomma each end tapered to 2 fiber wire , fiber stitch all inside meniscal repair , cannuleted reamer for ACL size 4dot5mm , cannuleted reamer for ACL size 8 mm , cannuleted reamer for ACL size 9 mm , cannuleted reamer for ACL size 10mm , Suture passer straightcomma 45 degree Right with nitinol lassoslashPDS strand with thumb pad for advancementslashretractioncomma sterile disposable packingdotdot , Suture passer straightcomma45degree Left with nitinol lassoslashPDS strand with thumb pad for advancementslashretractioncomma sterile disposable packingdotdot , Arthroscopy Beath Needlesdash drill tip and closed eye , Meniscal repair system with Trigger based positive deployment of 2 PEEK implantsWorkloaded with preknotted UHMWPE Braided suture with adjustable depth limiter for arthroscopic , Meniscal repair system with Trigger based positive deployment of 4 PEEK implantsWorkloaded with preknotted UHMWPE Braided suture with adjustable depth limiter for arthroscopic , Sterile disposable Knee drapes pack pack should have conformable circular fenestration drape of water proof breathable triple layer fabric materialdot , Aggressive cutter shaver blades for arthroscopic shaver systemdot Implants should be CE European certified sterile packed disposable Should be compatible with ARTHREX , Arthroscopic knot cutter , FiberstichdashSterilecomma dispoisable commaall inside meniscalb repair device with 2 all suture made up to braided 4dash0 6dash0 non absorbable polyster suture implants , 2 0 Fibrewire An UHMWPE multifilament 2 0 no suture braided with polyster jacket for smooth handing

बिड विवरण / Bid Details	वस्तु श्रेणी / Item Category
	<p>length of suture 96 cm to be used for various meniscal repair procedures , 5 mm Titanium Corkscrew A Sterile disposable knotted 5 mmm 15dot5 cmm titanium self punching tapdashin anchor for open or arthroscopic rotator cuff repair and with double , Knee scorpion needle A sterile disposable needle compaitable with resuable knee selfdashretrieving suture passer instruments knee scorpion the width of the needle tip , BIO RCIdash HA SCREWS Alternative of POLYdash LACTIDEPLA AND HYDROXYLAPTITEHA , Arthroscopic Burr 3dot5 mmdot Full quality assurance , Arthroscopic Burr 4dot5 mmdot Full quality assurance , Arthroscopic Burr 5dot5 mmdot Full quality assurance , Normal saline irrigation fluid for arthroscopy 3 Ltr , Tibial post fixation screws for ACL reconstruction dia 6dot5mm length 30 mm , Interlocking nail cannulated for Humerus all sizes with 4 locking bolts and end capcomma complete constructdot Implants should be dot MRI safedot , Locking Eight plate for Hemiepiphyiodesis with 2 compatible locking screwsdash complete constructdot , Rail Fixator System 240 mmcommaRail 400mm long1comma Clamp 02 CD Unit 01 Threaded schenz screws 6mm to 5mm 41 set , Control Cable with Sleeve Cobalt Chrome 1dot8 dash2dot0 mm x 24 inches All implant sizes with compatible instrumentation and saw system to be provide at the time of surgerydot , Meniscal repair system with Trigger based positive deployment of 6PEEK implantsWorkloaded with preknotted UHMWPE Braided suture with adjustable depth limiter for , Hydoxyapatite coated Tapered Schanz pin 5mm tapercomma threaded portion 50 mmcomma total length 175dash200mmdot Materialdash316 Lvm stainless steeldotSterile Packed , Impervious Sterile stretchable stockinette for limb drape upto hipdotFull quality assurance , Methyl Prednisolone Sodium Acetate 80 mg Inj , Hip U drape set made of Impermeable fabric triple layer consisting of 1dot Two large water proof Trolley covers of size 160 cm x 240 cm approxcomma 2dot One water proof , ACL Tight rope , 6dot5 CCS guide wire 1dot8 mm , Suture retriever for Arthroscopy , Vicryl 2slash0 RB 76cmcomma Sizedash40 mm 1slash2 circle , Bandagecomma Plaster of Paris 10 cm x 3 metres , Bandagecomma Plaster of Paris 15 cm x 3 metres , Knotless Push Lock Anchor Bioabsorbable suture Anchor 4dot5mm for lateral row repair of Rotator cuff dot Full quality assurance Instrumentation and all sizes to be , AC joint repair device consisting of double button system with adjustable loop UHMWPE suturedotImplants should bedot MRI safedotdash sterile packed , All suture anchor 1dot2mm for bankarts and slap tear , Fibre wire with 2 needles size dash No 2slash0comma 10mm Needle , Mersilene tape 16 mm , Inj Hyaluronic acid prefilled syringe single dose injection 3mldash 90 mg cross linked , Charley retractor with compatible four blade , Radial Head prosthesiscomma uncemented with grit blastedslashporous coated stem surfacecomma multiple head diameter and stem length options required , Powder free gamma sterilized natural rubber latexcomma brown orthopaedic gloves with textured outer surface and polymer coated dermasheild technology inner surface , Sterile Disposable C Arm Image Intensifier Cover dash Waterproof 1 Pair per pack</p>

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Adjustable loop cortical graft fixation , fiber tape 2mm wide , 97 mm long, each end tapered to # 2 fiber wire , fiber stitch all inside meniscal repair, cannuleted reamer for ACL size 4.5mm , cannuleted reamer for ACL size 8 mm, cannuleted reamer for ACL size 9 mm, cannuleted reamer for ACL size 10mm , Suture passer straight,(45? Right) with nitinol lasso/, Suture passer straight,(45? Left) with nitinol lasso/PDS strand, Arthroscopy Beath Needles- drill tip and closed eye, Meniscal repair system with Trigger based positive , Sterile disposable Knee drapes pack; pack should , Aggressive cutter shaver blades for arthroscopoic shaver , Arthroscopic knot cutter, Fiberstich:-Sterile, dispoisable ,all inside meniscalb repair , 2-0 Fibrewire:_ An UHMWPE multifilament 2- 0 no suture , 5 mm Titanium Corkscrew_ A Sterile disposable knotted 5 mmm, Knee scorpion needle :_ A sterile disposable needle compaitable , BIO RCI- HA SCREWS (Alternative of POLY- LACTIDE(PLA) AND, Arthroscopic Burr (3.5 mm). (Full quality assurance), Arthroscopic Burr (4.5 mm). (Full quality assurance), Arthroscopic Burr (5.5 mm). (Full quality assurance), Normal saline irrigation fluid for arthroscopy(3 Ltr) , Tibial post fixation screws for ACL reconstruction , Interlocking nail (cannulated) for Humerus all sizes with , Locking Eight plate for Hemiepiphyisiodesis with 2 , Rail Fixator System 240 mm,Rail 400mm long1, Clamp 02 , Control Cable with Sleeve Cobalt Chrome 1.8 -2.0 mm x 24 inches , Meniscal repair system with Trigger based positive deployment , Hydroxyapatite coated Tapered Schanz pin 5mm taper, Impervious Sterile stretchable stockinette for limb drape , Methyl Prednisolone Sodium Acetate 80 mg Inj, Hip U drape set made of Impermeable fabric triple layer consisting , ACL Tight rope, 6.5 CCS guide wire 1.8 mm, Suture retriever for Arthroscopy, Vicryl 2/0 RB 76cm, Size-40 mm 1/2 circle, Bandage, Plaster of Paris 10 cm x 3 metres, Bandage, Plaster of Paris 15 cm x 3 metres, Knotless Push Lock Anchor Bioabsorbable suture, AC joint repair device consisting of double button system , All suture anchor 1.2mm for bankarts and slap tear, Fibre wire with 2 needles size - No 2/0, 10mm Needle, Mersilene tape 16 mm, Inj Hyaluronic acid prefilled syringe single dose injection 3ml-90, Charley retractor with compatible four blades , Radial Head prosthesis, uncemented with grit blasted, Powder free gamma sterilized natural rubber latex, brown orthopaedic, Sterile Disposable C Arm Image Intensifier Cover - Waterproof (1 Pair per pack)

Searched String: Adjustable loop cortical graft fixation
Shin Guard for Taekwondo, Locking Compression Plates (V2), Box Strapping Machine

Searched String: fiber tape 2mm wide , 97 mm long, each end tapered to # 2 fiber wire

Category not available on GeM for the text string uploaded by the buyer

Searched String: fiber stitch all inside meniscal repair
Locking Compression Plates (V2)

Searched String: cannuleted reamer for ACL size 4.5mm

बिड विवरण

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), File/Folder (V3), XLPE Cables for

Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, petri plates or dishes, Answer Book/Booklets For Examinations (V3), Olympic Bar (Version 2), Endotracheal Tube - Sterile (Single Use), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Modular Toilet

Searched String: cannulated reamer for ACL size 8 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, File/Folder (V3), The Indian National Flag - Polyester, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Work Benches, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, petri plates or dishes, Automatic Fire Ball for Fire - Extinguishing, Endotracheal Tube - Sterile (Single Use), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: cannulated reamer for ACL size 9 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), The Indian National Flag as per IS 1, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, The Indian National Flag - Polyester, petri plates or dishes, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Modular Toilet, Waste Fittings for Washbasin and Sinks as per IS 2963, Industrial Safety Glove/Gauntlet (V2)

Searched String: cannulated reamer for ACL size 10mm

XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, petri plates or dishes, Automatic Fire Ball for Fire - Extinguishing, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Modular Toilet, Waste Fittings for Washbasin and Sinks as per IS 2963, Industrial Safety Glove/Gauntlet (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)

Searched String: Suture passer straight,(45? Right) with nitinol lasso/

Category not available on GeM for the text string uploaded by the buyer

Searched String: Suture passer straight,(45? Left) with nitinol lasso/PDS strand

Category not available on GeM for the text string uploaded by the buyer

Searched String: Arthroscopy Beath Needles- drill tip and closed eye

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details **Searched String:** Meniscal repair system with Trigger based positive

Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Locking Compression Plates (V2), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Potable Water Purification System DE - Ionization Based, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, OT Table positioning Pads, Fixed Clean Agent Gas based Fire Suppression System, Token Display System, Cental Control Software for LED Based Information Display System

Searched String: Meniscal repair system with Trigger based positive

Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Locking Compression Plates (V2), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Potable Water Purification System DE - Ionization Based, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, OT Table positioning Pads, Fixed Clean Agent Gas based Fire Suppression System, Token Display System, Cental Control Software for LED Based Information Display System

Searched String: Sterile disposable Knee drapes pack; pack should

Air Activated Adhesive Heat Pack or Warmer Pad - Disposable, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Disposable Food Packaging Container, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Disposable Food Packaging Trays, Surgical Sutures, Endotracheal Tube - Sterile (Single Use), Urine Collection Bag - Sterile (Single Use), Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5)

Searched String: Aggressive cutter shaver blades for arthroscopic shaver

Category not available on GeM for the text string uploaded by the buyer

Searched String: Arthroscopic knot cutter

Bamboo External Knot Removing machine, Hand Held Brush Cutter (V2), Nail Cutter, Vegetable Cutter, Chaff Cutter, Twister - Outdoor Gym Equipment, GSM Cutter, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Fruit Cutter, Medical Training kit with Human mannequins for medical education or training

Searched String: Fiberstich:-Sterile, dispoisable ,all inside meniscalb repair

Locking Compression Plates (V2)

Searched String: 2-0 Fibrewire:_ An UHMWPE multifilament 2- 0 no suture

बिड विवरण / Bid Details Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1)

Searched String: 5 mm Titanium Corkscrew_ A Sterile disposable knotted 5 mmm

Locking Compression Plates (V2)

Searched String: Knee scorpion needle : _ A sterile disposable needle compaitable

Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Sterile Hypodermic Syringe (V3)

Searched String: BIO RCI- HA SCREWS (Alternative of POLY- LACTIDE(PLA) AND

Category not available on GeM for the text string uploaded by the buyer

Searched String: Arthroscopic Burr (3.5 mm). (Full quality assurance)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Arthroscopic Burr (4.5 mm). (Full quality assurance)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Arthroscopic Burr (5.5 mm). (Full quality assurance)

rubber bands, Corrugated Boxes

Searched String: Normal saline irrigation fluid for arthroscopy(3 Ltr)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Tibial post fixation screws for ACL reconstruction

Pedicle Screws For Spine Fixation, Locking Compression Plates (V2)

Searched String: Interlocking nail (cannulated) for Humerus all sizes with

Category not available on GeM for the text string uploaded by the buyer

Searched String: Locking Eight plate for Hemiepiphysiodesis with 2

Food Serving Utensils Made from Agri by-products (V2) Conforming to IS 18267, Locking Compression Plates (V2), Tableware Made of Melamine Plastics as per IS 9220, Portable Toilet, modular electrical enclosure switch board boxes for modular type accessories, Mild Steel Sheet, Lighting Box (Flasher For Police Vehicles), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Non-Locking Bone Plate, LED Bulb with Battery as per IS 16102

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण/Bid Details
Searched String: Rail Fixator System 240 mm,Rail 400mm long1, Clamp 02

Category not available on GeM for the text string uploaded by the buyer

Searched String: Control Cable with Sleeve Cobalt Chrome 1.8 -2.0 mm x 24 inches

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Meniscal repair system with Trigger based positive deployment

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydroxyapatite coated Tapered Schanz pin 5mm taper

Feeler Gauges - Engineering Metrology - as per IS 3179, Tapered Bearings as per IS 12102, General Purpose Ball Valves conforming to IS 9890, Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2)

Searched String: Impervious Sterile stretchable stockinette for limb drape

Category not available on GeM for the text string uploaded by the buyer

Searched String: Methyl Prednisolone Sodium Acetate 80 mg Inj

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hip U drape set made of Impermeable fabric triple layer consisting

Category not available on GeM for the text string uploaded by the buyer

Searched String: ACL Tight rope

Air - Tight Glass Container (V2), Coir Rope, Chemiluminescence Immuno analyzers, Battle Rope, Nylon Rope as per IS 4572, Monkey rope, Fully Automated Coagulation Analyzer (V2), Wire Rope For Wire Rope Barrier, Graphite gland packing ropes, Ceramic Fiber Rope

Searched String: 6.5 CCS guide wire 1.8 mm

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Non Sparking Double Ended Ring Spanner (V2), Polyurethane Tube (V2), Non Sparking Double Open Ended Spanner (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Non Sparking Combination Spanners (V2), Endotracheal Tube - Sterile (Single Use), Non Sparking Hammers (V2), Non Sparking Ring Slugging Spanners (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)

Searched String: Suture retriever for Arthroscopy

बिड विवरण

Manikin for Skin & Fascia Suturing Training, Locking Compression Plates (V2), Medical Training kit with Human

mannequins for medical education or training

Searched String: Vicryl 2/0 RB 76cm, Size-40 mm 1/2 circle

Sports Mats (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Judo Mat (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Cricket Stumps and Bails (V2) Conforming to IS 6621, Polyester Blanket (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals as per IS 12786, Cotton Towelling And Towels (V3) Conforming To IS 7056, The Indian National Flag as per IS 1

Searched String: Bandage, Plaster of Paris 10 cm x 3 metres

Plaster of Paris Bandage Conforming to IS 4738, Crepe Bandage Conforming to IS 4605, Gamjee Rolls / Pads (V2), Elastic Bandage Conforming to IS 16111, Open Weave Bandage, Non Woven Bandage Roll Conforming to IS 16660, Handloom Cotton Bed Sheets (V2) as per IS 745, Synthetic Cast Bandage (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2)

Searched String: Bandage, Plaster of Paris 15 cm x 3 metres

Plaster of Paris Bandage Conforming to IS 4738, Crepe Bandage Conforming to IS 4605, Gamjee Rolls / Pads (V2), Open Weave Bandage, Elastic Bandage Conforming to IS 16111, Non Woven Bandage Roll Conforming to IS 16660, Synthetic Cast Bandage (V2), Handloom Cotton Bed Sheets (V2) as per IS 745, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2)

Searched String: Knotless Push Lock Anchor Bioabsorbable suture

Locking Compression Plates (V2)

Searched String: AC joint repair device consisting of double button system

Category not available on GeM for the text string uploaded by the buyer

Searched String: All suture anchor 1.2mm for bankarts and slap tear

Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Locking Compression Plates (V2), Portable Toilet

Searched String: Fibre wire with 2 needles size - No 2/0, 10mm Needle

Sterile Hypodermic Syringe (V3), Locking Compression Plates (V2), Line Interactive UPS with AVR (V2), Portable

बिड विवरण / Bid Details	Toilet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked
	<p>To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Sterile Hypodermic Needles for Single use (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694</p> <p>Searched String: Mersilene tape 16 mm</p> <p>Carbon Tape 19 MM(OFB-DEFENCE), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Fastener for Consumer Goods - Synthetic Hook and Loop Tape as per IS 8156, Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), Ratchet Pipe Threader for Taper Pipe Threads as per IS 16176, Tape Cotton Medium (OFB), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Ligation Clips, Double sided tape</p> <p>Searched String: Inj Hyaluronic acid prefilled syringe single dose injection 3ml- 90</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Charley retractor with compatible four blades</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Radial Head prosthesis, uncemented with grit blasted</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Powder free gamma sterilized natural rubber latex, brown orthopaedic</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Sterile Disposable C Arm Image Intensifier Cover - Waterproof (1 Pair per pack)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> AutomationTestCategory_DoNotUse
बीओक्यू शीर्षक /BOQ Title	ORTHO GEM 01 VOL II DGLP 2026 27
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	25 Lakh (s)

बिड विवरण/Bid Details	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	99 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Meniscal repair system with Trigger based positive deployment of 2 PEEK implantsWorkloaded with preknotted UHMWPE Braided suture with adjustable depth limiter for arthroscopic
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

COMMANDANT
151 Base Hospital, Department of Military Affairs, Indian Army, Ministry of Defence
(151 Base Hospital)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
---	-------------------------------------	-----------------------------

Schedule 1	Adjustable Loop Cortical Graft Fixation Eightdashpoint Knotless Fixationdevice With Internal Brace For Acl Reconstruction	72
Schedule 2	Fiber Tape 2mm Wide Comma 97 Mm Longcomma Each End Tapered To 2 Fiber Wire	24
Schedule 3	Fiber Stitch All Inside Meniscal Repair	6
Schedule 4	Cannuleted Reamer For Acl Size 4dot5mm	3
Schedule 5	Cannuleted Reamer For Acl Size 8 Mm	3
Schedule 6	Cannuleted Reamer For Acl Size 9 Mm	3
Schedule 7	Cannuleted Reamer For Acl Size 10mm	3
Schedule 8	Suture Passer Straightcomma 45 Degree Right With Nitinol Lassoslashpds Strand With Thumb Pad For Advancementslashretractioncomma Sterile Disposable Packingdotdot	12
Schedule 9	Suture Passer Straightcomma45degree Left With Nitinol Lassoslashpds Strand With Thumb Pad For Advancementslashretractioncomma Sterile Disposable Packingdotdot	12
Schedule 10	Arthroscopy Beath Needlesdash Drill Tip And Closed Eye	15
Schedule 11	Meniscal Repair System With Trigger Based Positive Deployment Of 2 Peek Implantsworkloaded With Preknotted Uhmwpe Braided Suture With Adjustable Depth Limiter For Arthroscopic	9
Schedule 12	Meniscal Repair System With Trigger Based Positive Deployment Of 4 Peek Implantsworkloaded With Preknotted Uhmwpe Braided Suture With Adjustable Depth Limiter For Arthroscopic	9
Schedule 13	Sterile Disposable Knee Drapes Pack Pack Should Have Conformable Circular Fenestration Drape Of Water Proof Breathable Triple Layer Fabric Materialdot	30
Schedule 14	Aggressive Cutter Shaver Blades For Arthroscopic Shaver Systemdot Implants Should Be Ce European Certified Sterile Packed Disposable Should Be Compatible With Arthrex	30
Schedule 15	Arthroscopic Knot Cutter	3
Schedule 16	Fiberstichdashsterilecomma Dispoisable Commaall Inside Meniscalb Repair Device With 2 All Suture Made Up To Braided 4dash0 6dash0 Non Absorbable Polyester Suture Implants	6
Schedule 17	2 0 Fibrewire An Uhmwpe Multifilament 2 0 No Suture Braided With Polyester Jacket For Smooth Handing Length Of Suture 96 Cm To Be Used For Various Meniscal Repair Procedures	6
Schedule 18	5 Mm Titanium Corkscrew A Sterile Disposable Knotted 5 Mmm 15dot5 Cmm Titanium Self Punching Tapdashin Anchor For Open Or Arthroscopic Rotator Cuff Repair And With Double	16
Schedule 19	Knee Scorpion Needle A Sterile Disposable Needle Compaitable With Resuable Knee Selfdashretrieving Suture Passer Instruments Knee Scorpion The Width Of The Needle Tip	6
Schedule 20	Bio Rcidash Ha Screws Alternative Of Polydash Lactidepla And Hydroxylaptiteha	36
Schedule 21	Arthroscopic Burr 3dot5 Mmdot Full Quality Assurance	12
Schedule 22	Arthroscopic Burr 4dot5 Mmdot Full Quality Assurance	12
Schedule 23	Arthroscopic Burr 5dot5 Mmdot Full Quality Assurance	12
Schedule 24	Normal Saline Irrigation Fluid For Arthroscopy 3 Ltr	150

Schedule 25	Tibial Post Fixation Screws For Acl Reconstruction Dia 6dot5mm Length 30 Mm	30
Schedule 26	Interlocking Nail Cannulated For Humerus All Sizes With 4 Locking Bolts And End Capcomma Complete Constructdot Implants Should Be Dot Mri Safedot	6
Schedule 27	Locking Eight Plate For Hemiepiphyiodesis With 2 Compatible Locking Screwsdash Complete Constructdot	9
Schedule 28	Rail Fixator System 240 Mmcomma Rail 400mm Long1comma Clamp 02 Cd Unit 01 Threaded Schenz Screws 6mm To 5mm 41 Set	3
Schedule 29	Control Cable With Sleeve Cobalt Chrome 1dot8 Dash2dot0 Mm X 24 Inches All Implant Sizes With Compatible Instrumentation And Saw System To Be Provide At The Time Of Surgerydot	10
Schedule 30	Meniscal Repair System With Trigger Based Positive Deployment Of 6peek Implantsworkloaded With Preknotted Uhmwpe Braided Suture With Adjustable Depth Limiter For	12
Schedule 31	Hydoxyapatite Coated Tapered Schanz Pin 5mm Tapercomma Threaded Portion 50 Mmcomma Total Length 175dash200mmdot Materialdash316 Lvm Stainless Steeldotsterile Packed	15
Schedule 32	Impervious Sterile Stretchable Stockinette For Limb Drape Upto Hipdotfull Quality Assurance	90
Schedule 33	Methyl Prednisolone Sodium Acetate 80 Mg Inj	45
Schedule 34	Hip U Drape Set Made Of Impermeable Fabric Triple Layer Consisting Of 1dot Two Large Water Proof Trolley Covers Of Size 160 Cm X 240 Cm Approxcomma 2dot One Water Proof	12
Schedule 35	Acl Tight Rope	24
Schedule 36	6dot5 Ccs Guide Wire 1dot8 Mm	24
Schedule 37	Suture Retriever For Arthroscopy	2
Schedule 38	Vicryl 2slash0 Rb 76cmcomma Sizedash40 Mm 1slash2 Circle	156
Schedule 39	Bandagecomma Plaster Of Paris 10 Cm X 3 Metres	828
Schedule 40	Bandagecomma Plaster Of Paris 15 Cm X 3 Metres	288
Schedule 41	Knotless Push Lock Anchor Bioabsorbable Suture Anchor 4dot5mm For Lateral Row Repair Of Rotator Cuff Dot Full Quality Assurance Instrumentation And All Sizes To Be	12
Schedule 42	Ac Joint Repair Device Consisting Of Double Button System With Adjustable Loop Uhmwpe Suturedotimplants Should Bedot Mri Safedotdash Sterile Packed	9
Schedule 43	All Suture Anchor 1dot2mm For Bankarts And Slap Tear	12
Schedule 44	Fibre Wire With 2 Needles Size Dash No 2slash0comma 10mm Needle	30
Schedule 45	Mersilene Tape 16 Mm	30
Schedule 46	Inj Hyaluronic Acid Prefilled Syringe Single Dose Injection 3mldash 90 Mg Cross Linked	15
Schedule 47	Charley Retractor With Compatible Four Blade	1
Schedule 48	Radial Head Prosthesiscomma Uncemented With Grit Blastedslashporous Coated Stem Surfacecomma Multiple Head Diameter And Stem Length Options Required	6
Schedule 49	Powder Free Gamma Sterilized Natural Rubber Latexcomma Brown Orthopaedic Gloves With Textured Outer Surface And Polymer Coated Dermasheild Technology Inner Surface	1260

Adjustable Loop Cortical Graft Fixation Eightdashpoint Knotless Fixationdevice With Internal Brace For ACL Reconstruction

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	72	45

Fiber Tape 2mm Wide Comma 97 Mm Longcomma Each End Tapered To 2 Fiber Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	24	45

Fiber Stitch All Inside Meniscal Repair

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	6	45

Cannuleted Reamer For ACL Size 4dot5mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	3	45

Cannuleted Reamer For ACL Size 8 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	3	45

Cannuleted Reamer For ACL Size 9 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	3	45

Cannuleted Reamer For ACL Size 10mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	3	45

Suture Passer Straightcomma 45 Degree Right With Nitinol LassoslashPDS Strand With Thumb Pad For Advancementslashretractioncomma Sterile Disposable Packingdotdot

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

Suture Passer Straightcomma45degree Left With Nitinol LassoslashPDS Strand With Thumb Pad For Advancementslashretractioncomma Sterile Disposable Packingdotdot

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

Arthroscopy Beath Needlesdash Drill Tip And Closed Eye

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	15	45

**Meniscal Repair System With Trigger Based Positive Deployment Of 2 PEEK
ImplantsWorkloaded With Preknotted UHMWPE Braided Suture With Adjustable Depth
Limiter For Arthroscopic**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	9	45

**Meniscal Repair System With Trigger Based Positive Deployment Of 4 PEEK
ImplantsWorkloaded With Preknotted UHMWPE Braided Suture With Adjustable Depth
Limiter For Arthroscopic**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	9	45

Sterile Disposable Knee Drapes Pack Pack Should Have Conformable Circular Fenestration Drape Of Water Proof Breathable Triple Layer Fabric Materialdot

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	30	45

Aggressive Cutter Shaver Blades For Arthroscopic Shaver Systemdot Implants Should Be CE European Certified Sterile Packed Disposable Should Be Compatible With ARTHREX

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	30	45

Arthroscopic Knot Cutter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	3	45

FiberstichdashSterilecomma Dispoisable Commaall Inside Meniscalb Repair Device With 2 All Suture Made Up To Braided 4dash0 6dash0 Non Absorbable Polyster Suture Implants

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	6	45

2 0 Fibrewire An UHMWPE Multifilament 2 0 No Suture Braided With Polyester Jacket For Smooth Handing Length Of Suture 96 Cm To Be Used For Various Meniscal Repair Procedures

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	6	45

5 Mm Titanium Corkscrew A Sterile Disposable Knotted 5 Mmm 15dot5 Cmm Titanium Self Punching Tapdashin Anchor For Open Or Arthroscopic Rotator Cuff Repair And With Double

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	16	45

Knee Scorpion Needle A Sterile Disposable Needle Compaitable With Resuable Knee Selfdashretrieving Suture Passer Instruments Knee Scorpion The Width Of The Needle Tip

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	6	45

BIO RCIdash HA SCREWS Alternative Of POLYdash LACTIDEPLA AND HYDROXYLAPTITEHA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	36	45

Arthroscopic Burr 3dot5 Mmdot Full Quality Assurance

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

Arthroscopic Burr 4dot5 Mmdot Full Quality Assurance

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

Arthroscopic Burr 5dot5 Mmdot Full Quality Assurance

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

Normal Saline Irrigation Fluid For Arthroscopy 3 Ltr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	150	45

Tibial Post Fixation Screws For ACL Reconstruction Dia 6dot5mm Length 30 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	30	45

Interlocking Nail Cannulated For Humerus All Sizes With 4 Locking Bolts And End Capomma Complete Constructdot Implants Should Be Dot MRI Safedot

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	6	45

Locking Eight Plate For Hemiepiphyodesis With 2 Compatible Locking Screwsdash Complete Constructdot

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	9	45

Rail Fixator System 240 MmcommaRail 400mm Long1comma Clamp 02 CD Unit 01 Threaded Schenz Screws 6mm To 5mm 41 Set

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	3	45

Control Cable With Sleeve Cobalt Chrome 1dot8 Dash2dot0 Mm X 24 Inches All Implant Sizes With Compatible Instrumentation And Saw System To Be Provide At The Time Of Surgerydot

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	10	45

Meniscal Repair System With Trigger Based Positive Deployment Of 6PEEK ImplantsWorkloaded With Preknotted UHMWPE Braided Suture With Adjustable Depth Limiter For

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

Hydoxyapatite Coated Tapered Schanz Pin 5mm Tapercomma Threaded Portion 50 Mmcomma Total Length 175dash200mmdot Materialdash316 Lvm Stainless SteeldotSterile Packed

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	15	45

Impervious Sterile Stretchable Stockinette For Limb Drape Upto HipdotFull Quality Assurance

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	90	45

Methyl Prednisolone Sodium Acetate 80 Mg Inj

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	45	45

Hip U Drape Set Made Of Impermeable Fabric Triple Layer Consisting Of 1dot Two Large Water Proof Trolley Covers Of Size 160 Cm X 240 Cm Approxcomma 2dot One Water Proof

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

ACL Tight Rope

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	24	45

6dot5 CCS Guide Wire 1dot8 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	24	45

Suture Retriever For Arthroscopy

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	2	45

Vicryl 2slash0 RB 76cmcomma Sizedash40 Mm 1slash2 Circle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	156	45

Bandagecomma Plaster Of Paris 10 Cm X 3 Metres

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	828	45

Bandagecomma Plaster Of Paris 15 Cm X 3 Metres

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	288	45

Knotless Push Lock Anchor Bioabsorbable Suture Anchor 4dot5mm For Lateral Row Repair Of Rotator Cuff Dot Full Quality Assurance Instrumentation And All Sizes To Be

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

AC Joint Repair Device Consisting Of Double Button System With Adjustable Loop UHMWPE SuturedotImplants Should Bedot MRI Safedotdash Sterile Packed

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	9	45

All Suture Anchor 1dot2mm For Bankarts And Slap Tear

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	12	45

Fibre Wire With 2 Needles Size Dash No 2slash0comma 10mm Needle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	30	45

Mersilene Tape 16 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	30	45

Inj Hyaluronic Acid Prefilled Syringe Single Dose Injection 3mldash 90 Mg Cross Linked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	15	45

Charley Retractor With Compatible Four Blade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	1	45

Radial Head Prosthesiscomma Uncemented With Grit Blastedslasporous Coated Stem Surfacecomma Multiple Head Diameter And Stem Length Options Required

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	6	45

Powder Free Gamma Sterilized Natural Rubber Latexcomma Brown Orthopaedic Gloves With Textured Outer Surface And Polymer Coated Dermasheild Technology Inner Surface

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	1260	45

Sterile Disposable C Arm Image Intensifier Cover Dash Waterproof 1 Pair Per Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kamrup	90	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. AS PER TERM AND CONDITIONS UPLADED

2. Liquidated Damages:

If the Seller/Service Provider fails to deliver any or all of the goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure CONDITIONS AFORESAID, @ 0.05% of the contract value of delayed quantity per week or part of the week of delayed period, until actual delivery or performance, as pre estimated damages not exceeding 5% of the total contract value without any controversy/dispute of any sort whatsoever. However, in case of inordinate delay maximum deduction shall be 10% of the total contract value.

Note: Inexcusable delays of more than one-fourth (25%) of the completion period specified in the contract shall be treated as inordinate delay(s).

SL No	File S L No	ATC
1.	1	Vendor should provide technical support at the time of surgery in the form of trained staff required implementation
2.	21	Compatible with ARTHROSIOPY SAVER
3.	22	Compatible with ARTHROSIOPY SAVER
4.	23	Compatible with ARTHROSIOPY SAVER
5.	25	Material should be titanium
6.	27	Material should be titanium
7.	28	Should provide 1 complete set for managing one fracture tibia case

8.	35	Vendor should provide technical support at the time of surgery in the form of trained staff required implementation
9.	43	Material should be PEEK/ Bioabable
10.	48	Should be modular prosthesis (Not monoblock)

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such

representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---