

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|--|--|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 03-06-2026 17:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 03-06-2026 17:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 90 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Defence |
| विभाग का नाम/Department Name | Department Of Defence Research & Development |
| संगठन का नाम/Organisation Name | Office Of Dg (ace) |
| कार्यालय का नाम/Office Name | ***** |
| कुल मात्रा/Total Quantity | 388 |
| वस्तु श्रेणी /Item Category | Sand media such as pebble and gravel and sand , Activated carbon 900 IV , Pressure Gauge 0 to 7 kg , Pressure Gauge 0 to 20 kg , Cartridge filter 4 inch x 10 inch , Rotameter panel mount 500 LPH , RO membrane 4 inch x 40 inch , Conductivity Sensor , Cation resin , Anion resin , Float Sensor , Mix bed , Ferrule 1 by 2 x 6 mm female thread , Ferrule 1 by 2 x 6 mm male thread , PU Tube 100 mtr , Ferrule 12 mm x 6 mm male thread , UPVC union 1inch , UPVC union 1 by 2 inch , Teflon tape , Sintex tank 2 mtr x 1 mtr x 1 by 2 mtr tank capacity 1000 ltr , UPVC pipe and fitting |
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS | Sand media (pebble, gravel and sand), Activated carbon 900 IV, Pressure gauge (0-7 Kg), Pressure gauge (0-20 Kg), Cartridge filter 4" x 10", Rotameter panel mount 500 LPH, RO membrane 4" x 40", Conductivity sensor, Cation resin, Anion resin, Float Sensor, Mix bed, Ferrule 1/2 x 6 mm (female thread), Ferrule 1/2 x 6 mm (male thread), PU Tube (100 mtr), Ferrule 12 mm x 6 mm male thread, UPVC union 1", UPVC union 1/2", Teflon tape, Sintex tank 2 mtr x 1 mtr x 1/2 mtr (tank capacity 1000 ltr), UPVC pipe and fitting |
| | <p>Searched String: Sand media (pebble, gravel and sand)</p> <p>Red Sand Stone Tiles and Slabs from Dholpur - ODOP, Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Sandstone - Slab, Tiles and Articles from Karauli - ODOP, Fine Aggregate (V2) Conforming to IS 383</p> <p>Searched String: Activated carbon 900 IV</p> <p>Activated Carbon (Pellet), Rescue Kit / Disaster Management Kit or Accessories, Activated Carbons Granular (V2)</p> |

Searched String: Pressure gauge (0-7 Kg)

Pressure Gauge - BHEL, Electronic Weighing Scales, Tyre Air Pressure Gauge, GAUGE PRESSURE (OFB-DEFENCE), High Pressure Washer, Gauge Valve - BHEL, Filter cum Pressure Regulator, Pressure and Vacuum Gauges as per IS:3624, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Dial type indicating Pressure Gauges

Searched String: Pressure gauge (0-20 Kg)

Pressure Gauge - BHEL, Electronic Weighing Scales, Tyre Air Pressure Gauge, GAUGE PRESSURE (OFB-DEFENCE), High Pressure Washer, Gauge Valve - BHEL, Filter cum Pressure Regulator, (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, Pressure and Vacuum Gauges as per IS:3624, Dial type indicating Pressure Gauges

Searched String: Cartridge filter 4" x 10"

Filter Cartridge, Wound Filter Cartridge, Battery Operated Industrial Sweeper, Polypropylene Cartridge Filter, Oil Filter Cartridges, Filter cartridges PP wound, Cartridge Filter for Lean Amine Filtration (MRPL)

Searched String: Rotameter panel mount 500 LPH

Infrared Heating Panel (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Diesel Power Generator (up to 900 KVA), P.F. Huts with PUF Panel (MHA), Touchless Soap Dispenser (V3)

Searched String: RO membrane 4" x 40"

Low Fouling Composite (LFC) RO Membrane, Ultra Filtration (UF) Membrane, Equipment Camouflage Nets (Jute) as per Defence Specification

Searched String: Conductivity sensor

digital conductivity meter, Conductivity Standard Solution, Breath Analyser, Occupancy sensor, Temperature controlled soldering station, Photoelectric Sensor, Flame Photometer, Force Sensor, Inductive Proximity Sensor, LVDT Sensor

Searched String: Cation resin

Cation Exchange Resin-IS:7330, Strong Acid Cation Resin (IOCL), Resin Capsule, Bitumen Emulsion for Roads - Cationic Type (V2) as per IS 8887, Mixed Bed Resin Non-Nuclear Grade, Nuclear Grade Ion Exchange Resin, Flowable Dental Composite Resin, Resin Bonded Rock Wool Mattress, Anion Exchange Resin-IS:7330, Oil Filter Cartridges

Searched String: Anion resin

Anion Exchange Resin-IS:7330, Resin Capsule, Nuclear Grade Ion Exchange Resin, Mixed Bed Resin Non-Nuclear Grade, Flowable Dental Composite Resin, Resin Bonded Rock Wool Mattress, Cation Exchange Resin-IS:7330, Oil Filter Cartridges, Strong Acid Cation Resin (IOCL), Hardner HV 9534 + Araldite Resin 5 KG (Hardner K 9)

| बिड विवरण / Bid Details | Searched String: Float Sensor |
|--|---|
| <p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p> | <p>Occupancy sensor, Breath Analyser, Photoelectric Sensor, Force Sensor, LVDT Sensor, Temperature sensor, Temperature controlled soldering station, Ultrasonic Sensor, Floating Equipment for Casing Pipes (ONGC), Pressure Sensor</p> |
| | <p>Searched String: Mix bed</p> <p>dntp mix, PCR Master Mix for In Vitro Diagnostic (IVD) Use, Readymade Bituminous Pothhole Patching Mix as per IS 217 Cutback Bitumen, IS 14982 Anti - Stripping Agent, Mixed Bed Resin Non-Nuclear Grade, Metal Beds (V3), Bed Guard, Crematoria bed, Cancellous/Cortical Mix for Dental or Orthopaedic Surgeries, FPO - Millet Based Health Mix, ICU Bed (V2)</p> |
| | <p>Searched String: Ferrule 1/2 x 6 mm (female thread)</p> <p>Bunk Beds conforming to IS 17636, General Purpose Ball Valves conforming to IS 9890, Correspondence Envelopes (V3) Conforming to IS 13892, rubber bands, Portable Toilet, Computer Paper (V3) Conforming to IS 12766 (In Packet), Computer Paper (V3) Conforming to IS 12766, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Theft Proof Rifle Racks</p> |
| | <p>Searched String: Ferrule 1/2 x 6 mm (male thread)</p> <p>Bunk Beds conforming to IS 17636, General Purpose Ball Valves conforming to IS 9890, Correspondence Envelopes (V3) Conforming to IS 13892, rubber bands, Portable Toilet, Computer Paper (V3) Conforming to IS 12766 (In Packet), Computer Paper (V3) Conforming to IS 12766, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Theft Proof Rifle Racks</p> |
| | <p>Searched String: PU Tube (100 mtr)</p> <p>Polyurethane Tube (V2), High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube for Irrigation Purpose as per IS 16190, Disposable Double Lumen Endotracheal Tubes (V2), Wrought Aluminium and Aluminium Alloys - Extruded Tube and Hollow Sections For General Engineering Purposes, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Pressure Extension Tubes for Medical Purpose, Culture Tube With Screw Cap, Steel Tubes for Structural Purposes (V2) as per IS 1161, Wrought Aluminium and its Alloys - Drawn Tubes for General Engineering Purposes as per IS 738, Air Hoses as per IS 446:1987</p> <p>Searched String: Ferrule 12 mm x 6 mm male thread</p> <p>Sterile Hypodermic Needles for Single use (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Commercial PPR Pipes Fittings as per IS 15801, rubber bands, Correspondence Envelopes (V3) Conforming to IS 13892, Modular Toilet, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, General Purpose Ball Valves conforming to IS 9890, The Indian</p> |

| | |
|---|--|
| बिड विवरण / Bid Details | National Flag - Polyester, Multipurpose or General Test Tubes (V2) as per IS 2618 |
| | <p>Searched String: UPVC union 1"</p> <p>Commercial UPVC Fittings, Nitrile Coated/Nitrile Hand Gloves (V2), Two way UPVC Outlet Valve, UPVC (Unplasticized Polyvinyl Chloride) Window, Multipara Monitor - Low End, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Union Bends confirming to IS 1239 (Part 2), 1, 1, 3 - Triethoxybutane, 1-Bromohexadecane, 1-Naphthylacetic acid</p> <p>Searched String: UPVC union 1/2"</p> <p>Union Bends confirming to IS 1239 (Part 2), Nitrile Coated/Nitrile Hand Gloves (V2), Commercial UPVC Fittings, Two way UPVC Outlet Valve, Multipara Monitor - Low End, UPVC (Unplasticized Polyvinyl Chloride) Window, Pipe Unions confirming to IS 1239 (Part 2), Sofa (V3), Socket Unions confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593</p> <p>Searched String: Teflon tape</p> <p>Teflon hose, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Teflon Beaker with Lid, Elastic Surgical Adhesive Tapes (V2), Tape Cartridge / Tape Media, Aluminum Tape, Foam Tape, Empire Tape, HT Tape</p> <p>Searched String: Sintex tank 2 mtr x 1 mtr x 1/2 mtr (tank capacity 1000 ltr)</p> <p>Portable Toilet, Judo Mat (V2), P.F. Huts with PUF Panel (MHA), Modular Toilet, Sports Mats (V2)</p> <p>Searched String: UPVC pipe and fitting</p> <p>Commercial UPVC Fittings, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Expansion Joints (Pipe fitting), Composite Office Tables conforming to IS 8126 (V2), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainage And Sewerage-IS:16098, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Flush Valves and Fitting for Water Closets and Urinals, Modular Table / Meeting Table / Centre Table (V2), Pipe Fitting For Carbon Steel Forgings For Piping Applications, Steel Pipes for Water and Sewage as per IS 3589</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> • Rotameter • Pressure Gauge - BHEL • Cation Exchange Resin-IS:7330 |
| बीओक्यू शीर्षक /BOQ Title | Reverse Osmosis and DeMineralized plant spares |
| वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience | Yes Complete |

| बिड विवरण/Bid Details | |
|--|--|
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़/ Document required from seller | Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 5 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 2 |
| बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled | No |
| बिड का प्रकार/ Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/ Primary product category | Sand media such as pebble and gravel and sand |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation | 3 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/ Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/ Arbitration Clause | No |
| सुलह खंड/ Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

ईपीबीजी विवरण /ePBG Detail

| | |
|--|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%) / ePBG Percentage (%) | 5.00 |
| ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months). | 11 |

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

OS & DIRECTOR

High Energy Materials Research Laboratory, Department of Defence Research & Development, Office of DG (ACE), Ministry of Defence
(To The Director Hemrl)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the

Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Sand Media Such As Pebble And Gravel And Sand

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|----------------|------------------|------------------------------|
| 1 | ***** | *****PUNE CITY | 50 | 90 |

Activated Carbon 900 IV

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 25 | 90 |

Pressure Gauge 0 To 7 Kg

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 9 | 90 |

Pressure Gauge 0 To 20 Kg

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 2 | 90 |

Cartridge Filter 4 Inch X 10 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 15 | 90 |

Rotameter Panel Mount 500 LPH

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 3 | 90 |

RO Membrane 4 Inch X 40 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 2 | 90 |

Conductivity Sensor

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 2 | 90 |

Cation Resin

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 100 | 90 |

Anion Resin**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 50 | 90 |

Float Sensor**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 1 | 90 |

Mix Bed

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 50 | 90 |

Ferrule 1 By 2 X 6 Mm Female Thread

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 20 | 90 |

Ferrule 1 By 2 X 6 Mm Male Thread

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 20 | 90 |

PU Tube 100 Mtr

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 1 | 90 |

Ferrule 12 Mm X 6 Mm Male Thread

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 15 | 90 |

UPVC Union 1inch

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 5 | 90 |

UPVC Union 1 By 2 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
|------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 5 | 90 |

Teflon Tape

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 10 | 90 |

Sintex Tank 2 Mtr X 1 Mtr X 1 By 2 Mtr Tank Capacity 1000 Ltr

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 2 | 90 |

UPVC Pipe And Fitting

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1 | ***** | *****PUNE CITY | 1 | 90 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

HIGH ENERGY MATERIALS RESEARCH LABORATORY [HEMRL]
POST - ARMAMENT
SUTARWADI
PUNE - 411021
MAHARASHTRA [INDIA]

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

6. **Generic**

Consortium: In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.

7. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

8. **Generic**

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

9. **Generic**

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

10. **Generic**

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

THE TOTAL COST IS INCLUSIVE OF ALL TAXES, DUTIES AND OTHER CHARGES.

11. **Generic**

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally

liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

12. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

13. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

14. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

TO THE DIRECTOR HEMRL, PAYABLE AT PUNE.

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

15. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

16. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

17. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

18. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

19. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

THE BIDDERS ARE REQUIRED TO READ CAREFULLY THE PAGE OF TECHNICAL SPECIFICATION AN

D VENDOR QUALIFICATION CRITERIA UPLOADED ALONG WITH THE BID AND MUST CERTIFY ITS ACCEPTANCE BY APPENDING SEAL AND SIGNATURE ON THE PAGE OF TECHNICAL SPECIFICATION AND VENDOR QUALIFICATION CRITERIA.

IF FAILING TO COMPLY THE ABOVE, THE SUBMITTED TECHNICAL BID WOULD NOT BE CONSIDERED FOR TECHNICAL EVALUATION, WITHOUT ANY FURTHER NOTICE, WHICH PLEASE NOTE.

DELIVERY TERM: FREE DELIVERY AT BUYER'S LOCATION

INSPECTION AGENCY: DIRECTOR OR HIS NOMINATED REPRESENTATIVE

INSPECTION AUTHORITY: DIRECTOR (BUYER) OR HIS AUTHORISED REPRESENTATIVE

THE BIDDER(S) / SELLER(S) IS REQUIRED TO UPLOAD, ALONG WITH THE BID ALL THE RELEVANT CERTIFICATES AS MENTIONED IN THE UPLOADED SPECIFICATION AND VENDOR QUALIFICATION CRITERIA AT THE TIME OF BID OPENING. BIDDER(S) / SELLER(S) OFFER IS LIABLE TO BE REJECTED IF THEY DON'T UPLOAD ANY OF THE CERTIFICATES SOUGHT IN THE BID DOCUMENT.

COMMON IP ADDRESSES:

BIDDER(S) / SELLER(S) MAY PLEASE NOTE THAT GEM IS CAPTURING AND SHOWING THE IP ADDRESSES USED BY THE BUYER AND THE BIDDER(S) / SELLER(S). THE RECEIVED BIDS HAVING MATCHING / COMMON IP ADDRESSES WITH EITHER BIDDER(S) / SELLER(S) OR BUYER, SHALL BE OUTRIGHTLY REJECTED AND SHALL NOT BE CONSIDERED FOR FURTHER EVALUATION.

PERFORMANCE SECURITY BOND (BANK GUARANTEE):

AFTER AWARD OF GEM CONTRACT, THE SELLER MUST UPLOAD SCANNED COPY OF BANK GUARANTEE AND HAS TO ENSURE DELIVERY OF HARD COPY OF THE ORIGINAL BANK GUARANTEE TO THE BUYER WITHIN 15 DAYS OF AWARD OF CONTRACT. SELLER CAN ALSO SUBMIT THE BANK GUARANTEE IN THE FORM OF FIXED DEPOSIT RECEIPT (FDR) ALSO BESIDES BANK GUARANTEE.

20. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

21. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

22. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

23. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

24. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

25. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

26. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

27. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

28. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc. **Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc.

29. **Past Project Experience**

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

30. **Ration Item ATCs**

Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted. Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items

are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

31. Ration Item ATCs

Packing Material The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights. Packing Material. The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in

the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---