

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	05-06-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	05-06-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health Research
संगठन का नाम/Organisation Name	Indian Council Of Medical Research (icmr)
कार्यालय का नाम/Office Name	Icmr National Institute Of Traditional Medicine
कुल मात्रा/Total Quantity	57
वस्तु श्रेणी /Item Category	Ethylmaminobenzoate methanesulphonate , RNA XPress™ Reagent , Paraffin wax noncaking , Haematoxylin Mayer , Eosin 2Perc wv , Dimethyl sulphoxide DMSO , Paraformaldehyde Solution 4Perc , HiSYBR Master Mix with Taq Polymerase , Formaldehyde sol 37 41Perc HiLR , Chloroform , 2Propanol HiLR , Xylene HiLR , EZAssay Mitochondrial Membrane Potential Assay Kit with JC1 , NucleaseFree Water , RIPA buffer Sterile filtered , Acrylamide , NNMethylenebisacrylamide , TEMED , Ammonium persulphate , Sodium dodecyl sulphate , TRIS base , 10X Transfer buffer , Himedia Fetal Bovine Serum , Fetal Bovine Serum , TrypsinEDTA Solution 1 025Perc , Bovine serum albumin , cOMplete ULTRA Tablet , 33 55Tetramethylbenzidine , TrisGlycineSDS Buffer 10 Concentrate , RNA Isolation Kit , 2 7 Dichlorodihydrofluorescein diacetate , Carbonyl cyanide 4trifluoromethoxyphenylhydrazine , 22 Azinobis(3ethylbenzothiazoline)6sulfonic acid , Potassium persulfate , Adenosine 5triphosphate ATP Bioluminescent Assay Kit , GLUCOSE ASSAY KIT , RevertAid First Strand cDNA Synthesis Kit , Ferric Reducing Antioxidant Power FRAP Assay Kit , Lipid Peroxidation MDA Assay Kit , Goat AntiRabbit IgG Antibody H L HRP conjugate , Annexin VFITC Apoptosis Detection Kit , Ethylenediaminetetraacetic acid , DEPC , Sodium bicarbonate Cell culture grade , Fish Cortisol ELISA Kit , Fish TriiodothyronineT3 ELISA Kit , Fish thyroxine T4 ELISA Kit , Influenza A Virus H1N1 Neuraminidase , Zebrafish LEPLepTIN ELISAKit , AntibioticAntimycotic 100X , DNase , GENLISA Human High Sensitive TNFA

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Ethyl-m-aminobenzoate methanesulphonate, RNA? XPress™ Reagent, Paraffin wax (non-caking), Haematoxylin (Mayer), Eosin, 2% w/v, Dimethyl sulphoxide (DMSO), Paraformaldehyde Solution, 4%, Ethyl-m-aminobenzoate methanesulphonate, Hi-SYBR Master Mix (with Taq Polymerase), Formaldehyde sol 37 - 41%, Hi-LR, Chloroform, 2-Propanol, Hi-LR, Xylene, Hi-LR, Hi-SYBR Master Mix (with Taq Polymerase), EZAssay Mitochondrial Membrane Potential Assay Kit with JC-1, Nuclease-Free Water, RIPA buffer Sterile filtered, Acrylamide, N,N-Methylenebis(acrylamide), TEMED, Ammonium persulphate, Sodium dodecyl sulphate, TRIS base, 10X Transfer buffer, Himedia Fetal Bovine Serum, Fetal Bovine Serum, Trypsin-EDTA Solution 1X 0.25%, Bovine serum albumin, cOmplete ULTRA Tablet, 3,3',5,5'-Tetramethylbenzidine, Tris-Glycine-SDS Buffer 10 Concentrate, RNA Isolation Kit, cOmplete ULTRA Tablet, 3,3',5,5'-Tetramethylbenzidine, Tris-Glycine-SDS Buffer 10 Concentrate, 2',7'-Dichlorodihydrofluorescein diacetate, Carbonyl cyanide 4-(trifluoromethoxy)phenylhydrazone, 2,2'-Azino-bis(3-ethylbenzothiazoline-6-sulfonic acid), Potassium persulfate, Petri dishes, polystyrene, Adenosine 5'-triphosphate (ATP) Bioluminescent Assay Kit, GLUCOSE ASSAY KIT, RevertAid First Strand cDNA Synthesis Kit, Ferric Reducing Antioxidant Power (FRAP) Assay Kit, Lipid Peroxidation (MDA) Assay Kit, Goat Anti-Rabbit IgG Antibody, (H+L) HRP conjugate, Annexin V-FITC Apoptosis Detection Kit, Ethylenediaminetetraacetic acid, DEPC, Sodium bicarbonate (Cell culture grade), Fish Cortisol ELISA Kit, Fish Tri-iodothyronine(T3) ELISA Kit, Fish thyroxine (T4) ELISA Kit, Influenza A Virus H1N1 Neuraminidase, Zebrafish LEP(Leptin) ELISA Kit, Antibiotic-Antimycotic (100X), DNase I , GENLISA Human High Sensitive Tumor Necrosis Factor Alpha (tnfa) ELISA

Searched String: Ethyl-m-aminobenzoate methanesulphonate

Category not available on GeM for the text string uploaded by the buyer

Searched String: RNA? XPress™ Reagent

TRIzol Reagent, Biochemistry Reagent Kit for Human Samples, Viral RNA Extraction Kit, Barfoed's Reagent, Biuret Reagent, Molisch's Reagent, Tollen's Reagent, Immunoassay Analyzer Reagent Kit for Human Samples, Fouchet reagent, Reagent Grade Distilled water

Searched String: Paraffin wax (non-caking)

Paraffin Wax Bath, paraffin wax medical for wax bath

Searched String: Haematoxylin (Mayer)

Haematoxylin Dye

Searched String: Eosin, 2% w/v

uniform jersey woolen ribbed v neck dgsd specification, Digital pH Meter, Jersey Woolen 'V' NECK DYED (Uttar Pradesh - Gram Prahri), White LED (W - LED) Based Solar Home Lighting Systems (V2), General purpose Machinery

बिड विवरण / Bid Details

and Spindle Oils (V2) Conforming to IS 493, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Sodium

Hypochlorite Solution (V2) as per IS 11673 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Leather Gauntlets and Mittens (V2) Conforming to IS 2573

Searched String: Dimethyl sulphoxide (DMSO)

Dimethyl sulfoxide, Isopropyl Alcohol (2 - Propanol), Dimethyl Disulphide (DMDS) for Bulk Supply, High Level Medical Device Disinfectant, N,N Dimethyl P Phenylenediamine Dihydrochloride, Dimethyl Amine SL Salts of 2,4-D (V2) Conforming To IS 1827, Dimethylformamide, Para-Dimethylaminobenzaldehyde, Dimethylacetamide, MTT (3-(4,5-Dimethylthiazol-2-yl)-2,5-Diphenyltetrazolium Bromide)

Searched String: Paraformaldehyde Solution, 4%

Ferriin indicator solution, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 4-Aminoantipyrine, Polyester Webbing Slings, Antifoam Solution, water baths, Acetaldehyde solution, Alphabet Flash Cards (Preschool Kit), Ninhydrin Solution, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2)

Searched String: Ethyl-m-aminobenzoate methanesulphonate

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hi-SYBR Master Mix (with Taq Polymerase)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Formaldehyde sol 37 - 41%, Hi-LR

Formaldehyde Solution (V2) as per IS 3321

Searched String: Chloroform

Chloroform, Chloroform, Pure and Technical Conforming to IS 5296, 9 - Fluorenylmethyl Chloroformate

Searched String: 2-Propanol, Hi-LR

Isopropyl Alcohol (2 - Propanol), Twister Machine (Version 2), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Parliament Hinges-IS:362, Sterile Hypodermic Syringe (V3), TERA Package 2 - Robotics and Automation High end Engineering (ASoSE), Show Case, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Layer 2 Access Switch (V2), Resin Treated Compressed Wood Laminates (COMPREGS) for Chemical Purposes Marked to IS 3513 (Part 2)

Searched String: Xylene, Hi-LR

Industrial Xylene (Xylol) (ONGC), Sterile Hypodermic Syringe (V3), Hi - Lo ICU Bed, Lead (II) Oxide (LithARGE) LR, Vertical

बिड विवरण

Autoclave, Karl Fischer Reagent,
Hexamethylenetetramine(Hexamine) - IS 4306, Vacuum
Oven, Potassium Bicarbonate, N Heptane

Searched String: Hi-SYBR Master Mix (with Taq
Polymerase)

Category not available on GeM for the text string uploaded
by the buyer

Searched String: EZAssay Mitochondrial Membrane
Potential Assay Kit with JC-1

Category not available on GeM for the text string uploaded
by the buyer

Searched String: Nuclease-Free Water

Chrome Free Deflocculant (ONGC), water baths, Free
standing PARTITION PANEL, Standalone Needle Free
Connector, Reverse Osmosis based Water Treatment
System above 50 LPH Capacity (V2), Fuel Free Solid Waste
Incinerator, Needle Free Vial Access Device, Environmental
Chamber, Condoms (Free Supply for NACO), Metal Free
Optical Fibre Cable

Searched String: RIPA buffer Sterile filtered

Bag filter

Searched String: Acrylamide

Category not available on GeM for the text string uploaded
by the buyer

Searched String: N,N-Methylenebis(acrylamide)

N Heptane, N-Hexane, N - Hexadecane, N,N Dimethyl P
Phenylenediamine Dihydrochloride, Books (V2), N-
acetylcysteine Injection, Twist Drill (Parallel Shank) as per IS
5102 (V2), N-ACETYL-DL-METHIONINE, Show Case, N -
Hexane AR Grade

Searched String: TEMED

Category not available on GeM for the text string uploaded
by the buyer

Searched String: Ammonium persulphate

AMMONIUM PERSULPHATE- ONGC, Quarternary Ammonium
Compound Based Surface Cleaner, Liquid, Ammonium
Persulphate Reagent Grade, Ammonium molybdate,
Quaternary Ammonium Compound based Surface Cleaner
(liquid) (V2) conforming to IS 14364, Ammonium acetate,
Ammonia solution 25%, Ammonium thiocyanate,
Ammonium Sulphate, Ammonium Metavanadate

Searched String: Sodium dodecyl sulphate

Sodium Dodecyl Sulfate (SDS), Flame Photometer, Sodium
Lauryl Sulphate-IS 3986, Ammonium Sulphate, Blood
Collection Tube, Cadmium Sulphate, Sodium Hypochlorite
Solution (V2) as per IS 11673 (Part 1), Mercuric Sulphate,
Stannous Sulphate, High Pressure Sodium Vapour Lamps
(HPSV Lamps) Conforming To IS 9974

Searched String: TRIS base

बिड विवरण / Bid Details	Tris(hydroxymethyl)aminomethane, Fixed Computer Workstation, 2,4,6-Tris(2-pyridyl)-s-triazine, Lighting Box (Flasher For Police Vehicles), Pseudomonas Agar Base, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Dental Base Plate, pH Meter, Release Base Paper, Servers (V2)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: 10X Transfer buffer</p> <p>Buffer Capsules, Cleaning Duster (V3), Buffer Tablets, Buffer Solutions, Buffer Solutions (V2) Conforming to IS 15557, Metallurgical Microscope, Ammonia Buffer Solution, PH buffer solution, Automatic Transfer Switching Equipment (ATSE) Conforming to IS/IEC 60947, water baths</p> <p>Searched String: Himedia Fetal Bovine Serum</p> <p>Bovine Serum, Bovine Albumine</p> <p>Searched String: Fetal Bovine Serum</p> <p>Bovine Serum, Blood Collection Tube, Bovine Albumine, Horse Serum (V2), CTG Machine (V2), AVS LIQUID, Biochemistry Reagent Kit for Human Samples, Pregnancy Rapid Test Kit (Veterinary Use), Rapid Pregnancy Test Kit, Acellular Dermal Matrix (V3)</p> <p>Searched String: Trypsin-EDTA Solution 1X 0.25%</p> <p>Sterile Hypodermic Needles for Single use (V2), EDTA Solution 0.02N, Multimedia Projector (MMP), Electronic Weighing Scales, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Thiamethoxam 25% WG</p> <p>Searched String: Bovine serum albumin</p> <p>Bovine Albumine, Blood Collection Tube, Bovine Serum, Albumin Egg Flakes, Biochemistry Reagent Kit for Human Samples, Horse Serum (V2), AVS LIQUID, Pregnancy Rapid Test Kit (Veterinary Use), Rapid Pregnancy Test Kit, Acellular Dermal Matrix (V3)</p> <p>Searched String: cOmplete ULTRA Tablet</p> <p>Ultra Fount, Ultra low temperature laboratory deep freezer, Ultra violet torch, Mycophenolate Mofetil Tablet, Ultra Filtration (UF) Membrane, Tracksuit, Ultra - Sonic Bath Sonicator, Chemical Earth Pit Complete Set, Douglas bag system (complete set), Acetazolamide Tablets (V2)</p> <p>Searched String: 3,3?,5,5?-Tetramethylbenzidine</p> <p>5-5 Dithiobis -2-2 Nitrobenzoic Acid, High End Desktop Computer, Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), 5-Sulfosalicylic acid, Entry and Mid Level Desktop Computer, Butachlor 5% Granule(GR), Carbendazim 5% Granules(Gr), All in One PC (V2), Emamectin Benzoate 5% SG, X-ray Film Digitizer</p> <p>Searched String: Tris-Glycine-SDS Buffer 10 Concentrate</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

बिड विवरण/Bid Details Searched String: RNA Isolation Kit

Viral RNA Extraction Kit, Biochemistry Reagent Kit for Human Samples, Bacterial DNA isolation kit, Isolation Transformer, Cronobacter Isolation Agar, personal safety kit reflective luminous garments, NavRakshak Isolation Gown, Networking Trainer Educational Kit, Nucleic Acid Extraction Kit (Diagnostic Purpose), Digital Trainer Kit

Searched String: cOmplete ULTRA Tablet

Ultra Fount, Ultra low temperature laboratory deep freezer, Ultra violet torch, Mycophenolate Mofetil Tablet, Ultra Filtration (UF) Membrane, Tracksuit, Ultra - Sonic Bath Sonicator, Chemical Earth Pit Complete Set, Douglas bag system (complete set), Acetazolamide Tablets (V2)

Searched String: 3,3',5,5'-Tetramethylbenzidine

5-5 Dithiobis -2-2 Nitrobenzoic Acid, High End Desktop Computer, Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), 5-Sulfosalicylic acid, Entry and Mid Level Desktop Computer, Butachlor 5% Granule(GR), Carbendazim 5% Granules(Gr), All in One PC (V2), Emamectin Benzoate 5% SG, X-ray Film Digitizer

Searched String: Tris-Glycine-SDS Buffer 10 Concentrate

Category not available on GeM for the text string uploaded by the buyer

Searched String: 2',7'-Dichlorodihydrofluorescein diacetate

Fipronil 7% + Hexythiazox 2% SC (Suspension Concentrate), Radio Frequency Coaxial Cable, Pyrethrum Extract, Orthotolidine, shoes school pvc boys girls, Plaster of Paris Bandage Conforming to IS 4738, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, File/Folder (V3), Bone Screw (V2), General Purpose Hand Gloves (V2)

Searched String: Carbonyl cyanide 4-(trifluoromethoxy)phenylhydrazone

Category not available on GeM for the text string uploaded by the buyer

Searched String: 2,2'-Azino-bis(3-ethylbenzothiazoline-6-sulfonic acid)

Diethylenetriaminepenta acetic acid, Desk and Bench Set for Classroom/Training Area, Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, Spun Polyester Sewing Threads as per IS 9543, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, shoes school pvc boys girls, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Desk and Chair Set for Classroom/Training Area, Health Supplements, Nutraceuticals and Food for Special Dietary Use, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: Potassium persulfate

Potassium Persulfate (Potassium Peroxodisulfate), Flame Photometer, Ammonium persulfate, Potassium

बिड विवरण / Bid Details

metabisulfite, Blood Collection Tube, Potassium Dichromate, Potassium Iodide as per IS 7163, Potassium Tetraborate, Potassium Mobilizing Bio-Fertilizer (KMB), Potassium Pyroantimonate

Searched String: Petri dishes, polystyrene

petri plates or dishes, Petri plates or dishes(V2), Porcelain Dishes, Environmental Chamber, Polystyrene sheet, Soap Dish - Case, Polystyrene Sheet (V2), Serological Pipettes and Graduated Pipettes as per IS 4364, Expanded polystyrene for thermal insulation purposes - IS 4671, Disposable Paper Cup

Searched String: Adenosine 5?-triphosphate (ATP) Bioluminescent Assay Kit

Category not available on GeM for the text string uploaded by the buyer

Searched String: GLUCOSE ASSAY KIT

Glucose, Biochemistry Reagent Kit for Human Samples, Glucose agar, Line Probe Assay Kit for Second Line Drugs under NTEP, personal safety kit reflective luminous garments, Line Probe Assay DNA Extraction Kit under NTEP, Networking Trainer Educational Kit, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit (V2), Digital Trainer Kit, Line Probe Assay Kit for First Line Drugs under NTEP

Searched String: RevertAid First Strand cDNA Synthesis Kit

Category not available on GeM for the text string uploaded by the buyer

Searched String: Ferric Reducing Antioxidant Power (FRAP) Assay Kit

Category not available on GeM for the text string uploaded by the buyer

Searched String: Lipid Peroxidation (MDA) Assay Kit

Line Probe Assay Kit for Second Line Drugs under NTEP, Line Probe Assay DNA Extraction Kit under NTEP, Line Probe Assay Kit for First Line Drugs under NTEP, Line Probe Assay Reagent Kits under NTEP

Searched String: Goat Anti-Rabbit IgG Antibody, (H+L) HRP conjugate

Category not available on GeM for the text string uploaded by the buyer

Searched String: Annexin V-FITC Apoptosis Detection Kit

Real Time PCR Kits (V2)

Searched String: Ethylenediaminetetraacetic acid

Veratric Acid (3,4-Dimethoxybenzoic Acid), Humic Acid and Fulvic Acid, Acid Slurry or Alkyl Benzene Sulphonic Acid as per IS 8401, Acid Orange, Adipic Acid, Perchloric acid, Periodic Acid, Acrylic acid, Benzoic acid, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549

Searched String: DEPC

विड विवरण/Bid Details Category not available on GeM for the text string uploaded by the buyer

Searched String: Sodium bicarbonate (Cell culture grade)

SODIUM BICARBONATE, Biobanking and Cell Culture Cryogenic Tubes, Sodium Bicarbonate (ONGC), Sodium Bicarbonate as per IS 2124, Flame Photometer, Rabies Veterinary Vaccine, Inactivated (Cell Culture), Sodium Hypochlorite Solution (V3) Conforming To Is 11673, Sodium Bicarbonate (V2) Conforming to IS 2124, Ammonium bicarbonate, Sodium Hypochlorite (Industrial Grade) - ONGC

Searched String: Fish Cortisol ELISA Kit

Dengue ELISA Test Kit, ELISA Test Kits (V2), HIV ELISA Test Kits, HBsAg ELISA Test Kits, HCV ELISA Test Kits, Anti-HEV ELISA Test Kits (V2), Immunoassay Analyzer Reagent Kit for Human Samples, Anti-HAV ELISA Test Kits (V2), Anti Hepatitis B Core Antibody ELISA Kits

Searched String: Fish Tri-iodothyronine(T3) ELISA Kit

ELISA Test Kits (V2)

Searched String: Fish thyroxine (T4) ELISA Kit

Dengue ELISA Test Kit, ELISA Test Kits (V2), HIV ELISA Test Kits, HBsAg ELISA Test Kits, Bluetooth Trainer Educational Kit, HCV ELISA Test Kits, Anti-HEV ELISA Test Kits (V2), Anti-HAV ELISA Test Kits (V2), Anti Hepatitis B Core Antibody ELISA Kits, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)

Searched String: Influenza A Virus H1N1 Neuraminidase

Muffle Furnace, Medical Training kit with Human mannequins for medical education or training, Real Time PCR Kits (V2), Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Twist Drill (Parallel Shank) as per IS 5102 (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Show Case, Bamboo, Tent Pole as per IS 7344, Laboratory Desiccator (V2), Safety Relief Valves- Spring Loaded

Searched String: Zebrafish LEP(Leptin) ELISAKit

Category not available on GeM for the text string uploaded by the buyer

Searched String: Antibiotic-Antimycotic (100X)

Diagnostic Reader For Mycotoxins And Dairy Antibiotics, Cleaning Duster (V3), Metallurgical Microscope, Floor Mounted Horizontal Profile projector, Dry Erase Writing Boards (V3), File/Folder (V3), Pin Up Notice Board (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Dak Pad (V2), Recycled Towel

Searched String: DNase I

Clevenger Apparatus I, All in One PC (V2), Coupling-I (BHEL), Polyol (Grade I) (ONGC), Life Detector Type - I, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Badge Holders - I Card, Grease Graphite - I as per IS 508, Protective Eye Goggles (MHA), Rapid Response Mobile Diagnostic Laboratory (I - Lab)

बिड विवरण / Bid Details	Searched String: GENLISA Human High Sensitive Tumor Necrosis Factor Alpha (tnfa) ELISA
	Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Hexane
बीओक्यू शीर्षक / BOQ Title	Chemicals
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	4 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	8 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	<p>Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1

बिड विवरण/Bid Details	
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Ethylmaminobenzoate methanesulphonate
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	898933
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	Himani Pande
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	Additional Secretary to the Government of India
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	Department for Promotion of Industry and Internal Trade
सीए अनुमोदन संख्या/CA Approval Number	No. P-45021/2/2017-PP(BE-II)-Part (4) Vol.II

सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	08-07-2025
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	Subject: Public Procurement (Preference to Make in India) Order, 2017 - Revision of Exemption Limit for Procurement by Scientific and Research Institutions - reg. The undersigned is directed to refer to Paragraph 4 of the Public Procurement (Preference to Make in India) Order, 2017, dated 19.07.2024 and to say that in case of procurement of scientific equipment /consumables by the scientific and research institutes including higher education institutes offering Doctoral programs, the exemption limit of small purchases for such institutions is increased from Rs 5 lakh to Rs 50 lakh from the date of issuance of this order. However, it shall be ensured by procuring entities that procurement is not split for the purpose of avoiding the provisions of this Order. All other provisions of the PPP-MII Order, 2017 dated 19.07.2024 shall remain unchanged. This issue with the approval of the Competent Authority.

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the

completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
		Ethylmaminobenzoate Methanesulphonate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Rna Xpresstm Reagent	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1

Schedule 1 209840

Paraffin Wax Noncaking	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Haematoxylin Mayer	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Eosin 2perc Wv	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Dimethyl Sulphoxide Dmso	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Paraformaldehyde Solution 4perc	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Ethylmaminobenzoate Methanesulphonate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Hisybr Master Mix With Taq Polymerase	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Formaldehyde Sol 37 41perc Hlir	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Chloroform	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
2propanol Hlir	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Xylene Hlir	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Hisybr Master Mix With Taq Polymerase	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Ezassay Mitochondrial Membrane Potential Assay Kit With Jc1	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Nucleasefree Water	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Ripa Buffer Sterile Filtered	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Acrylamide	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Nnmethylenebisacrylamide	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1

		Temed	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Ammonium Persulphate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Sodium Dodecyl Sulphate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Tris Base	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		10x Transfer Buffer	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Himedia Fetal Bovine Serum	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Fetal Bovine Serum	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Trypsinedta Solution 1 025perc	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Bovine Serum Albumin	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Schedule 2	141088	Complete Ultra Tablet	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		33 55tetramethylbenzidine	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Trisglycinesds Buffer 10 Concentrate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Rna Isolation Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Complete Ultra Tablet	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		33 55tetramethylbenzidine	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Trisglycinesds Buffer 10 Concentrate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		2 7 Dichlorodihydrofluorescein Diacetate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1

Schedule 3	356239	Carbonyl Cyanide 4trifluoromethoxyphenylhydrazone	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		22 Azinobis(3-ethylbenzothiazolone-6-sulfonic Acid	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Potassium Persulfate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Adenosine 5-triphosphate Atp Bioluminescent Assay Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Glucose Assay Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Revertaid First Strand Cdna Synthesis Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Ferric Reducing Antioxidant Power Frap Assay Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Lipid Peroxidation Mda Assay Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Goat Antirabbit Igg Antibody H L Hrp Conjugate	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Annexin Vfitc Apoptosis Detection Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Ethylenediaminetetraacetic Acid	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Depc	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Sodium Bicarbonate Cell Culture Grade	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Schedule 4	69073	Fish Cortisol Elisa Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Fish Triiodothyronine T3 Elisa Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Fish Thyroxine T4 Elisa Kit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Schedule 5	50000	Influenza A Virus H1N1 Neuraminidase	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1

Schedule 6	22998	Zebrafish Lepleptin Elisakit	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Schedule 7	5495	Antibioticantimycotic 100x	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Schedule 8	7200	Dnase	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Schedule 9	37000	Genlisa Human High Sensitive Tnfa	Manjit Sanjeev Patil	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1

Ethylmaminobenzoate Methanesulphonate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

RNA XPress™ Reagent

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Paraffin Wax Noncaking

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Haematoxylin Mayer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Eosin 2Perc Wv

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Dimethyl Sulphoxide DMSO

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Paraformaldehyde Solution 4Perc

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Ethylmaminobenzoate Methanesulphonate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

HiSYBR Master Mix With Taq Polymerase

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Formaldehyde Sol 37 41Perc HiLR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Chloroform

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

2Propanol HiLR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Xylene HiLR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

HiSYBR Master Mix With Taq Polymerase

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

EZAssay Mitochondrial Membrane Potential Assay Kit With JC1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

NucleaseFree Water

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

RIPA Buffer Sterile Filtered

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Acrylamide

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

NNMethylenebisacrylamide

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

TEMED

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Ammonium Persulphate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Sodium Dodecyl Sulphate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

TRIS Base

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

10X Transfer Buffer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Himedia Fetal Bovine Serum

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Fetal Bovine Serum

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

TrypsinEDTA Solution 1 025Perc

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Bovine Serum Albumin

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Complete ULTRA Tablet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

33 55Tetramethylbenzidine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

TrisGlycineSDS Buffer 10 Concentrate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

RNA Isolation Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Complete ULTRA Tablet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

33 55Tetramethylbenzidine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

TrisGlycineSDS Buffer 10 Concentrate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

2 7 Dichlorodihydrofluorescein Diacetate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Carbonyl Cyanide 4trifluoromethoxyphenylhydrazone

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

22 Azinobis3ethylbenzothiazoline6sulfonic Acid

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Potassium Persulfate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Adenosine 5triphosphate ATP Bioluminescent Assay Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

GLUCOSE ASSAY KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

RevertAid First Strand CDNA Synthesis Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Ferric Reducing Antioxidant Power FRAP Assay Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Lipid Peroxidation MDA Assay Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Goat AntiRabbit IgG Antibody H L HRP Conjugate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Annexin VFITC Apoptosis Detection Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Ethylenediaminetetraacetic Acid

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

DEPC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Sodium Bicarbonate Cell Culture Grade

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Fish Cortisol ELISA Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Fish TriiodothyronineT3 ELISA Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Fish Thyroxine T4 ELISA Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Influenza A Virus H1N1 Neuraminidase

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Zebrafish LEPLeptin ELISAKit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

AntibioticAntimycotic 100X

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

DNase

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

GENLISA Human High Sensitive TNFA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manjit Sanjeev Patil	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.
4. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

6. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Director
ICMR
NITM
Belagavi 590010
Karnataka
.

7. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Rate Contract**

Packing Material The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights. Packing Material. The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.

10. **Rate Contract**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

11. **Rate Contract**

Bidder's offer is liable to be rejected if they dont upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

12. **Rate Contract**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

13. **Generic**

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

12 Months shelf life on date of supply
Shelf Life. On the date of supply, minimum
12 months
usable shelf life should be available / balance.

14. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The

Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---