

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-03-2026 10:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-03-2026 10:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	12110

**बिड विवरण/Bid Details****वस्तु श्रेणी /Item Category**

LED Garden Light (V2) (Q2) , Inverter Based LED Street Light (V2) (Q2) , GI PIPE 15MM , GI PIPE 20MM , GI PIPE 25MM , GI PIPE 50MM , GI PIPE 80MM , GI NIPPLE 15MMx100MM , GI NIPPLE 20MMx50MM , GI NIPPLE 20MMx150MM , GI NIPPLE 25MMx50MM , GI NIPPLE 40MMx50MM , GI NIPPLE 25MMx100MM , GI NIPPLE 25MMx150MM , GI NIPPLE 50MMx100MM , GI NIPPLE 50MMx150MM , GI SOCKET 20MM , GI SOCKET 25MM , GI SOCKET 40MM , GI SOCKET 50MM , GI ELBOW 15MM , GI ELBOW 25MM , GI ELBOW 50MM , GI TEE 25MM , GI UNION 15MM , GI UNION 20MM , GI UNION 25MM , GI UNION 80 , GI END PLUG 15MM , GI END PLUG 20MM , GI END PLUG 25MM , GI REDUCER SOCKET 15MMx20MM , GI REDUCER SOCKET 15MMx25MM , GI REDUCER SOCKET 25MMx50MM , GI REDUCER ELBOW 15MMx20MM , GI REDUCER ELBOW 15MMx25MM , GI REDUCER ELBOW 25MMx50MM , GI HEXA NIPPLE 15MM , GI HEXA NIPPLE 20MM , GI HEXA NIPPLE 25MM , GATE VALVE 20MM , GATE VALVE 25MM , GATE VALVE 50MM , HEXA BLADE , SAFEDA Botttle 200 gms , PLUMBING THREAD , BIB TAP 15MM GARDEN , BIB TAP 15MM COOLER , PIG LEAD , TAPE TAFLON , PVC Casing Caping 20 mm , PVC Casing Caping 25 mm , PVC Conduit Pipe 20 mm , PVC Conduit Pipe 25 mm , PVC Casing Caping Saddle 25 mm , PVC Casing Caping bend 25 mm , PVC Casing Caping Saddle 20 mm , PVC Casing Caping bend 20 mm , PVC Conduit clamp 20 mm , PVC Conduit clamp 25 mm , Fastner 100 mm , Wire Clamp 7 mm , Wire Clamp 10 mm , Metal clad or industrial Top 16 Amps , Black Screw 25 mm long Pkt of 100 Nos , Black Screw 40 mm long Pkt of 100 Nos , Black Screw 50 mm long Pkt of 100 Nos , Machine Screw 25 mm long Pkt of 100 Nos , Machine Screw 50 mm long Pkt of 100 Nos , Machine Screw 75 mm long Pkt of 100 Nos , PVC Battern Nails Pkt of 100 Nos , PVC Gitti Pkt of 100 Nos , PVC Flexible Pipe 20 mm , PVC Flexible Pipe 25 mm , 20W MOTION SENSOR BETTEN , 2x2 36W RECESS PANEL WITH REMOTE CANTROL COLOUR , 20W BUILDING FLOOD LIGHT IN RGB COLOR RED GREEN BLUE , 30W BUILDING FLOOD LIGHT IN RGB COLOR RED GREEN BLUE , TRI COLOR ROPE LIGHT IN NATIONAL FLAG COLORS 18MTR ROLL , ENERGY PENDENT LIGHT

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

GI PIPE 15MM, GI PIPE 20MM, GI PIPE 25MM, GI PIPE 50MM, GI PIPE 80MM, GI NIPPLE 15MMx100MM, GI NIPPLE 20MMx50MM, GI NIPPLE 20MMx150MM, GI NIPPLE 25MMx50MM, GI NIPPLE 40MMx50MM, GI NIPPLE 25MMx100MM, GI NIPPLE 25MMx150MM, GI NIPPLE 50MMx100MM, GI NIPPLE 50MMx150MM, GI SOCKET 20MM, GI SOCKET 25MM, GI SOCKET 40MM, GI SOCKET 50MM, GI ELBOW 15MM, GI ELBOW 25MM, GI ELBOW 50MM, GI TEE 25MM, GI UNION 15MM, GI UNION 20MM, GI UNION 25MM, GI UNION 80, GI END PLUG 15MM, GI END PLUG 20MM, GI END PLUG 25MM, GI REDUCER SOCKET 15MMx20MM, GI REDUCER SOCKET 15MMx25MM, GI REDUCER SOCKET 25MMx50MM, GI REDUCER ELBOW 15MMx20MM, GI REDUCER ELBOW 15MMx25MM, GI REDUCER ELBOW 25MMx50MM, GI HEXA NIPPLE 15MM, GI HEXA NIPPLE 20MM, GI HEXA NIPPLE 25MM, GATE VALVE 20MM, GATE VALVE 25MM, GATE VALVE 50MM, HEXA BLADE, SAFEDA Bottle 200 gms, PLUMBING THREAD, BIB TAP 15MM GARDEN, BIB TAP 15MM COOLER, PIG LEAD, PIG LEAD, TAPE TAFLON, PVC Casing Caping 20 mm, PVC Casing Caping 25 mm, PVC Conduit Pipe 20 mm, PVC Conduit Pipe 25 mm, PVC Casing Caping Saddle 25 mm, PVC Casing Caping bend 25 mm, PVC Casing Caping Saddle 20 mm, PVC Casing Caping bend 20 mm, PVC Conduit clamp 20 mm, PVC Conduit clamp 25 mm, Fastner 100 mm, Wire Clamp 7 mm, Wire Clamp 10 mm, Metal clad or industrial Top 16 Amps, Black Screw 25 mm long Pkt of 100 Nos, Black Screw 40 mm long Pkt of 100 Nos, Black Screw 50 mm long Pkt of 100 Nos, Machine Screw 25 mm long Pkt of 100 Nos, Machine Screw 50 mm long Pkt of 100 Nos, Machine Screw 75 mm long Pkt of 100 Nos, PVC Battern Nails Pkt of 100 Nos, PVC Gitti Pkt of 100 Nos, PVC Flexible Pipe 20 mm, PVC Flexible Pipe 25 mm, 20W MOTION SENSOR BETTEN, 2x2 36W RECESS PANEL WITH REMOTE CANTROL COLOUR , 20W BUILDING FLOOD LIGHT IN RGB COLOR RED GREEN BLUE, 30W BUILDING FLOOD LIGHT IN RGB COLOR( RED GREEN BLUE, TRI COLOR ROPE LIGHT IN NATIONAL FLAG COLORS 18MTR ROLL, ENERGY PENDENT LIGHT

**Searched String:** GI PIPE 15MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Pipe Clamps (V2), GI Grating (in MT), Pipe saddles, Pipe Clips, Dry Erase Writing Boards (V3), Pipe Cutter, Steel Pipes for Water and Sewage as per IS 3589

**Searched String:** GI PIPE 20MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Pipe Clamps (V2), GI Grating (in MT), Cleaning Duster (V3), Pipe saddles, Pipe Clips, Pipe Cutter, Dry Erase Writing Boards (V3)

**Searched String:** GI PIPE 25MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Pipe Clamps (V2), GI Grating (in MT), Pipe saddles, Pipe Clips, Dry Erase Writing Boards (V3), Pipe Cutter, Steel Pipes for Water and Sewage as per IS 3589

**बिड विवरण/Bid Details** Searched String: GI PIPE 50MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), GI Grating (in MT), Nitrile Coated/Nitrile Hand Gloves (V2), Pipe saddles, Pipe Clamps (V2), Pipe Clips, Pipe Cutter, Digital Ultrasonic Non-Contact Flowmeter with Totalizer

**Searched String:** GI PIPE 80MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), GI Grating (in MT), Pipe saddles, Pipe Clamps (V2), Pipe Clips, Dry Erase Writing Boards (V3), Pipe Cutter, Steel Pipes for Water and Sewage as per IS 3589

**Searched String:** GI NIPPLE 15MMx100MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), GI Grating (in MT), Dry Erase Writing Boards (V3), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Galvanized Iron Core Box (V2), Pin Up Notice Board (V2)

**Searched String:** GI NIPPLE 20MMx50MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating (in MT), Cleaning Duster (V3), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Dry Erase Writing Boards (V3)

**Searched String:** GI NIPPLE 20MMx150MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), Cleaning Duster (V3), GI Grating (in MT), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans, Galvanized Iron Core Box (V2)

**Searched String:** GI NIPPLE 25MMx50MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating (in MT), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans, Galvanized Iron Core Box (V2)

**Searched String:** GI NIPPLE 40MMx50MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating (in MT), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans, Galvanized Iron Core Box (V2)

**बिड विवरण/Bid Details** Searched String: GI NIPPLE 25MMx100MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), GI Grating (in MT), Dry Erase Writing Boards (V3), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Galvanized Iron Core Box (V2), Pin Up Notice Board (V2)

**Searched String:** GI NIPPLE 25MMx150MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), GI Grating (in MT), Dry Erase Writing Boards (V3), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Galvanized Iron Core Box (V2), Pin Up Notice Board (V2)

**Searched String:** GI NIPPLE 50MMx100MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating (in MT), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings)

**Searched String:** GI NIPPLE 50MMx150MM

Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), GI Grating ( in Number), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating (in MT), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings)

**Searched String:** GI SOCKET 20MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in MT), Cleaning Duster (V3), Impact socket, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Deep Socket, IC SOCKET

**Searched String:** GI SOCKET 25MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in MT), Impact socket, Socket Unions confirming to IS 1239 (Part 2), Deep Socket, Dry Erase Writing Boards (V3), IC SOCKET

**Searched String:** GI SOCKET 40MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in

बिड विवरण / Bid Details

Number), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in MT), Impact socket, Check Valve (V2) as per IS 778, Deep Socket, Dry Erase Writing Boards (V3), IC SOCKET

**Searched String:** GI SOCKET 50MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), GI Grating (in MT), Nitrile Coated/Nitrile Hand Gloves (V2), Impact socket, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Deep Socket, IC SOCKET, Labels Stickers (V3)

**Searched String:** GI ELBOW 15MM

Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Rigid GI Pipe (BHEL), GI Grating ( in Number), Dry Erase Writing Boards (V3), GI Grating (in MT), Elbow and forearm CPM, Elbow and Forearm CPM (V2), Pin Up Notice Board (V2)

**Searched String:** GI ELBOW 25MM

Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Rigid GI Pipe (BHEL), GI Grating ( in Number), GI Grating (in MT), Dry Erase Writing Boards (V3), Elbow and forearm CPM, Elbow and Forearm CPM (V2)

**Searched String:** GI ELBOW 50MM

Heat Elbow Wrap, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elbow Pipe Fitting, Rigid GI Pipe (BHEL), Nitrile Coated/Nitrile Hand Gloves (V2), GI Grating ( in Number), Labels Stickers (V3), GI Grating (in MT), Elbow and forearm CPM, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2)

**Searched String:** GI TEE 25MM

Pumping tee, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid GI Pipe (BHEL), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), GI Grating ( in Number), GI Grating (in MT), Broth Media, Dry Erase Writing Boards (V3), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans

**Searched String:** GI UNION 15MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), GI Grating (in MT), Union Bends confirming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans, Plug Cocks for Water Supply Purposes conforming to IS 3004

**Searched String:** GI UNION 20MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), GI Grating (in MT), Cleaning Duster (V3), Union

विड विवरण / Bid Details	Bends confirming to IS 1239 (Part 2), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans, Galvanized Iron Core Box (V2)
	<p><b>Searched String:</b> GI UNION 25MM</p> <p>Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), GI Grating (in MT), Union Bends confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), dust pans, Galvanized Iron Core Box (V2), Pin Up Notice Board (V2)</p> <p><b>Searched String:</b> GI UNION 80</p> <p>Rigid GI Pipe (BHEL), Insect Killer, GI Grating ( in Number), Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), GI Grating (in MT), Parallel Bar - Outdoor Gym Equipment, Sulphur 80% WG (Wettable Granule), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Zinc Phosphide 80% Powder(V2), Polyethylene Pipes for Water Supply</p> <p><b>Searched String:</b> GI END PLUG 15MM</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), General Purpose Ball Valves (V2), Plug Cocks for Water Supply Purposes conforming to IS 3004, Wire rope slings and sling legs (V3) conforming to IS 2762, HEDGE TRIMMER or HEDGE CUTTER, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Grain Storage Bin (V2)</p> <p><b>Searched String:</b> GI END PLUG 20MM</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, General Purpose Ball Valves (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, HEDGE TRIMMER or HEDGE CUTTER, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Grain Storage Bin (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Open Ended Slugging Wrenches (Spanners) as per IS 4508</p> <p><b>Searched String:</b> GI END PLUG 25MM</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, General Purpose Ball Valves (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, HEDGE TRIMMER or HEDGE CUTTER, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Grain Storage Bin (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Open Ended Slugging Wrenches (Spanners) as per IS 4508</p> <p><b>Searched String:</b> GI REDUCER SOCKET 15MMx20MM</p> <p>PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment,</p>

बिड विवरण

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), CHLORINATED POLYVINYL

CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrical Extension Box (V4), Grain Storage Bin (V2), General Purpose Ball Valves conforming to IS 9890

**Searched String:** GI REDUCER SOCKET 15MMx25MM

PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrical Extension Box (V4), Grain Storage Bin (V2), Hexagonal Socket Head Cap Screw

**Searched String:** GI REDUCER SOCKET 25MMx50MM

PVC Reducer Socket, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Insect Killer, Grain Storage Bin (V2), Hexagonal Socket Head Cap Screw

**Searched String:** GI REDUCER ELBOW 15MMx20MM

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Grain Storage Bin (V2), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, General Purpose Ball Valves conforming to IS 9890, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546

**Searched String:** GI REDUCER ELBOW 15MMx25MM

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Grain Storage Bin (V2), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, General Purpose Ball Valves conforming to IS 9890, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546

**Searched String:** GI REDUCER ELBOW 25MMx50MM

Steel Tubes, Tubulars and Other Steel Fittings as per IS

**बिड विवरण / Bid Details**

1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Insect Killer, Grain Storage Bin (V2), Rigid GI Pipe (BHEL), General Purpose Ball Valves conforming to IS 9890, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546

**Searched String:** GI HEXA NIPPLE 15MM

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), Rubberized Weight Dumbbells, binding coils or wire loops, Grain Storage Bin (V2), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2)

**Searched String:** GI HEXA NIPPLE 20MM

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), Rubberized Weight Dumbbells, Grain Storage Bin (V2), Tile Adhesive (V2), binding coils or wire loops, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2)

**Searched String:** GI HEXA NIPPLE 25MM

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), binding coils or wire loops, Grain Storage Bin (V2), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2)

**Searched String:** GATE VALVE 20MM

Knife Edge Gate Valve, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Gun Metal Gate Valves - BHEL, Check Valve (V2) as per IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cleaning Duster (V3), Grill Gate, Sliding Gate, Dry Erase Writing Boards (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

**Searched String:** GATE VALVE 25MM

Knife Edge Gate Valve, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sliding Gate, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Grill Gate, Dry Erase Writing Boards (V3), HF Gate Antenna Systems, Tripod Turnstile Gate (MHA)

**Searched String:** GATE VALVE 50MM

Knife Edge Gate Valve, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper

**GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS**

बिड विवरण

Alloy Gate Valve for Waterworks Purpose as per IS 778, Nitrile Coated/Nitrile Hand Gloves (V2), Grill Gate, Sliding

Gate, Dry Erase Writing Boards (V3), HF Gate Antenna Systems

**Searched String:** HEXA BLADE

JigSaw Blade, knife blades, Band saw blade, SHEARING MACHINE BLADE, Hand Held Brush Cutter (V2), Blade Server (V2), Stainless Steel Safety Razor Blades (V2) Conforming to IS 7371, Carbide Chain Saw, Blade Fuses-IS:13703, Rubberized Weight Dumbbells

**Searched String:** SAFEDA Botttle 200 gms

Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664

**Searched String:** PLUMBING THREAD

Thread sealant, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Nylon Thread, Silk Thread, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Twine Thread, Thread Plug Gauge, Thread Locking Adhesive, Thread Sealant Tape, Allen Bolt

**Searched String:** BIB TAP 15MM GARDEN

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Metal Alloy Casting Water Tap with Aerator (V2), LED Garden Light (V2), Pipe for Gardening Purpose, Tapping screws

**Searched String:** BIB TAP 15MM COOLER

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Recirculating chiller, Metal Alloy Casting Water Tap with Aerator (V2), Tapping screws, Analog-Digital Circuits Development Platform

**Searched String:** PIG LEAD

Pig Lead (V2) as per IS 27, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Pipeline pig, Refined Secondary Lead (V2) as per IS 3717, Lead nitrate, Lead(II) Acetate, Lead (II) Oxide (LithARGE) LR, Spill Containment Pallets, Lead(II) Chloride Anhydrous, Notesheet (Azure Laid) (V2)

**Searched String:** PIG LEAD

Pig Lead (V2) as per IS 27, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Pipeline pig, Refined

बिड विवरण / Bid Details

Secondary Lead (V2) as per IS 3717, Lead nitrate, Lead(II) Acetate, Lead (II) Oxide (LithARGE) LR, Spill Containment Pallets, Lead(II) Chloride Anhydrous, Notesheet (Azure Laid) (V2)

**Searched String:** TAPE TAFLON

Taflon Tape as per IS 14635, Elastic Surgical Adhesive Tapes (V2), Tape Cartridge / Tape Media, Measuring Tape, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Aluminum Tape, Empire Tape, Foam Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221, HT Tape

**Searched String:** PVC Casing Caping 20 mm

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, Memory Card Reader (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Pipes for Gardening Purposes (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), LED Batten, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** PVC Casing Caping 25 mm

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipes for Gardening Purposes (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Floor Drain Traps (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Conduit Pipe 20 mm

Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipe for Gardening Purpose, Pipe Cutter, Pipe Clamps (V2), Non Sparking Pipe Wrench (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Conduit Pipe 25 mm

Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pipe for Gardening Purpose, Pipe Cutter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor

बिड विवरण/Bid Details

(V2) ISI Marked To IS 694, Pipe Vice as per IS 2587, Wild - Life Cages, Unplasticized PVC Pipes for Potable Water

Supplies as per IS 4985, Pipe Clamps (V2), Unplasticized PVC Pipes for Water Supply conforming to IS 4985

**Searched String:** PVC Casing Caping Saddle 25 mm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Pipes for Gardening Purposes (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Floor Drain Traps (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

**Searched String:** PVC Casing Caping bend 25 mm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Pipes for Gardening Purposes (V2), Floor Drain Traps (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

**Searched String:** PVC Casing Caping Saddle 20 mm

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipes for Gardening Purposes (V2)

**Searched String:** PVC Casing Caping bend 20 mm

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipes for Gardening Purposes (V2)

**Searched String:** PVC Conduit clamp 20 mm

Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Memory Card Reader (V2), Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Pipe Clamps (V2), Pipes for Gardening Purposes (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), LED Batten, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Conduit clamp 25 mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipes for

विड विवरण / Bid Details	Gardening Purposes (V2), Pipe Clamps (V2), Floor Drain Traps (V2), PVC Insulated Copper Cord Single Core and Multi
	<p>Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p><b>Searched String:</b> Fastner 100 mm</p> <p>MM Personality inventory, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 81 MM Mortar Simulator (MHA), Floor Drain Traps (V2), Copper Tube 35 mm-OFB, PT 100 DUPLEX RTD (Air Circuit) (BHEL), Dry Erase Writing Boards (V3), Anti TB Drugs - Clofazimine 100 mg Capsules, Anti TB Drugs - Pyridoxine 100 mg Tablets, Benzaldehyde</p> <p><b>Searched String:</b> Wire Clamp 7 mm</p> <p>Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL), Pipe Clamps (V2), Endotracheal Tubes (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Endotracheal Tube - Sterile (Single Use), binding coils or wire loops, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Wire rope slings and sling legs (V3) conforming to IS 2762</p> <p><b>Searched String:</b> Wire Clamp 10 mm</p> <p>NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Pipe Clamps (V2), Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Copper Tube 104.9mm-OFB, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mild Steel Sheet, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> Metal clad or industrial Top 16 Amps</p> <p>Modular Table / Meeting Table / Centre Table (V2), Drill Pipes (Petroleum Industry), Overbed Tables</p> <p><b>Searched String:</b> Black Screw 25 mm long Pkt of 100 Nos</p> <p>Self Watering Tree guard, Multipurpose or General Test Tubes (V2) as per IS 2618, Culture Tube With Screw Cap (V2), Permanent Paint Marker (V3), Permanent Paint Markers (V2), Labels Stickers (V3), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721</p> <p><b>Searched String:</b> Black Screw 40 mm long Pkt of 100 Nos</p> <p>Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Self Watering Tree guard</p> <p><b>Searched String:</b> Black Screw 50 mm long Pkt of 100 Nos</p>

बिड विवरण / Bid Details

Steel Tubes used for Water Wells (V2) as per IS 4270, Self Inking Rubber Stamp (V2), Self Watering Tree guard, Labels Stickers (V3), modular electrical enclosure switch board boxes for modular type accessories, Digital Ultrasonic Non-Contact Flowmeter with Totalizer, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

**Searched String:** Machine Screw 25 mm long Pkt of 100 Nos

Self Watering Tree guard, Multipurpose or General Test Tubes (V2) as per IS 2618, Culture Tube With Screw Cap (V2), Paper Punch Machine(V2), Labels Stickers (V3), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Vehicle Mounted Air Filter

**Searched String:** Machine Screw 50 mm long Pkt of 100 Nos

Roti Making Machine, Paper Punch Machine(V2), Steel Tubes used for Water Wells (V2) as per IS 4270, Self Watering Tree guard, Labels Stickers (V3)

**Searched String:** Machine Screw 75 mm long Pkt of 100 Nos

Self Watering Tree guard, Labels Stickers (V3), modular electrical enclosure switch board boxes for modular type accessories, Paper Punch Machine(V2), Vehicle Mounted Air Filter

**Searched String:** PVC Battern Nails Pkt of 100 Nos

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Countersunk Head Wire Nails Conforming To IS 723, Vertical Blinds (V2)

**Searched String:** PVC Gitti Pkt of 100 Nos

PVC gitti, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Flexible Pipe 20 mm

Black Flexible Rubber Hose Pipe, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Pipe for Gardening Purpose, Flexible Transparent Sheet (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipe Cutter, Pipe Clamps (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** PVC Flexible Pipe 25 mm

Black Flexible Rubber Hose Pipe, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pipe for Gardening Purpose, Flexible Transparent Sheet (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Pipe Cutter, Flexible Drain Hoses for Wash Basins/ Sinks, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper

बिड विवरण / Bid Details	Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Pipe Clamps (V2)
	<p><b>Searched String:</b> 20W MOTION SENSOR BETTEN</p> <p>Automatic Door sensor</p> <p><b>Searched String:</b> 2x2 36W RECESS PANEL WITH REMOTE CANTROL COLOUR</p> <p>Prelaminated MDF Board</p> <p><b>Searched String:</b> 20W BUILDING FLOOD LIGHT IN RGB COLOR RED GREEN BLUE</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> 30W BUILDING FLOOD LIGHT IN RGB COLOR( RED GREEN BLUE</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> TRI COLOR ROPE LIGHT IN NATIONAL FLAG COLORS 18MTR ROLL</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> ENERGY PENDENT LIGHT</p> <p>High Energy Bar, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Prepaid energy meter, Energy Meter Test Bench, Track Light, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Bicycle Light, Hand Held Search Light, Machine Light, High Mast Lighting Octagonal Tower with Solar Based LED Street Light</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818</li> <li>• Rigid GI Pipe (BHEL)</li> <li>• PVC gitti</li> </ul>
बीओक्यू शीर्षक /BOQ Title	product of items
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	70 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	500 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

<b>बिड विवरण/Bid Details</b>	
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	No
<b>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</b>	1
<b>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</b>	3
<b>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</b>	1
<b>विगत प्रदर्शन /Past Performance</b>	80 %
<b>बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled</b>	Yes
<b>रिवर्स नीलामी योग्यता नियम/RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
<b>बिड का प्रकार/Type of Bid</b>	Two Packet Bid
<b>प्राथमिक उत्पाद श्रेणी/Primary product category</b>	GI NIPPLE 20MMx150MM
<b>तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>मूल्यांकन पद्धति/Evaluation Method</b>	Total value wise evaluation
<b>मध्यस्थता खंड/Arbitration Clause</b>	No
<b>सुलह खंड/Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

<b>एडवाइजरी बैंक/Advisory Bank</b>	State Bank of India
<b>ईएमडी राशि/EMD Amount</b>	740000

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

CWE

Cwe Chandimandir, Department of Military Affairs, Indian Army, Ministry of Defence  
(Cwe Chandimandir)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई के लिए आरक्षित / Reserved for Make In India products**

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value

should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## **LED Garden Light (V2) ( 8 pieces )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Type of Garden Light</b>	Bollard type with Pole and LED lantern/luminaire
	<b>Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked)</b>	Galvanised Iron
	<b>Pole height including lantern/luminaire (in m)</b>	1
	<b>No.of lantern/luminaire with each pole (in m)</b>	1
LIGHT SOURCE	<b>Type of light source - BEE star rating of LED Bulb</b>	SMD LED Chip
	<b>LED Rating in each lantern/luminaire/lighting system (in Watts)</b>	10.0
	<b>LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt)</b>	? 105 and < 120
	<b>In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire</b>	Not applicable (for SMP LED Chip)
	Colour temperature of each light source	6000 +/-500K
PROTECTION	<b>Automatic Lower / Higher Cut off voltage</b>	Yes. Lower cut off 120 V, Higher cut off 300 V
	<b>Protection against surges and transients - External</b>	> / = 10 KV, No Or higher
THERMAL MANAGEMENT	<b>Minimum Operating Temperature (in deg. C)</b>	-10
	<b>Maximum Operating Temperature (in deg. C)</b>	50
LANTERN/LUMINAIRE - CONSTRUCTION	Diffuser Material	UV stabilized - Poly Carbonate
	<b>Impact resistance on diffuser material (in IK)</b>	0
	<b>Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest</b>	65

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Length of ISI marked three core connecting wire (Provided along with each lantern/luminaire) - (in m)</b>	1
CERTIFICATIONS	<b>Warranty for free replacement of lighting systems including lightsource (in years)</b>	1
	Type of LED Bulb / Type of control gear for LED Modules	Type 3 (as Per IS: 16103 (Part-2): 2012) DC or AC Supplied Electronic Control Gear for LED Modules - Performance Requirements as per IS:16104:2012 latest /IEC 62384:2020
	Availability of BIS CRS compliance	Yes as per IS 15885 (Part 2/Sec 13
ADVANCE SAMPLE	<b>Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. ( hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying )</b>	No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	8	30

**Inverter Based LED Street Light (V2) ( 2 pieces )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
BATTERY	<b>Type of battery / Cell voltage / Battery Pack Voltage (in Volt)</b>	Li-Ion Life Po4 / 3.2 /1 2.8 Or higher
	<b>Battery Pack Capacity (in mAh)</b>	6000.0

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LUMINAIRE - CONSTRUCTIONAL	Connecting cable length (in m)	ISI Marked cable 3 core, 0.5 m length, ISI Marked cable 3 core, 1 m length Or higher
	Number of electronic control gear of power supplies (in No.)	1
LUMINAIRE - OPTICAL	LED Rating / System Wattage / Rated Power (in watts)	60
	Luminaire System Efficacy (in lumen/watt)	">/= 110, ">/= 125 Or higher
ELECTRICAL EFFIENCY	Driver Efficiency (in % age)	>/=85%
THERMAL MANAGEMENT	Minimum operating temperature (in deg. C)	-10
	Maximum operating temperature (in deg. C)	50
PROTECTION	The luminaire shall be protected against surges and transients (Internal)	">/=5KV Or higher
CERTIFICATIONS	Warranty for free replacement of Lumminries System including inverter (in years)	2

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	2	30

**GI PIPE 15MM**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	300	30

**GI PIPE 20MM**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	300	30

**GI PIPE 25MM**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	300	30

**GI PIPE 50MM**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

**GI PIPE 80MM**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI NIPPLE 15MMx100MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 20MMx50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 20MMx150MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 25MMx50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 40MMx50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 25MMx100MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 25MMx150MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 50MMx100MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI NIPPLE 50MMx150MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI SOCKET 20MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI SOCKET 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI SOCKET 40MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	150	30

### GI SOCKET 50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	150	30

### GI ELBOW 15MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI ELBOW 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI ELBOW 50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	150	30

### GI TEE 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	150	30

### GI UNION 15MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI UNION 20MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI UNION 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GI UNION 80

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI END PLUG 15MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI END PLUG 20MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI END PLUG 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI REDUCER SOCKET 15MMx20MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI REDUCER SOCKET 15MMx25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI REDUCER SOCKET 25MMx50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI REDUCER ELBOW 15MMx20MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI REDUCER ELBOW 15MMx25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI REDUCER ELBOW 25MMx50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GI HEXA NIPPLE 15MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	50	30

### GI HEXA NIPPLE 20MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	50	30

### GI HEXA NIPPLE 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	50	30

### GATE VALVE 20MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### GATE VALVE 25MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### GATE VALVE 50MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

## HEXA BLADE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

## SAFEDA Bottle 200 Gms

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	50	30

### PLUMBING THREAD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### BIB TAP 15MM GARDEN

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	50	30

### BIB TAP 15MM COOLER

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	50	30

### PIG LEAD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	400	30

### PIG LEAD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### TAPE TAFLOX

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### PVC Casing Caping 20 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### PVC Casing Caping 25 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### PVC Conduit Pipe 20 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### PVC Conduit Pipe 25 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### PVC Casing Caping Saddle 25 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	400	30

### PVC Casing Caping Bend 25 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	400	30

### PVC Casing Caping Saddle 20 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	400	30

### PVC Casing Caping Bend 20 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	400	30

### PVC Conduit Clamp 20 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	400	30

### PVC Conduit Clamp 25 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	400	30

### Fastner 100 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### Wire Clamp 7 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### Wire Clamp 10 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### Metal Clad Or Industrial Top 16 Amps

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	100	30

### Black Screw 25 Mm Long Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### Black Screw 40 Mm Long Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### Black Screw 50 Mm Long Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### Machine Screw 25 Mm Long Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### Machine Screw 50 Mm Long Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### Machine Screw 75 Mm Long Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### PVC Battern Nails Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### PVC Gitti Pkt Of 100 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	20	30

### PVC Flexible Pipe 20 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### PVC Flexible Pipe 25 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****CHANDIGARH	200	30

### 20W MOTION SENSOR BETTEN

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PANCHKULA	600	30

### 2x2 36W RECESS PANEL WITH REMOTE CANTROL COLOUR

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PANCHKULA	100	30

### 20W BUILDING FLOOD LIGHT IN RGB COLOR RED GREEN BLUE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PANCHKULA	60	30

### 30W BUILDING FLOOD LIGHT IN RGB COLOR RED GREEN BLUE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PANCHKULA	60	30

### TRI COLOR ROPE LIGHT IN NATIONAL FLAG COLORS 18MTR ROLL

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PANCHKULA	100	30

### ENERGY PENDENT LIGHT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PANCHKULA	20	30

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

#### Buyer Added Bid Specific Terms and Conditions

**1. Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

#### 3. Generic

**Experience Criteria:** The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization /PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 4. Generic

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorization Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 5. Generic:

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered upto 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to a minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

## 6. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 years old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## 7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 8. Past Project Experience

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

- a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.
  - b. Execution certificate by client with contract value.
  - c. Any other document in support of contract execution like Third Party Inspection release note, etc.
- Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
- d. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.
  - e. Execution certificate by client with contract value.
  - f. Any other document in support of contract execution like Third Party Inspection release note, etc.
9. (a) A certificate on notarized stamp paper of Rs. 300/- declaring that the firm is not black listed by any Govt. / PSU. The signature on stamp paper should not be earlier than three months.
- (b) Only makes/brands as published vide HQ Chief Engineer Western Command, Chandimandir letter No. 33158/TNP/67/E2 (P&C) dt. 04 Mar 2024 (Group 1 & 2 only) and its subsequent amendments will be acceptable.
- (c) OEM Authorization certificate from Head office (For LED Inverter steel light/ battery, sluice valve, joint kit (Heat shrink joint kit should have valid product approval from power grid cooperation india ltd and engineer india limited and electric items TDS of all inverter LED should be uploaded at time of bidding and the OEM of the LED should have in house NABL approved lab and the certificate of the same should be uploaded or participating in this particular bid is required to be uploaded to check the genuineness of the item supplied).
- (d) TDS of below items is mandatory before quoting the bid.

(a) 20W MOTION SENSOR BETTEN

(b) 2x2 36W RECESS PANEL WITH REMOTE CONTROL COLOUR CHANGING- CW,NW,WW

- (c) 20W BUILDING FLOOD LIGHT IN RGB COLOR ( RED, GREEN & BLUE)
- (d) 30W BUILDING FLOOD LIGHT IN RGB COLOR ( RED, GREEN & BLUE)
- (e) TRI COLOR ROPE LIGHT IN NATIONAL FLAG COLORS (18MTR ROLL)
- (f) ENERGY PENDENT LIGHT

(e) Past experience of all items of this bid is required.

**FOR UNBRANDED ITEMS ONLY**

(d) Unbranded items will only be accepted when no relevant brand has been approved in HQ Chief Engineer Western Command, Chandimandir letter No. 33158/TNP/67/E2 (P&C) dt 04 Mar 2024 (Group 1 & 2 only) the ibid letter of HQ, CE WC, Chandimandir or any subsequent amendments.

(e) Non-compliance of any of the ATC in this bid will lead to rejection. No representations will be accepted in this regard.

(f) All bidders will necessarily upload a form in the format as shown below duly dated and signed by the Bidder with his stamp. It will be ensured that Model No. mentioned for the product must be from price list/Catalogue of the brand.

S.NO	Name of Item as in Bid (BOQ/Bunch)	Qty	Name of Make/Brand	Model No.	Remarks
------	------------------------------------	-----	--------------------	-----------	---------

(h) In case any of the above rows are not filled and/or ambiguous, the bid of the bidder is liable to be rejected. The onus and ownership of filling correct data lies on the bidder and no representation regarding the same will be entertained. **The bidders cannot impose any of their conditions. Conditions of the ATC are bidding.** The decision of the Departmental Board of Officer for Technical Evaluation Committee will be final and binding.

**4. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**अस्वीकरण/Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake

compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**