

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-06-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-06-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Dg Armed Forces Medical Service
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	252

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 30 pkt of 10 , Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 32 pkt of 10 , Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 34 pkt of 10 , Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 36 pkt of 10 , Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 38 pkt of 10 , Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 40 pkt of 10 , Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 42 pkt of 10 , Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 44 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 24 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 26 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 28 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 30 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 32 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 34 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 36 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 38 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 40 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 42 pkt of 10 , Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 44 pkt of 10 , Niti closed coil springs with eyelet pkt of 10 for 150 to 200 gm 12 mm pkt of 10 , Upper NiTi Arch Wire 014 ,pkt of 10 , Niti open coil spring 0 point 012 into 0 point 030 thikness wire spool 15 inches , ARS bur, pkt of 06 shape 856-010M , Lower NiTi Arch Wire 014 ,pkt of 10 , Open coil spring SS 0.010 x0.030 spool of 2 mtr , Arch wires TMA size 0.017x 0.025 Lower small plain set of 10 , Lingual sheath pkt of 10 size 0.036 , Orthodontic silver solder spool of 8 to 10 mts , Upper NiTi Arch Wire 016 ,pkt of 10 , Crimpable Hook Cross section 0 point 016 into 0 point 022 inches by Cross section 0 point 021 into 0 point 025 inches , Flux for orthodontic solder Bottle of 15 Gm , Lingual button bondable flat base pkt of 10 , Arch wire TMA size 0.017 x 0.025 Lower small plain set of 10 , Class II corrector FORSUS FRDEZ 25,29,32 , Lower NiTi Arch Wire 016 ,pkt of 10 , Rotation wedges clear, pkt of 100 , Bonding system light cured with adhesive- kit complete , Intrusion arch wire connecticut intrusion arch beta III nickel free long lower 017x 025 pkt of 10 , Closed coil spring NiTi with eyelet of 012 pkt of 10 , Moisture insensitive primer , Posted arch wire SS 016 x 022 length 36mm pkt of 10 , Orthodontic band placement resin cement , SS Orthopedic expansion screw Hyrax Lower , 9 mm , Buccal shelf infra zygomatic crest implant size 2mm x 10mm , Buccal shelf infra zygomatic crest implant size 2mm x 12mm , Posted arch wire SS 016 x 022 length 27 mm pkt of 10 , Posted arch wire SS 0.019 x 0.025 length 36mm pkt of 10 , Headgear High And Medium Pull Complete With Orthopaedic Force Modules 500gm Each , Jasper Jumper assorted sizes 26,28,30,32,34,36 , Distal End Cutter , Pin and Ligature Cutter

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 30 pkt of 10, Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 32 pkt of 10, Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 34 pkt of 10, Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 36 pkt of 10, Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 38 pkt of 10, Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 40 pkt of 10, Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 42 pkt of 10, Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 44 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 24 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 26 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 28 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 30 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 32 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 34 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 36 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 38 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 40 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 42 pkt of 10, Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 44 pkt of 10, Niti closed coil springs with eyelet pkt of 10 for 150 to 200 gm 12 mm pkt of 10, Upper NiTi Arch Wire 014 ,pkt of 10, Niti open coil spring 0 point 012 into 0 point 030 thikness wire spool 15 inches, ARS bur, pkt of 06 (shape 856-010M), Lower NiTi Arch Wire 014 ,pkt of 10, Open coil spring SS 0.010"x0.030" (spool of 2 mtr), Arch wires TMA size 0.017"x 0.025" Lower small plain set of 10, Lingual sheath (pkt of 10) size 0.036", Orthodontic silver solder spool of 8 to 10 mts, Upper NiTi Arch Wire 016 ,pkt of 10, Crimpable Hook Cross section 0 point 016 into 0 point 022 inches by Cross section 0 point 021 into 0 point 025 inches, Flux for orthodontic solder Bottle of 15 Gm, Lingual button bondable flat base pkt of 10, Arch wire TMA size 0.017"x 0.025" Lower small plain set of 10, Class II corrector (FORSUS) FRDEZ 25,29,32, Lower NiTi Arch Wire 016 ,pkt of 10, Rotation wedges clear, pkt of 100, Bonding system light cured with adhesive- kit complete, Intrusion arch wire connecticut intrusion arch beta III nickel free long lower 017x 025 pkt of 10, Closed coil spring NiTi with eyelet of 012 pkt of 10, Moisture insensitive primer, Posted arch wire SS 016 x 022 length 36mm pkt of 10, Orthodontic band placement resin cement, SS Orthopedic expansion screw Hyrax (Lower), 9 mm, Buccal shelf infra zygomatic crest implant size 2mm x 10mm, Buccal shelf infra zygomatic crest implant size 2mm x 12mm, Posted arch wire SS 016 x 022 length 27 mm pkt of 10, Posted arch wire SS 0.019" x 0.025" (length 36mm) pkt of 10, Headgear High And Medium Pull Complete With Orthopaedic Force Modules 500gm Each, Jasper Jumper assorted sizes (26,28,30,32,34,36), Distal End Cutter, Pin and Ligature Cutter

Searched String: Prefabricated TMA arch wire with

बिड विवरण/Bid Details

mushroom loop upper arch 017x025 size 30 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 32 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 34 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 36 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 38 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 40 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 42 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 44 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 24 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 26 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 28 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 30 pkt of 10

Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details

by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 32 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 34 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 36 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 38 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 40 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 42 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Prefabricated TMA arch wire with mushroom loop lower arch 017x025 size 44 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Niti closed coil springs with eyelet pkt of 10 for 150 to 200 gm 12 mm pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Upper NiTi Arch Wire 014 ,pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Niti open coil spring 0 point 012 into 0 point 030 thikness wire spool 15 inches

Category not available on GeM for the text string uploaded by the buyer

Searched String: ARS bur, pkt of 06 (shape 856-010M)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Lower NiTi Arch Wire 014 ,pkt of 10

Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details

by the buyer

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Searched String: Open coil spring SS 0.010"x0.030" (spool of 2 mtr)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Arch wires TMA size 0.017"x 0.025" Lower small plain set of 10

Automatic Fire Ball for Fire - Extinguishing

Searched String: Lingual sheath (pkt of 10) size 0.036"

Nitrile Coated/Nitrile Hand Gloves (V2), Line Interactive UPS with AVR (V2), Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Automatic Fire Ball for Fire - Extinguishing, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, General Purpose Hand Gloves (V2), Laboratory Glassware - Burettes (V2) as per IS 1997, Laboratory Filter Papers (V2)

Searched String: Orthodontic silver solder spool of 8 to 10 mts

General Purpose Hand Gloves (V2), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Forged Shackles for General Lifting Purpose (V2) Conforming to IS/ISO 2415

Searched String: Upper NiTi Arch Wire 016 ,pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Crimpable Hook Cross section 0 point 016 into 0 point 022 inches by Cross section 0 point 021 into 0 point 025 inches

Category not available on GeM for the text string uploaded by the buyer

Searched String: Flux for orthodontic solder Bottle of 15 Gm

Plastic Bottles/Containers for Packaging of Natural Mineral Water and Packaged Drinking Water Conforming to IS 15410

Searched String: Lingual button bondable flat base pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Arch wire TMA size 0.017"x 0.025" Lower small plain set of 10

Automatic Fire Ball for Fire - Extinguishing

Searched String: Class II corrector (FORSUS) FRDEZ 25,29,32

Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details

by the buyer

Searched String: Lower NiTi Arch Wire 016 ,pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Rotation wedges clear, pkt of 100

Category not available on GeM for the text string uploaded by the buyer

Searched String: Bonding system light cured with adhesive- kit complete

Dental Composite Kit with Etchant and Bonding Agent

Searched String: Intrusion arch wire connecticut intrusion arch beta III nickel free long lower 017x 025 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Closed coil spring NiTi with eyelet of 012 pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Moisture insensitive primer

Moisture tins, Moisture analyser, Thread Locking Adhesive, Oligonucleotides PCR Primer, Modular Table / Meeting Table / Centre Table (V2), Moisture Meter (V2), Classroom Stools, Cotton Moisture Meter, Paper Moisture Meter, Soil Moisture Sensor

Searched String: Posted arch wire SS 016 x 022 length 36mm pkt of 10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Orthodontic band placement resin cement

Resin Modified Water based Dental Cement Conforming to IS/ISO 9917 (Part 2), Cement Capsule, Integral Waterproofing Compounds for Cement Mortar and Concrete as per IS 2645

Searched String: SS Orthopedic expansion screw Hyrax (Lower), 9 mm

Laboratory Vials (V2)

Searched String: Buccal shelf infra zygomatic crest implant size 2mm x 10mm

Category not available on GeM for the text string uploaded by the buyer

Searched String: Buccal shelf infra zygomatic crest implant size 2mm x 12mm

Category not available on GeM for the text string uploaded by the buyer

Searched String: Posted arch wire SS 016 x 022 length 27

बिड विवरण/Bid Details	mm pkt of 10
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Posted arch wire SS 0.019" x 0.025" (length 36mm) pkt of 10</p> <p>Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721</p> <p>Searched String: Headgear High And Medium Pull Complete With Orthopaedic Force Modules 500gm Each</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Jasper Jumper assorted sizes (26,28,30,32,34,36)</p> <p>File/Folder (V3), Blood Lancets, Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, Trousers Sleeping Flannel and Trousers Sleeping Cotton - Military Hospital Clothing, Laboratory Glass Adapters, Petti Coat, White - Military Hospital Clothing, Bottle top dispenser, Cleaning Duster (V3), shoes school pvc boys girls, Waste Fittings for Washbasin and Sinks as per IS 2963</p> <p>Searched String: Distal End Cutter</p> <p>Endoscopic Linear Cutter Reload (V2), High End Desktop Computer, Nail Cutter, Vegetable Cutter, Multipara Monitor - Low End, Chaff Cutter, Wooden Podium, GSM Cutter, Fruit Cutter, Hand Held Brush Cutter (V2)</p> <p>Searched String: Pin and Ligature Cutter</p> <p>Crop Reaper and Binder, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Universal Tool and Cutter Grinding Machine, T Slot Cutters with Cylindrical Shanks and with Morse Taper Shank Having Tapped Hole - IS 2668, Vegetable Cutter, Rolling Pin, Board and Sets (Chakla, Belan, Chakla and Belan Set), Jam and Marmalades, Tie Pins and Clips-Handicraft, Tie Pins And Clips-Handicraft (Bamboo), Panels Pins and Lost Head Nails Conforming To IS</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	6738 • Dental Etchant
बीओक्यू शीर्षक /BOQ Title	Medical Store Expendable Items
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Prefabricated TMA arch wire with mushroom loop upper arch 017x025 size 30 pkt of 10
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	252

Schedule 6 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	32
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	5
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	19
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	307
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	6
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	16
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	84
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	11
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	28
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	15
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	7
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	8
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	84
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	1800

Schedule 35 ईएमडी राशि/EMD Amount (In INR)	5
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	6
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	375
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	74
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	13
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	44
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	150
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	56
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	112
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	112
Schedule 46 ईएमडी राशि/EMD Amount (In INR)	132
Schedule 47 ईएमडी राशि/EMD Amount (In INR)	132
Schedule 48 ईएमडी राशि/EMD Amount (In INR)	11
Schedule 49 ईएमडी राशि/EMD Amount (In INR)	54
Schedule 50 ईएमडी राशि/EMD Amount (In INR)	363
Schedule 51 ईएमडी राशि/EMD Amount (In INR)	375

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Dental Officer

CMDC CC, Department of Defence, DG Armed Forces Medical Service, Ministry of Defence

(Rangarajan Harikrishnan)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 30 Pkt Of 10	6
Schedule 2	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 32 Pkt Of 10	6
Schedule 3	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 34 Pkt Of 10	6
Schedule 4	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 36 Pkt Of 10	6
Schedule 5	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 38 Pkt Of 10	6
Schedule 6	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 40 Pkt Of 10	6
Schedule 7	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 42 Pkt Of 10	6
Schedule 8	Prefabricated Tma Arch Wire With Mushroom Loop Upper Arch 017x025 Size 44 Pkt Of 10	6
Schedule 9	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 24 Pkt Of 10	6
Schedule 10	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 26 Pkt Of 10	6
Schedule 11	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 28 Pkt Of 10	6
Schedule 12	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 30 Pkt Of 10	6
Schedule 13	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 32 Pkt Of 10	6
Schedule 14	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 34 Pkt Of 10	6
Schedule 15	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 36 Pkt Of 10	6
Schedule 16	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 38 Pkt Of 10	6
Schedule 17	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 40 Pkt Of 10	6
Schedule 18	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 42 Pkt Of 10	6
Schedule 19	Prefabricated Tma Arch Wire With Mushroom Loop Lower Arch 017x025 Size 44 Pkt Of 10	6
Schedule 20	Niti Closed Coil Springs With Eyelet Pkt Of 10 For 150 To 200 Gm 12 Mm Pkt Of 10	5
Schedule 21	Upper Niti Arch Wire 014 ,pkt Of 10	5

Schedule 22	Niti Open Coil Spring 0 Point 012 Into 0 Point 030 Thikness Wire Spool 15 Inches	2
Schedule 23	Ars Bur, Pkt Of 06 Shape 856-010m	5
Schedule 24	Lower Niti Arch Wire 014 ,pkt Of 10	5
Schedule 25	Open Coil Spring Ss 0.010 X0.030 Spool Of 2 Mtr	2
Schedule 26	Arch Wires Tma Size 0.017x 0.025 Lower Small Plain Set Of 10	2
Schedule 27	Lingual Sheath Pkt Of 10 Size 0.036	2
Schedule 28	Orthodontic Silver Solder Spool Of 8 To 10 Mts	2
Schedule 29	Upper Niti Arch Wire 016 ,pkt Of 10	15
Schedule 30	Crimpable Hook Cross Section 0 Point 016 Into 0 Point 022 Inches By Cross Section 0 Point 021 Into 0 Point 025 Inches	6
Schedule 31	Flux For Orthodontic Solder Bottle Of 15 Gm	3
Schedule 32	Lingual Button Bondable Flat Base Pkt Of 10	2
Schedule 33	Arch Wire Tma Size 0.017 X 0.025 Lower Small Plain Set Of 10	2
Schedule 34	Class Ii Corrector Forsus Frdez 25,29,32	10
Schedule 35	Lower Niti Arch Wire 016 ,pkt Of 10	5
Schedule 36	Rotation Wedges Clear, Pkt Of 100	1
Schedule 37	Bonding System Light Cured With Adhesive- Kit Complete	5
Schedule 38	Intrusion Arch Wire Connecticut Intrusion Arch Beta Iii Nickel Free Long Lower 017x 025 Pkt Of 10	3
Schedule 39	Closed Coil Spring Niti With Eyelet Of 012 Pkt Of 10	2
Schedule 40	Moisture Insensitive Primer	2
Schedule 41	Posted Arch Wire Ss 016 X 022 Length 36mm Pkt Of 10	2
Schedule 42	Orthodontic Band Placement Resin Cement	2
Schedule 43	Ss Orthopedic Expansion Screw Hyrax Lower , 9 Mm	5
Schedule 44	Buccal Shelf Infra Zygomatic Crest Implant Size 2mm X 10mm	10
Schedule 45	Buccal Shelf Infra Zygomatic Crest Implant Size 2mm X 12mm	10
Schedule 46	Posted Arch Wire Ss 016 X 022 Length 27 Mm Pkt Of 10	6
Schedule 47	Posted Arch Wire Ss 0.019 X 0.025 Length 36mm Pkt Of 10	6
Schedule 48	Headgear High And Medium Pull Complete With Orthopaedic Force Modules 500gm Each	2
Schedule 49	Jasper Jumper Assorted Sizes 26,28,30,32,34,36	3
Schedule 50	Distal End Cutter	3
Schedule 51	Pin And Ligature Cutter	3

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 30 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 32 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 34 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 36 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 38 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 40 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 42 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Upper Arch 017x025 Size 44 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 24 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 26 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 28 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 30 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 32 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 34 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 36 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 38 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 40 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 42 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Prefabricated TMA Arch Wire With Mushroom Loop Lower Arch 017x025 Size 44 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Niti Closed Coil Springs With Eyelet Pkt Of 10 For 150 To 200 Gm 12 Mm Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	5	30

Upper NiTi Arch Wire 014 ,pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	5	30

Niti Open Coil Spring 0 Point 012 Into 0 Point 030 Thikness Wire Spool 15 Inches

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

ARS Bur, Pkt Of 06 Shape 856-010M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	5	30

Lower NiTi Arch Wire 014 ,pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	5	30

Open Coil Spring SS 0.010 X0.030 Spool Of 2 Mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Arch Wires TMA Size 0.017x 0.025 Lower Small Plain Set Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Lingual Sheath Pkt Of 10 Size 0.036

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Orthodontic Silver Solder Spool Of 8 To 10 Mts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Upper NiTi Arch Wire 016 ,pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	15	30

Crimpable Hook Cross Section 0 Point 016 Into 0 Point 022 Inches By Cross Section 0 Point 021 Into 0 Point 025 Inches

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Flux For Orthodontic Solder Bottle Of 15 Gm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	3	30

Lingual Button Bondable Flat Base Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Arch Wire TMA Size 0.017 X 0.025 Lower Small Plain Set Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिष्ठी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिष्ठी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Class II Corrector FORSUS FRDEZ 25,29,32

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिष्ठी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिष्ठी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	10	30

Lower NiTi Arch Wire 016 ,pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	5	30

Rotation Wedges Clear, Pkt Of 100

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	1	30

Bonding System Light Cured With Adhesive- Kit Complete

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	5	30

Intrusion Arch Wire Connecticut Intrusion Arch Beta III Nickel Free Long Lower 017x 025 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	3	30

Closed Coil Spring NiTi With Eyelet Of 012 Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Moisture Insensitive Primer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Posted Arch Wire SS 016 X 022 Length 36mm Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Orthodontic Band Placement Resin Cement

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

SS Orthopedic Expansion Screw Hyrax Lower , 9 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	5	30

Buccal Shelf Infra Zygomatic Crest Implant Size 2mm X 10mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	10	30

Buccal Shelf Infra Zygomatic Crest Implant Size 2mm X 12mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	10	30

Posted Arch Wire SS 016 X 022 Length 27 Mm Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Posted Arch Wire SS 0.019 X 0.025 Length 36mm Pkt Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	6	30

Headgear High And Medium Pull Complete With Orthopaedic Force Modules 500gm Each

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	2	30

Jasper Jumper Assorted Sizes 26,28,30,32,34,36

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	3	30

Distal End Cutter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	3	30

Pin And Ligature Cutter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****LUCKNOW	3	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Regimental Fund Account CMDC (CC)
payable at
Command Military Dental Centre (CC)

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

7. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Regimental Fund Account CMDC (CC)
payable at
Command Military Dental Centre (CC)

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

8. **Ration Item ATCs**

Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted. Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Acceptance of terms and conditions letter.
2. OEM Authorization certificate. (if required)
3. Seller licence from competent government authority
4. Sample Clause:- Participant bidders must submit sample for the items asked during technical evaluation. Bidders failing in timely submission of samples will be rejected for the offered item during technical evaluation.
5. Rate quoted should be strictly as per specification and accounting units.
6. Vendors standing L1 by quoting wrong items/rates/ accounting units, resulting in unsuccessfully procurement process will be recorded for poor vendor performance and shall be rejected in future bids after three similar episodes.
7. Successful Bidder will submit the Performance Security @3% of the contract value valid for 12 months in the form of Account Payee Demand Draft. DD should be made in favour of Regimental Fund Account CMDC (CC) payable at Command Military Dental Central (CC) . Successful Bidder will forward scanned copy of PBG through E-mail and has to ensure submission of hard copy within 15 days of award of contract.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as

the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में

भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---