

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-03-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-03-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	50 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Maharashtra
विभाग का नाम/Department Name	Energy Department Maharashtra
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Mahagenco
कुल मात्रा/Total Quantity	377
वस्तु श्रेणी /Item Category	LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2) (Q3) , Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II) (Q2) , LED Batten (Q2) , LED Luminaire for High Bay Lighting (Q3)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	45 Lakh (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No

बिड विवरण/Bid Details

बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
-------------------------------------------	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference

No

1. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Led Luminaire (recessed Luminaire) (v3) Conforming To Is 10322 (part 5/section 2)	25
Schedule 2	Led Luminaire (recessed Luminaire) (v3) Conforming To Is 10322 (part 5/section 2)	60
Schedule 3	Led Luminaire (recessed Luminaire) (v3) Conforming To Is 10322 (part 5/section 2)	60
Schedule 4	Self Ballasted Led Lamps (led Bulb) (v3) Conforming To Is 16102 (part 2) (under Bis Scheme - li)	60
Schedule 5	Led Batten	100
Schedule 6	Led Luminaire For High Bay Lighting	12
Schedule 7	Led Luminaire For High Bay Lighting	60

LED Luminaire (Recessed Luminaire) (V3) Conforming To IS 10322 (Part 5/Section 2) (25 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Rating of Recess type LED Luminaire/System Wattage/Rated Power (in Watt)	6
	Colour temperature (in K) (+/- 500 K)	6500
	Light Intensity (System Lumens) (in lm/watt) (hint: Total Lumen Calculation: Example: 3 W LED Rating x 80 Lumen/Watt = 240 Lumens, 3 W LED Rating x 90 Lumen / Watt = 270 Lumens, 3 W LED Rating x 100 Lumen/Watt = 300 Lumens)	100
	LED Chip Efficacy (in lm/watt)	>/=130
	Shape of the Fixture	Round
	Size of the Fixture	150 mm
CONSTRUCTION	Number of electronic control gear (power supplies)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vipin Krishna Dubey	441111,O/o. Chief Engineer, Maharashtra State Power Generation Co. Limited Koradi Training Centre, Koradi	25	15

LED Luminaire (Recessed Luminaire) (V3) Conforming To IS 10322 (Part 5/Section 2) (60 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Rating of Recess type LED Luminaire/System Wattage/Rated Power (in Watt)	12
	Colour temperature (in K) (+/- 500 K)	6500
	Light Intensity (System Lumens) (in lm/watt) (hint: Total Lumen Calculation: Example: 3 W LED Rating x 80 Lumen/Watt = 240 Lumens, 3 W LED Rating x 90 Lumen / Watt = 270 Lumens, 3 W LED Rating x 100 Lumen/Watt = 300 Lumens)	100
	LED Chip Efficacy (in lm/watt)	>/=130
	Shape of the Fixture	Round
	Size of the Fixture	150 mm
CONSTRUCTION	Number of electronic control gear (power supplies)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vipin Krishna Dubey	441111,O/o. Chief Engineer, Maharashtra State Power Generation Co. Limited Koradi Training Centre, Koradi	60	15

LED Luminaire (Recessed Luminaire) (V3) Conforming To IS 10322 (Part 5/Section 2) (60 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Rating of Recess type LED Luminaire/System Wattage/Rated Power (in Watt)	18
	Colour temperature (in K) (+/- 500 K)	6000
	Light Intensity (System Lumens) (in lm/watt) (hint: Total Lumen Calculation: Example: 3 W LED Rating x 80 Lumen/Watt = 240 Lumens, 3 W LED Rating x 90 Lumen / Watt = 270 Lumens, 3 W LED Rating x 100 Lumen/Watt = 300 Lumens)	100
	LED Chip Efficacy (in lm/watt)	>/=130
	Shape of the Fixture	Round
	Size of the Fixture	150 mm
CONSTRUCTION	Number of electronic control gear (power supplies)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vipin Krishna Dubey	441111,O/o. Chief Engineer, Maharashtra State Power Generation Co. Limited Koradi Training Centre, Koradi	60	15

Self Ballasted LED Lamps (LED Bulb) (V3) Conforming To IS 16102 (Part 2) (Under BIS Scheme - II) (60 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Rated Wattage (in Watts)	9.0
	BEE Star Rating	1 Star
	Type of LED Lamp Cap	B22d

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vipin Krishna Dubey	441111,O/o. Chief Engineer, Maharashtra State Power Generation Co. Limited Koradi Training Centre, Koradi	60	15

LED Batten (100 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	20.0
	Length of LED Batten (Nominal) (in mm)	1150.0
	Lamp Efficacy (Lumen / Watt), Minimum	100, 110 Or higher
	Warranty for free replacement (in Years)	1, 2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Polycarbonate

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vipin Krishna Dubey	441111,O/o. Chief Engineer, Maharashtra State Power Generation Co. Limited Koradi Training Centre, Koradi	100	15

LED Luminaire For High Bay Lighting (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Installation and commissioning	No
	Scope of installation and commissioning	Not applicable
RATINGS	Operating input voltage range (in Volts)	140 to 270
	Luminaire System Wattge (in Watts)	250
	Luminaire System Efficacy - Lumen output - (Lumen/watt)	? 120
	Color Temperature (CCT) +/- 500 K (in Kelvin)	6000 K
	Colour Rendering Index (CRI) (in % age)	? 80
	Power Factor (PF)	? 0.95 at full load
	Ingress Protection (IP) Rating of Luminaire (agreed to furnish test certificates to buyer / consignee on demand)	IP 65
	Impact resistance (If claimed "Yes" - agreed to furnish test certificates to buyer / consignee on demand)	Yes. IK07 (as per IEC 62262:2002)
	Minimum operating temperature range (in deg. C)	-10 to 0
Maximum operating temperature range (in deg. C)	60.0 - 60.0 Or higher	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SAFETY	The luminaire shall be protected against surges and transients (Internal)	? 5 KV
	The luminaire shall be protected against surges and transients (External)	? 10 KV
	Flame/Fire proof compliance (If claimed - agreed to furnish test certificates to buyer / consignee on demand)	No
	Other compliacne (If claimed - agreed to furnish test certificates to buyer / consignee on demand)	EMC (as per IEC:61000-3-2:2014 latest)
CONSTRUCTION	Shape of Luminaire	Round
	Type of mounting	Metallic adjustable Brackets with Eye Bolt
	Installation height range from floor level (in m) - Must declare	50
	Optic Lens	Yes. Polycarbonate-UV stabilised
	Type of Control Gear	Constant Current
	Number of electronic control gear on each luminaire (power supplies) - (in Nos.)	2
	Luminaire fitted with connecting cables for input power	ISI Marked 3 Core cable for input power (Length:250 mm)
Accessories for each luminaire	Metallic adjustable Brackets (Stainless steel), SS Eye Bolts (as per IS:4190:1984 latest), Set of Bolt,Nut, Washers (SS), Die cast aluminium brackets, Metallic Adjustable Brackets (Stainless Steel) provided along with the fixtures for ceiling mounted high bay light fixtures	
MARKING	Marking/Identification details on inside of each luminaire and outside of each packing box	Manufacturer's Name, Model Number, Serial Number, Month and year of manufacturing, Voltage, System Wattage
	Marking/Identification details on each control gear	Manufacturer's Name, Model Number
CERTIFICATIONS	Warranty period (in Months)	24, 36, 48, 60 Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of test reports from Central Govt. Lab/NABL/ILAC accredited laboratory to prove conformity of the specification	Yes
	Agreed to furnish LM 79 , LM 80 reports from Central Government lab/NABL/ILAC accredited lab	Yes as per IS:16106:2012 latest and as per IS:16105:2012 latest
	Agreed to furnish TM 21 report from Central Government lab/NABL/ILAC accredited lab	Yes

Additional Specification Parameters - LED Luminaire For High Bay Lighting (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Type	LED Flood Light outdoor LED Rating (in Watts)/ System Wattage/ Rated Power : 250

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vipin Krishna Dubey	441111,O/o. Chief Engineer, Maharashtra State Power Generation Co. Limited Koradi Training Centre, Koradi	12	15

LED Luminaire For High Bay Lighting (60 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Installation and commissioning	No
	Scope of installation and commissioning	Not applicable

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATINGS	Operating input voltage range (in Volts)	140 to 270
	Luminaire System Wattge (in Watts)	100
	Luminaire System Efficacy - Lumen output - (Lumen/watt)	? 120
	Color Temperature (CCT) +/- 500 K (in Kelvin)	6000 K
	Colour Rendering Index (CRI) (in % age)	? 70
	Power Factor (PF)	? 0.95 at full load
	Ingress Protection (IP) Rating of Luminaire (agreed to furnish test certificates to buyer / consignee on demand)	IP 66
	Impact resistance (If claimed "Yes" - agreed to furnish test certificates to buyer / consignee on demand)	Yes. IK07 (as per IEC 62262:2002)
	Minimum operating temperature range (in deg. C)	-10 to 0
	Maximum operating temperature range (in deg. C)	54.0 - 60.0 Or higher
SAFETY	The luminaire shall be protected against surges and transients (Internal)	? 5 KV
	The luminaire shall be protected against surges and transients (External)	? 10 KV
	Flame/Fire proof compliance (If claimed - agreed to furnish test certificates to buyer / consignee on demand)	No
	Other compliacne (If claimed - agreed to furnish test certificates to buyer / consignee on demand)	No
CONSTRUCTION	Shape of Luminaire	Round
	Type of mounting	Metallic adjustable Brackets with Eye Bolt

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Installation height range from floor level (in m) - Must declare	9
	Optic Lens	No
	Type of Control Gear	Constant Current
	Number of electronic control gear on each luminaire (power supplies) - (in Nos.)	1
	Luminaire fitted with connecting cables for input power	ISI Marked 3 Core cable for input power (Length:250 mm)
	Accessories for each luminaire	Set of Bolt,Nut, Washers (SS)
MARKING	Marking/Identification details on inside of each luminaire and outside of each packing box	Manufacturer's Name
	Marking/Identification details on each control gear	Manufacturer's Name, Model Number
CERTIFICATIONS	Warranty period (in Months)	24, 36, 48, 60 Or higher
	Availability of test reports from Central Govt. Lab/NABL/ILAC accredited laboratory to prove conformity of the specification	No
	Agreed to furnish LM 79 , LM 80 reports from Central Government lab/NABL/ILAC accredited lab	Yes as per IS:16106:2012 latest and as per IS:16105:2012 latest
	Agreed to furnish TM 21 report from Central Government lab/NABL/ILAC accredited lab	Yes

Additional Specification Parameters - LED Luminaire For High Bay Lighting (60 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Type	Street/Road Light LED Rating (in Watts)/ System Wattage/ Rated Power : 90

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vipin Krishna Dubey	441111,O/o. Chief Engineer, Maharashtra State Power Generation Co. Limited Koradi Training Centre, Koradi	60	15

Special terms and conditions-Version:1 effective from 11-11-2025 for category Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II)

1. The marking, dimensions and emission (radiated and conducted) of radio frequency disturbances of Self Ballasted LED Lamps (LED Bulb) shall conform to the IS 16102 (Part 2).

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

3. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

4. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

5. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

6. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

8. Warranty

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

9. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. All required documents and information shall be submitted completely along with the bid. Incomplete submissions may be liable for rejection. Bidders are requested to carefully review and upload all required documents to ensure finalization of the tender within the stipulated period.
2. UDIN of the Practising Chartered Accountant shall be mentioned on all certified commercial documents such as Net Worth, Turnover Certificates, and Financial Statements. Documents without valid UDIN may be liable for rejection.
3. The OEM of the offered product must hold valid ISO 9001:2015, ISO 14001:2015, and ISO 45001:2018 certifications for Quality Management System, Environmental Management System, and Occupational Health & Safety Management System. Valid copies of the certificates shall be submitted along with the bid.
4. The OEM should be in the business of Lighting Manufacturer, designing and supplying for more than 10 Years. (Documentary Evidence to be submitted with the bid).
5. To ensure effective and timely after-sales support during the warranty period, the bidder/OEM must have a Functional local Service Centre capable of providing prompt response within a 100 KM radius of the consignee's location. The service facility should be operational prior to the date of publication of this tender. The bidder/OEM shall submit documentary evidence to establish the existence of a functional service support facility within the specified radius. Such evidence may include valid statutory registrations, utility bills, lease documents, GST registration reflecting the address, service records, service engineer's employment proof or any other relevant proof demonstrating operational status.
6. The Manufacturers of the luminaire must have their own separate R&D wing for in-house testing and product designing other than Manufacturing Facility.
7. Bid specific OEM authorization certificate should be provided by Sr. Area Manager or above (designated OEM official only).
8. Bidder must submit the Authorization Letter (between Bidder and OEM) from Luminaries Manufacturers regarding supply of the material and warranty.
9. Material Test Certificates (MTC) shall be dispatched along with the material. The certificates must be issued by a Recognized Government Laboratory or a NABL Accredited Laboratory. Factory Test Certificates shall also be acceptable, provided that the factory laboratory is NABL Accredited or the material is inspected at the manufacturer's works prior to dispatch.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in

the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---