

बिड दस्तावेज / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-02-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-02-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	National Automotive Board
कार्यालय का नाम/Office Name	National Automotive Board Manesar
कुल मात्रा/Total Quantity	418
वस्तु श्रेणी /Item Category	80 GPD , Carbon Filter , Sediment Filter , SPUN 9 micron , Pipe 6mm , Pipe 8 mm , SMPS 240VAC , Solenoid Valve , Teflon Tape , Micro Switch Float , Spun Kemflow , Tree , TDS Adjuster 6mm , Housing Membrane , High Pressure , Low Pressure , Forty , Reducer PVC , Hardness Kit , PF Filter , UF Filter , 250LPH , 1000LPH
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	RO Memrence 80 GPD, Carbon Filter Size10 Inch, Sediment Filter Size10 Inch, SPUN 9 micron Size 10 Inch dia, Pipe Size 6mm White, Pipe Size 8 mm White, SMPS input 240VAC Output 24VDC 25 3 Ampere, Solenoid Valve input one fourths inch with push fittings, Teflon Tape, Micro Switch(Float Type Auto on off with thread fittings for fixing, Spun Kemflow 5 Micron 10 Inch PP, Tree one fourths inch, TDS Adjuster 6mm, Housing Membrane for Domestic RO Size 10 to 18, HP, LP, Forty, Reducer PVC for PU 8mm to 6mm, Hardness Kit, PF Filter Housing Standard for 20LPH RO, UF Filter Standard for Domestic RO, RO Memrence For 250LPH RO, RO Memrence For 1000LPH RO
	<p>Searched String: RO Memrence 80 GPD</p> <p>Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808, Low Fouling Composite (LFC) RO Membrane, Steel Channels And Hot Rolled Steel Section-IS 808, Pressure Calibrator, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), PET Preform For Disposable Water Bottle</p> <p>Searched String: Carbon Filter Size10 Inch</p> <p>Cleaning Duster (V3), Hand Operated Hydraulic Pipe Bender, Television (TV) (V2), Blind flange, Syringe Filter, Cartridge Filter for Lean Amine Filtration (MRPL), Laboratory</p>

बिड विवरण / Bid Details

Hot plate, General Purpose Ball Valves (V2), General Purpose Hand Gloves (V2), CPVC Industrial Pipe Fittings, Schedule 80

Searched String: Sediment Filter Size10 Inch

Cleaning Duster (V3), Television (TV) (V2), Wound Filter Cartridge, Syringe Filter, Cartridge Filter for Lean Amine Filtration (MRPL), Laboratory Hot plate, General Purpose Hand Gloves (V2), Polypropylene Cartridge Filter, General Purpose Ball Valves (V2), Laboratory Filter Papers (V2)

Searched String: SPUN 9 micron Size 10 Inch dia

General Purpose Hand Gloves (V2), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Laboratory Hot plate, shoes school pvc boys girls, boot ankle textile jungle boot direct moulded pu sole in pairs, Polyethylene Bags for General Purposes, Filter Cartridge, Scantling teak wood, boot ankle for marching purpose double density pu sole

Searched String: Pipe Size 6mm White

Dry Erase Writing Boards (V3), Picket Steel as per DGS&D Drawing, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Disposable Surgical Rubber Gloves (V2), Pipe for Gardening Purpose, Endotracheal Tube - Sterile (Single Use), Parallel Bar - Outdoor Gym Equipment, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Commercial CPVC Pipe Fittings

Searched String: Pipe Size 8 mm White

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Dry Erase Writing Boards (V3), CPVC Industrial Pipe Fittings, Schedule 80, Light Weight Running Shoes (V2) (MHA), File/Folder (V3), Endotracheal Tube - Sterile (Single Use), Disposable Surgical Rubber Gloves (V2), Parallel Bar - Outdoor Gym Equipment, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: SMPS input 240VAC Output 24VDC 25 3 Ampere

Category not available on GeM for the text string uploaded by the buyer

Searched String: Solenoid Valve input one fourths inch with push fittings

Commercial CPVC Pipe Fittings

Searched String: Teflon Tape

Teflon hose, Elastic Surgical Adhesive Tapes (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, Teflon Beaker with Lid, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Tape Cartridge / Tape Media, Measuring Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS

बिड विवरण / Bid Details

14221 Aluminum Tape

Searched String: Micro Switch(Float Type Auto on off with thread fittings for fixing

Category not available on GeM for the text string uploaded by the buyer

Searched String: Spun Kemflow 5 Micron 10 Inch PP

Polypropylene Cartridge Filter, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Non Sparking Pipe Wrench (V2), Non Sparking Adjustable Wrench (V2), Haemodialysis Machine

Searched String: Tree one fourths inch

Tree Lopper, Sewer inspection machinery

Searched String: TDS Adjuster 6mm

High TDS Water Centrifugal Pump (IOCL), Revolving Chair (V5), Mild Steel Sheet, Water Quality Meters / Analyzers, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dry Erase Writing Boards (V3), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2)

Searched String: Housing Membrane for Domestic RO Size 10 to 18

Mild Steel Sheet, Automatic Fire Ball for Fire - Extinguishing, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: HP

1 KW HF (HP) Trans-Receiver as per MHA QR (V2), High Performance EP Lubricant (ONGC), Coverall for Refinery Location - HPCL, Lamp Ballast for HPSV Lamps as per IS 15882:2009, IS 15885, Industrial Siren / Electrical Siren, High Performance Liquid Chromatography (HPLC) System, Toner Cartridges / Ink Cartridges / Consumables for Printers, Coverall for Marketing Location - HPCL, Tractors (V1), Thermal Inner Set - HPCL

Searched String: LP

Liquified Petroleum Gas (Lpg) Cylinder For Bhel-IS 6044, Tamper Evident Seals for LPG cylinders, Padlock (General Use), Liquified Petroleum Gas (LPG) (V2) Conforming to IS 4576, CT Scanners 128 Slice, Liquified Petroleum Gas (LPG) as per IS 4576 for Bulk Supply, Padlocks (ताले) conforming To Is 15275, Cylinders for Liquefied Petroleum Gases (LPG) of 14.2 Kg, NBR O - Ring for Self Closing Valves of LPG Cylinders, Nylon string used in Safety cap for self closing valves of LPG cylinders

Searched String: Forty

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details	Backpacks - Rucksack - Forty Liter (MHA)
	<p>Searched String: Reducer PVC for PU 8mm to 6mm</p> <p>PVC Fills for Colling Tower, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mild Steel Sheet, PVC Reducer Socket, Pipe for Gardening Purpose, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Flat Cable, Aluminium Conductor with PVC Insulation and Sheath as per IS 694, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494</p> <p>Searched String: Hardness Kit</p> <p>Barcol Hardness Tester, personal safety kit reflective luminous garments, Portable Hardness Tester, Digital Micro Vickers Hardness Tester, Rubber Hardness Tester, Biochemistry Reagent Kit for Human Samples, Shore Hardness Tester, Yarn Package Hardness Tester (Textile), Digital Rockwell Hardness Testing Machine, Networking Trainer Educational Kit</p> <p>Searched String: PF Filter Housing Standard for 20LPH RO</p> <p>Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, C Band Pass Filter for POLNET Terminal (CRPF), Polypropylene Cartridge Filter</p> <p>Searched String: UF Filter Standard for Domestic RO</p> <p>Drinking Water ATM / Water Vending Machine (Version 2)</p> <p>Searched String: RO Memrence For 250LPH RO</p> <p>RO Water Plant for Hemodialysis, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Portable RO Plant For Haemodialysis, Single Bed RO Unit For Haemodialysis, Electronic Weighing Scales, Low Fouling Composite (LFC) RO Membrane, Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), RO Plant with Genset and Trolley, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, RO Alkaline Water Purifier (Hot and Cold)</p> <p>Searched String: RO Memrence For 1000LPH RO</p> <p>RO Water Plant for Hemodialysis, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Portable RO Plant For Haemodialysis, Single Bed RO Unit For Haemodialysis, Electronic Weighing Scales, Low Fouling Composite (LFC) RO Membrane, Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), RO Plant with Genset and Trolley, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, RO Alkaline Water Purifier (Hot and Cold)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Barcol Hardness Tester
बीओक्यू शीर्षक /BOQ Title	Supply of Spares and consumables for Water Dispenser with Inbuilt RO system

बिड विवरण/Bid Details	
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	80 GPD
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	53521
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes

बिड विवरण/Bid Details

मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also

subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price Breakup - [1768910732.xlsx](#)

80 GPD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	30

Carbon Filter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	30

Sediment Filter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	30

SPUN 9 Micron

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	30

Pipe 6mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	30

Pipe 8 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	30

SMPS 240VAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	15	30

Solenoid Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	30

Teflon Tape

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	30

Micro Switch Float

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	30

Spun Kemflow

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	30

Tree

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	4	30

TDS Adjuster 6mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	4	30

Housing Membrane

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	30

High Pressure

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	30

Low Pressure

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	30

Forty

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	30

Reducer PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	30

Hardness Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	30

PF Filter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	30	30

UF Filter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	30

250LPH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	30

1000LPH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

