

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	02-07-2026 18:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	02-07-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Uttar Pradesh
विभाग का नाम / Department Name	Energy Department Uttar Pradesh
संगठन का नाम / Organisation Name	Uttar Pradesh Rajya Vidyut Utpadan Nigam Limited (uprvunl) Lucknow
कार्यालय का नाम / Office Name	Lucknow
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	ee.cpd.harduaganj@uprvunl.org
कुल मात्रा / Total Quantity	46
वस्तु श्रेणी / Item Category	Title1 , Title2 , Title3 , Title4 , Title5 , Title6 , Title7 , Title8 , Title9 , Title10 , Title11 , Title12 , Title13 , Title14 , Title15 , Title16 , Title17 , Title18
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	MANUALLY OPERATED DIAPHRAGM VALVES, SIZE 40 NB, MANUALLY OPERATED DIAPHRAGM VALVES, SIZE 50 NB, MANUALLY OPERATED DIAPHRAGM VALVES, SIZE 65 NB, MANUALLY OPERATED DIAPHRAGM VALVES, SIZE 80 NB, DIRECT ACTING (SPRING TO OPEN) PNEU OPERATED WIER TYPE DIAP VALVES, SIZE 50 NB, DIRECT ACTING (SPRING TO OPEN) PNEU OPERATED WIER TYPE DIAP VALVES, SIZE 65 NB, DIRECT ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, SIZE 65 NB BA-31, DIRECT ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, SIZE 65 NB BA-21, DIRECT ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, SIZE 80 NB BA-31, REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-40nb, REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-50nb, REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-65nb, REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-80nb, DIAPHRAGM FOR DIAPHRAGM VALVES, NIPPLE SIZE - 8 mm (SIZE 25NB), DIAPHRAGM FOR DIAPHRAGM VALVESsize 40mm , NIPPLE SIZE - 8 mm, DIAPHRAGM FOR DIAPHRAGM VALVES size 50mm NIPPLE SIZE - 8 mm, DIAPHRAGM FOR DIAPHRAGM VALVESsize 65mm NIPPLE SIZE - 8 mm, DIAPHRAGM FOR DIAPHRAGM VALVESsize 80mmNIPPLE SIZE - 8 mm
	Searched String: MANUALLY OPERATED DIAPHRAGM

विड विवरण / Bid Details

VALVES, SIZE 40 NB

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Knife Edge Gate Valve, Diaphragm type valves for general purpose - IS 11791, Check Valve (V2) as per IS 778, Foot pedal Operated Sanitizer dispenser stand, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Rubber Diaphragms

Searched String: MANUALLY OPERATED DIAPHRAGM VALVES, SIZE 50 NB

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Knife Edge Gate Valve, Diaphragm type valves for general purpose - IS 11791, Rigid GI Pipe (BHEL), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Check Valve (V2) as per IS 778, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846

Searched String: MANUALLY OPERATED DIAPHRAGM VALVES, SIZE 65 NB

Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Knife Edge Gate Valve, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Check Valve (V2) as per IS 778

Searched String: MANUALLY OPERATED DIAPHRAGM VALVES, SIZE 80 NB

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Knife Edge Gate Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, General Purpose Ball Valves (V2), Check Valve (V2) as per IS 778, Diaphragm type valves for general purpose - IS 11791

Searched String: DIRECT ACTING (SPRING TO OPEN) PNEU OPERATED WIER TYPE DIAP VALVES, SIZE 50 NB

Category not available on GeM for the text string uploaded by the buyer

Searched String: DIRECT ACTING (SPRING TO OPEN) PNEU OPERATED WIER TYPE DIAP VALVES, SIZE 65 NB

Category not available on GeM for the text string uploaded by the buyer

Searched String: DIRECT ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, SIZE 65 NB BA-31

Category not available on GeM for the text string uploaded by the buyer

Searched String: DIRECT ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, SIZE 65 NB BA-21

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: DIRECT ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, SIZE 80 NB BA-31

Category not available on GeM for the text string uploaded by the buyer

Searched String: REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-40nb

Category not available on GeM for the text string uploaded by the buyer

Searched String: REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-50nb

Category not available on GeM for the text string uploaded by the buyer

Searched String: REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-65nb

Category not available on GeM for the text string uploaded by the buyer

Searched String: REVERSE ACTING PNEU OPERATED WIER TYPE DIAPHRAGM VALVES, size-80nb

Category not available on GeM for the text string uploaded by the buyer

Searched String: DIAPHRAGM FOR DIAPHRAGM VALVES, NIPPLE SIZE - 8 mm (SIZE 25NB)

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Diaphragm type valves for general purpose - IS 11791, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, The Indian National Flag - Polyester, Modular Toilet, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Endotracheal Tube - Sterile (Single Use), Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Ferro Vanadium for SAIL

Searched String: DIAPHRAGM FOR DIAPHRAGM VALVESsize 40mm , NIPPLE SIZE - 8 mm

XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), petri plates or dishes, Diaphragm type valves for general purpose - IS 11791, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, The Indian National Flag - Polyester, Endotracheal Tube - Sterile (Single Use), Transparent Float Glass ISI Marked to 14900, Work Benches, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846

Searched String: DIAPHRAGM FOR DIAPHRAGM VALVES size 50mm NIPPLE SIZE - 8 mm

XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), The Indian National

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details	<p>Flag - Polyester, petri plates or dishes, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Endotracheal Tube - Sterile (Single Use), Work Benches, Modular Toilet, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786</p> <p>Searched String: DIAPHRAGM FOR DIAPHRAGM VALVEsize 65mm NIPPLE SIZE - 8 mm</p> <p>XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Running Nipples, Close Taper Nipples and Barrel Nipples conforming to IS 1239 (Part 2), petri plates or dishes, Diaphragm type valves for general purpose - IS 11791, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, The Indian National Flag - Polyester, Endotracheal Tube - Sterile (Single Use), Work Benches, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Modular Toilet</p> <p>Searched String: DIAPHRAGM FOR DIAPHRAGM VALVEsize 80mmNIPPLE SIZE - 8 mm</p> <p>Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Diaphragm type valves for general purpose - IS 11791, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, The Indian National Flag - Polyester, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Modular Toilet, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Polyethylene Pipes for Water Supply conforming to IS 4984, Steel Tubes used for Water Wells (V2) as per IS 4270, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Diaphragm type valves for general purpose - IS 11791
बीओक्यू शीर्षक /BOQ Title	BDK Diaphragm valves
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ /Document required from seller	<p>Certificate (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	10
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Title1
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1720505
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	18

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SAO EPAD UPRVUNL
CFA&BO UPRVUNL HTPS KASIMPUR ALIGARH
(Sao Epad Uprvunl)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

Single Tender

Single Tender Applicable	Yes
Reason	The competent authority in the Ministry or Department has certified that the demand is urgent, and any additional expenditure involved by not procuring through advertised tender enquiry is justified in view of urgency. The Ministry or Department has placed on record the nature of the urgency and reasons why the procurement could not be anticipated.
List of Seller Organization for participation	I.M.S ENTERPRISES PRIVATE LIMITED

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Title1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title5

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title6

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	1	60

Title7

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	1	60

Title8

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	1	60

Title9

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	1	60

Title10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title11

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title12

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	2	60

Title13

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	1	60

Title14

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	5	60

Title15

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	5	60

Title16

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	5	60

Title17

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	5	60

Title18

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Summit Chaurasia	202125,Harduaganj Thermal Power Plant	5	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---