

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-03-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-03-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	45 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Punjab
विभाग का नाम/Department Name	Technical Education And Industrial Training Department Punjab
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Chandigarh
कुल मात्रा/Total Quantity	825
वस्तु श्रेणी /Item Category	AC Wattmeter Single Phase , Portable Digital Ammeter , Portable Digital Wattmeter Three Phase , Portable Digital Wattmeter Single Phase , Portable Digital Voltmeter , Portable Analog Ammeter DC , Portable Analog Voltmeter DC , Rheostat , Servo Motor , Three phase resistive load , Single phase resistive load , Norton theorem verification kit , Thevenin theorem verification kit , Three Phase transformer , Single Phase Induction Motor , Synchronous motor , Stepper Motor With Driver , Variac Single Phase , Ohms Law Verification Kit , RLC Circuit Trainer Kit , Combination Plier Insulated 8 Inch , Tape Roll , MCB 32 AMPS 4 POLE , MCB 63 AMPS 4 POLE , MCB 32 AMPS 2 POLE , MCB 16 AMPS 2 POLE , RCCB 40 AMPS 4 POLE , Single Core Wire 4 Sqmm , Single Core Wire 2.5 Sqmm , Single Core Wire 1.5 Sqmm , Single Core Wire 1 Sqmm , 3 Phase 4 Core Cable 10mm Square , Electric Switch , Electric Socket , Electric Power switch , Electric Power socket , Heavy Duty Power Extension Board , PVC Casing Capping , Flexible PVC Pipe , PVC Conduit Pipes , 3 Core Copper Cable ROLL , 2 Core Aluminium Cable ROLL , Double Pole MCB with Box , 4 Pole MCB with Box , LED Tube Lights , Circle cable clip , Heavy Duty Switch-Socket With Gang Box , Thimbles , Lab Table with electrical raceway

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

AC Wattmeter Single Phase, Portable Digital Ammeter, Portable Digital Wattmeter Three Phase, Portable Digital Wattmeter Single Phase, Portable Digital Voltmeter, Portable Analog Ammeter DC, Portable Analog Voltmeter DC, Rheostat, Servo Motor , Three phase resistive load, Single phase resistive load, Norton theorem verification kit, Thevenin theorem verification kit, Three Phase transformer, Single Phase Induction Motor, Synchronous motor, Stepper Motor With Driver, Variac Single Phase, Ohms Law Verification Kit, RLC Circuit Trainer Kit, Combination Plier Insulated 8 Inch, Tape Roll, MCB 32 AMPS 4 POLE , MCB 63 AMPS 4 POLE , MCB 32 AMPS 2 POLE , MCB 16 AMPS 2 POLE , RCCB 40 AMPS 4 POLE, Single Core Wire 4 Sqmm, Single Core Wire 2.5 Sqmm, Single Core Wire 1.5 Sqmm, Single Core Wire 1 Sqmm, 3 Phase 4 Core Cable 10mm Square, Electric Switch , Electric Socket , Electric Power switch , Electric Power socket , Heavy Duty Power Extension Board, PVC Casing Capping, Flexible PVC Pipe, PVC Conduit Pipes, 3 Core Copper Cable ROLL , 2 Core Aluminium Cable ROLL , Double Pole MCB with Box, 4 Pole MCB with Box, LED Tube Lights, Circle cable clip, Heavy Duty Switch-Socket With Gang Box, Thimbles, Lab Table with electrical raceway

**Searched String:** AC Wattmeter Single Phase

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Wet Grinder, Power Quality Analyzer, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Single Operator AC Arc Welding Transformers as per IS 1857, Single Operator AC and DC Arc Welding Transformers GTAW Welding Machine as per IS 6008, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, DC Regulated Power Supply As Per MHA QRs, Capacitors for Electric Fan Motors as per IS 1709 (V2)

**Searched String:** Portable Digital Ammeter

Portable Digital Alcohol Meter, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Ammeter - Analog (Panel Meter) as per IS 1248, Plasma Thawing Bath, Indicating Instruments - Ammeter & Voltmeter (BHEL), Digital Multimeter, Portable Digital Body Mass Index (BMI) Machine, Digital BMI Machine (V2), Digital Medical Thermometer, Digital Monitoring Receiver (Hand-held) as per MHA QR

**Searched String:** Portable Digital Wattmeter Three Phase

Phase Indicator, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Portable Welding Machine (V2), Portable Pipe Threading Machine, Digital Grounding Device 3 Phase, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Portable Digital Alcohol Meter, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Power Quality Analyzer

**Searched String:** Portable Digital Wattmeter Single Phase

Phase Indicator, Handheld Digital Infrared Thermometer,

बिड विवरण / Bid Details

Digital Grounding Device 3 Phase, MIL-STD Digital Grounding System, Portable Digital Alcohol Meter, Wet Grinder, Portable Welding Machine (V2), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Power Quality Analyzer, Portable Digital Body Mass Index (BMI) Machine

**Searched String:** Portable Digital Voltmeter

Portable Digital Alcohol Meter, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Voltmeter - Analog (Panel Meter) as per IS 1248, Plasma Thawing Bath, Indicating Instruments - Ammeter & Voltmeter (BHEL), Digital Multimeter, Portable Digital Body Mass Index (BMI) Machine, Digital BMI Machine (V2), Digital Medical Thermometer, Digital Monitoring Receiver (Hand-held) as per MHA QR

**Searched String:** Portable Analog Ammeter DC

Ammeter - Analog (Panel Meter) as per IS 1248, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Measuring Instrument (BHEL), Milliammeter-IS:1248

**Searched String:** Portable Analog Voltmeter DC

Voltmeter - Analog (Panel Meter) as per IS 1248, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Measuring Instrument (BHEL)

**Searched String:** Rheostat

Rheostat Kit For Educational Purpose

**Searched String:** Servo Motor

Synchronous servo motor, ICU Bed, Heavy duty diesel ultra oil, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, vortex mixers, Starter Motor Assembly, Vehicle Wiper Motor, DC WINCH MOTOR, E - Cart for Garbage (V2), A.C. Motor Capacitors ISI Marked to IS 2993 ( Part 1)

**Searched String:** Three phase resistive load

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Power Quality Analyzer, RLC Load, Three Way Stopcocks, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Battery Operated Three Wheeler with Tipper, Dumper and Loader, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Portable Welding Machine (V2)

**Searched String:** Single phase resistive load

Power Quality Analyzer, Wet Grinder, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, RLC Load, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Portable Welding Machine (V2), Humidifier (V2), Capacitors

**Searched String:** Norton theorem verification kit

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Thevenin theorem verification kit

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Three Phase transformer

Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Transformer Oil Pump, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Wooden Podium, Power Quality Analyzer, Isolation Transformer, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Composite Office Tables conforming To Is 8126 (V2)

**Searched String:** Single Phase Induction Motor

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Induction Motor Fan Cover, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Wet Grinder, Power Quality Analyzer, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Capacitors for Electric Fan Motors as per IS 1709 (V2), Triaxial Test Apparatus (Single Speed), Electric Winch (V2)

**Searched String:** Synchronous motor

Synchronous servo motor, ICU Bed, STM-4 Synchronous Multiplexer as per TEC, Electric Cars (V4), Starter Motor Assembly, vortex mixers, Vehicle Wiper Motor, DC WINCH MOTOR, A.C. Motor Capacitors ISI Marked to IS 2993 ( Part 1), E - Cart for Garbage (V2)

**Searched String:** Stepper Motor With Driver

Bit Driver Set with Screw driver Bits, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Reciprocating Pump with Motor For Hazardous Area, Hopper Tipper Dumper for Garbage, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Whistle (V2), Electric Winch (V2), Motorcycles Powered and Mounted Water Mist Fire Extinguishing High Pressure System with pump PTO, Flour Mill (Gujarat Govt), Hand Held Brush Cutter (V2)

**Searched String:** Variac Single Phase

Power Quality Analyzer, Surgical Gowns Conforming to IS 17334, Phase Indicator, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Sofa (V3), Solid Phase

बिड विवरण / Bid Details

Extraction unit, Bamboo Thin Slicer Machine, Single Disc Scrubber, Single Use Sterile Rubber Surgical Gloves

Conforming to IS 13422

**Searched String:** Ohms Law Verification Kit

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** RLC Circuit Trainer Kit

Digital Trainer Kit, Networking Trainer Educational Kit, Bluetooth Trainer Educational Kit, Programmable Logic Controller Trainer Kit, Fiber Optics Trainer Kit For Educational Purpose

**Searched String:** Combination Plier Insulated 8 Inch

Insulated water pump plier, General Purpose Hand Gloves (V2), Insulated pliers, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Waist / Lumbar Traction Belt, Combination Wrench, Environmental Chamber, Sponge Holding Forcep, Mayo Scissors, Polyethylene Bags for General Purposes

**Searched String:** Tape Roll

Correction Tape, Strapping Roll, Glass fiber woven tape for electrical purpose - IS 5352, Edge Roll, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Tape Cartridge / Tape Media, Mid - Upper Arm Circumference (MUAC) Tape (V2) - RBSK, Electrostatic Roll Separator, Tapered Bearings as per IS 12102, ALO Cloth Roll

**Searched String:** MCB 32 AMPS 4 POLE

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Gazebo, Electrical Extension Box (V4), Video Recorder for CCTV System (V2), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Switch Fuse Unit, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), Circuit Breakers for DC Operation

**Searched String:** MCB 63 AMPS 4 POLE

Bilirubin, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Hydroxynaphthol Blue, Maltose Monohydrate, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Electrical Extension Box (V4), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Switch Fuse Unit, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

**Searched String:** MCB 32 AMPS 2 POLE

General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Electrical Extension Box (V4), Fume Hood (FSSAI), Blood Collection Tube, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Circuit Breakers for DC Operation, Television (TV)

बिड विवरण / Bid Details (V2), Foldable Umbrellas as per IS 10675, Telescopic Pole Pruner

**Searched String:** MCB 16 AMPS 2 POLE

Strontium Carbonate, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Prestressed Concrete Poles for Overhead Power Traction and Telecommunication Lines as per IS 1678, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 2) (Shade Nets Made from Mono Filament Yarns), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Electrical Extension Box (V4), Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** RCCB 40 AMPS 4 POLE

Profenofos 40% + Cypermethrin 4% Emulsifiable Concentrate Conforming To IS 15236 (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Pole Mounted Stainless Steel Dustbin (V2), Self Watering Tree guard, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Electrical Extension Box (V4), Pad Lock Various (As Per Defence Specification), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615

**Searched String:** Single Core Wire 4 Sqmm

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Wireline Diamond Core Bit Set, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, HQ Wireline Double Tube Core Barrel Assembly (CMPDI), NQ Wireline Double Tube Core Barrel Assembly (CMPDI)

**Searched String:** Single Core Wire 2.5 Sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Tapered Bearings as per IS 12102, AC Static Watthour Meters -

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

Energy Meter (V2) as per IS 13779, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Control Cable

**Searched String:** Single Core Wire 1.5 Sqmm

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tapered Bearings as per IS 12102, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Theft Proof Rifle Racks, Industrial Siren / Electrical Siren

**Searched String:** Single Core Wire 1 Sqmm

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Wireline Diamond Core Bit Set, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Endotracheal Tube - Sterile (Single Use)

**Searched String:** 3 Phase 4 Core Cable 10mm Square

Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

**बिड विवरण/Bid Details** Searched String: Electric Switch

Isolator switch, Electrical Extension Box (V4), Limit Switch, Switch Mode Power Supply (SMPS) as per IS 14886:, Reed Switch, Layer 2 Access Switch (V2), Rotary Switch, Time Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Industrial Switch

**Searched String:** Electric Socket

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Impact socket, Fume Hood (FSSAI), Deep Socket, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), IC SOCKET, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Insulated socket, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293

**Searched String:** Electric Power switch

Power Over Ethernet (PoE) Switch, Power Generator - DG Set (up to 900 KVA), Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Switch Mode Power Supply (SMPS) as per IS 14886:, Portable Power Generators, Wheel Chairs (V2), Fume Hood (FSSAI), Portable Drill Machine, Electrical Extension Box (V4), Isolator switch

**Searched String:** Electric Power socket

Portable Power Generators, Power Generator - DG Set (up to 900 KVA), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Portable Drill Machine, Wheel Chairs (V2), Impact socket, Ultrasonic Probe Sonicator, Deep Socket, Small Angle Grinders

**Searched String:** Heavy Duty Power Extension Board

Flameproof Extension Board, Heavy Duty Storage Racks, Heavy Duty Curtains - Panchakarma, Styling Chair / Salon Chair / Swiveling Barber Chair, Battery Charger, Heavy Duty, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Heavy Duty Creeper Seat, Heavy duty diesel ultra oil, Heavy duty longspan storage System, industrial vacuum cleaner

**Searched String:** PVC Casing Capping

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, PVC gitti, Regular Casing Pipes (ONGC), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, HX Casing Head (CMPDI), NX Casing Head (CMPDI), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PX Casing Head (CMPDI), PVC Reducer Socket

**Searched String:** Flexible PVC Pipe

Black Flexible Rubber Hose Pipe, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flexible Transparent Sheet (V2), Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipe Cutter, Pipe Clamps (V2), PVC Insulated Copper Cable

बिड विवरण / Bid Details

Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper

Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Solvent Cement

**Searched String:** PVC Conduit Pipes

Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, ASSORTED PIPES, Pipe Clamps (V2), Flexible Metallic Conduit(Bhel)-IS:3480, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC gitti

**Searched String:** 3 Core Copper Cable ROLL

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Cable Analyser, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, All in One PC (V2), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Layer - 3 Core Switch, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694

**Searched String:** 2 Core Aluminium Cable ROLL

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cable Cross Over (Version 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2 ) ISI Marked to IS 1554 ( Part 2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** Double Pole MCB with Box

Octagonal Pole (V2), Sofa (V3), mugs stainless steel single double walled with double wall moulded handle, Corrugated Boxes, Single / Double Wooden Bed with/without Storage (V2), Pull Cord Switch with Terminal Box & Lamp, Hopper Tipper Dumper for Garbage, KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Phototherapy Machine for (SNCU), High Mast Lighting Octagonal Tower With Solar

विड विवरण / Bid Details

Based LED Street Light (V2)

**Searched String:** 4 Pole MCB with Box

Octagonal Pole (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Pull Cord Switch with Terminal Box & Lamp, Gazebo, KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), High End Desktop Computer, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), Entry and Mid Level Desktop Computer, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Parallel Bar - Outdoor Gym Equipment

**Searched String:** LED Tube Lights

LED Batten, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), LED Batten Light (LED Tube Light) (V2), Laboratory Incubators, LED Tube Light (Retrofit Type), Muffle Furnace, Intrinsically Safe LED Torch Lights With Replaceable Battery, LED Light Bar (Strobe or warning lights), LED Luminaire for High Bay Lighting

**Searched String:** Circle cable clip

Cable Nail Clip, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Nail Clip (V2), Elastic Rail Clip, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Circlips - IS 3075, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Ligation Clips, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Open / Endoscopic Clip Applicator (V2)

**Searched String:** Heavy Duty Switch-Socket With Gang Box

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Styling Chair / Salon Chair / Swiveling Barber Chair, Corrugated Fibreboard Boxes - Heavy Duty, Pull Cord Switch with Terminal Box & Lamp, Electrical Extension Box (V4), Stud Remover & Installer with Screwdriver tool Set(ONGC), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Battery Charger, Heavy Duty, modular electrical enclosure switch board boxes for modular type accessories, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262

**Searched String:** Thimbles

Thimbles For Wire Ropes-IS:2315, Electrical connection Lugs or thimbles, Wire rope slings and sling legs (V3) conforming to IS 2762, Micro Fibre Glass Thimble

**Searched String:** Lab Table with electrical raceway

ELECTRICAL RACEWAY, Modular Table / Meeting Table / Centre Table (V2), Laboratory Steel Furniture, Portable Mobile Lab with power backup, Executive Table (V3), QUADRICEPS EXERCISE TABLE, Computer Table (V3), Stainless Steel Dining Table With Fixed Chair, Executive Table (V4), Dharapathy With Tilttable Steel Table (Ayurvedic Treatment Table) For Panchakarma

बिड विवरण/Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>Electrical Workbench</li> <li>AC Static Watthour Meters - Energy Meter (V2) as per IS 13779</li> <li>Synchronous servo motor</li> </ul>
बीओक्यू शीर्षक / <b>BOQ Title</b>	ELECTRICAL LAB EQUIPMENT
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / <b>Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	10 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/ <b>OEM Average Turnover (Last 3 Years)</b>	80 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ <b>Years of Past Experience Required for same/similar service</b>	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ <b>MSE Relaxation for Years of Experience and Turnover</b>	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years of Experience and Turnover</b>	No
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders

बिड विवरण/Bid Details	
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Servo Motor
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	2069600
Payment Timelines	Payments shall be made to the Seller within <b>45</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the

date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## AC Wattmeter Single Phase

### तकनीकी विशिष्टियाँ / Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	5	15

### Portable Digital Ammeter

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	5	15

### Portable Digital Wattmeter Three Phase

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### Portable Digital Wattmeter Single Phase

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	4	15

### Portable Digital Voltmeter

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	5	15

### Portable Analog Ammeter DC

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### Portable Analog Voltmeter DC

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

## Rheostat

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	5	15

## Servo Motor

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

### Three Phase Resistive Load

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

### Single Phase Resistive Load

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

### Norton Theorem Verification Kit

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### Thevenin Theorem Verification Kit

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### Three Phase Transformer

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

### Single Phase Induction Motor

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

## Synchronous Motor

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

## Stepper Motor With Driver

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

### Variac Single Phase

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### Ohms Law Verification Kit

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### RLC Circuit Trainer Kit

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### Combination Plier Insulated 8 Inch

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	4	15

## Tape Roll

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	50	15

## MCB 32 AMPS 4 POLE

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	20	15

### MCB 63 AMPS 4 POLE

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	10	15

### MCB 32 AMPS 2 POLE

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	20	15

## MCB 16 AMPS 2 POLE

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	50	15

## RCCB 40 AMPS 4 POLE

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

### Single Core Wire 4 Sqmm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	5	15

### Single Core Wire 2.5 Sqmm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	10	15

### Single Core Wire 1.5 Sqmm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	10	15

### Single Core Wire 1 Sqmm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	10	15

### 3 Phase 4 Core Cable 10mm Square

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

### Electric Switch

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	40	15

## Electric Socket

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	40	15

## Electric Power Switch

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	20	15

### Electric Power Socket

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	20	15

### Heavy Duty Power Extension Board

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	10	15

## PVC Casing Capping

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	20	15

## Flexible PVC Pipe

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

### PVC Conduit Pipes

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	20	15

### 3 Core Copper Cable ROLL

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	2	15

## 2 Core Aluminium Cable ROLL

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	1	15

## Double Pole MCB With Box

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	20	15

#### 4 Pole MCB With Box

##### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

##### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	10	15

#### LED Tube Lights

##### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

##### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	60	15

### Circle Cable Clip

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	200	15

### Heavy Duty Switch-Socket With Gang Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	50	15

## Thimbles

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	60	15

## Lab Table With Electrical Raceway

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manmohan Krishan	151204,Government Polytechnic College Kotakpura, Devi wala Road	12	15

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### 3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

### 4. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake

compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**