

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-02-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	27-02-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	75 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Urban Development
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Central Public Works Department (cpwd)
कार्यालय का नाम/Office Name	Office Of Chief Engineer North Zone li
कुल मात्रा/Total Quantity	1600
वस्तु श्रेणी /Item Category	Single / Double Wooden Bed with/without Storage (V2) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Revolving Chair (V5) (Q2) , Pillows - Synthetic (Q3) , Sofa (V3) (Q2) , Executive Table (V4) (Q2) , Modular Work Stations (V3) (Q2) , Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	124 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	994 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Modular Table / Meeting Table / Centre Table (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	24852567.74
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

--

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	497051

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Executive Engineer
O/o Executive Engineer, 4th Floor Kendriya Bhawan, Aliganj, Lucknow.
(Executive Engineer, Lucknow Central Division-i, Cpwd, Lucknow.)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide

eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Single / Double Wooden Bed With/without Storage (V2) (216 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Wooden Bed (Hint:Headboard and Footboard are extended part of bed with height of more than 30 cm at headrest and footrest, respectively)	Wooden Bed, Wooden Bed with Headboard only, Wooden Bed with Footboard only, Wooden Bed with Headboard and Footboard, Wooden Bed with Headboard, Footboard and Canopy
	Size Category of Wooden Bed	Single, Double, Queen Size, King Size, Super King Size
	Overall length of Bed (in mm)	1800 - 1850 mm, 1850 - 1900 mm, 1900 - 1950 mm, 1950 - 2000 mm
	Overall width of Bed (in mm)	750 - 900 mm (2.5 to 3 ft), 900 - 1050 mm (3 to 3.5 ft), 1050 - 1200 mm (3.5 to 4 ft), 1200 - 1350 mm (4 to 4.5 ft), 1350 - 1500 mm (4.5 to 5 ft), 1500 - 1650 mm (5 to 5.4 ft), 1650 - 1800 mm (5.4 to 6 ft), 1800 - 1950 mm (6 to 6.4 ft), 1950 - 2100 mm (6.4 to 6.9 ft)
	Overall Height of Bed Frame from installation level (in mm)	150 - 200 mm, 200 - 250 mm, 250 - 300 mm, 300 - 350 mm, 350 - 400 mm, 400 - 450 mm, 450 - 500 mm, 500 - 550 mm, 550 - 600 mm
	Availability of Headboard	Yes, No
	Availability of Footboard	Yes, No
WOODEN BED STORAGE	Availability of Storage in Wooden Bed	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Mattress Support Board	Yes, No
	Type of Bed Storage	Sliding Storage / Drawers, Box-bed Storage, NA
WOODEN BED FRAME	Material of Bed frame (including bed frame understructure)	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
WOODEN BED MATTRESS SUPPORT PANEL	Type of Bed Mattress Support Beams	Horizontal beams only, Vertical Beams only, Cross beams - Horizontal & vertical combo
	Material of Bed Mattress Support Beams	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
WOODEN BED HEADBOARD	Material of Bed Headboard Frame	NA, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
WOODEN BED FOOTBOARD	Material of Bed Footboard Frame	NA, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
WARRANTY	Warranty (in Months)	12, 24, 36, 48

Additional Specification Parameters - Single / Double Wooden Bed With/without Storage (V2) (216 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	216	45

Modular Table / Meeting Table / Centre Table (V2) (108 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (108 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	108	45

Modular Table / Meeting Table / Centre Table (V2) (108 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (108 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	108	45

Modular Table / Meeting Table / Centre Table (V2) (108 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (108 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	108	45

Single / Double Wooden Bed With/without Storage (V2) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Wooden Bed (Hint:Headboard and Footboard are extended part of bed with height of more than 30 cm at headrest and footrest, respectively)	Wooden Bed, Wooden Bed with Headboard only, Wooden Bed with Footboard only, Wooden Bed with Headboard and Footboard, Wooden Bed with Headboard, Footboard and Canopy
	Size Category of Wooden Bed	Single, Double, Queen Size, King Size, Super King Size
	Overall length of Bed (in mm)	1800 - 1850 mm, 1850 - 1900 mm, 1900 - 1950 mm, 1950 - 2000 mm
	Overall width of Bed (in mm)	750 - 900 mm (2.5 to 3 ft), 900 - 1050 mm (3 to 3.5 ft), 1050 - 1200 mm (3.5 to 4 ft), 1200 - 1350 mm (4 to 4.5 ft), 1350 - 1500 mm (4.5 to 5 ft), 1500 - 1650 mm (5 to 5.4 ft), 1650 - 1800 mm (5.4 to 6 ft), 1800 - 1950 mm (6 to 6.4 ft), 1950 - 2100 mm (6.4 to 6.9 ft)
	Overall Height of Bed Frame from installation level (in mm)	150 - 200 mm, 200 - 250 mm, 250 - 300 mm, 300 - 350 mm, 350 - 400 mm, 400 - 450 mm, 450 - 500 mm, 500 - 550 mm, 550 - 600 mm
	Availability of Headboard	Yes, No
	Availability of Footboard	Yes, No
WOODEN BED STORAGE	Availability of Storage in Wooden Bed	Yes, No
	Availability of Mattress Support Board	Yes, No
	Type of Bed Storage	Sliding Storage / Drawers, Box-bed Storage, NA
WOODEN BED FRAME	Material of Bed frame (including bed frame understructure)	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
WOODEN BED MATTRESS SUPPORT PANEL	Type of Bed Mattress Support Beams	Horizontal beams only, Vertical Beams only, Cross beams - Horizontal & vertical combo
	Material of Bed Mattress Support Beams	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
WOODEN BED HEADBOARD	Material of Bed Headboard Frame	NA, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
WOODEN BED FOOTBOARD	Material of Bed Footboard Frame	NA, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
WARRANTY	Warranty (in Months)	12, 24, 36, 48

Additional Specification Parameters - Single / Double Wooden Bed With/without Storage (V2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	4	45

Modular Table / Meeting Table / Centre Table (V2) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	8	45

Revolving Chair (V5) (425 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

Additional Specification Parameters - Revolving Chair (V5) (425 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	425	45

Revolving Chair (V5) (13 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

Additional Specification Parameters - Revolving Chair (V5) (13 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	13	45

Revolving Chair (V5) (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

Additional Specification Parameters - Revolving Chair (V5) (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	10	45

Revolving Chair (V5) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

Additional Specification Parameters - Revolving Chair (V5) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	6	45

Modular Table / Meeting Table / Centre Table (V2) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	4	45

Modular Table / Meeting Table / Centre Table (V2) (21 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (21 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	21	45

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

Modular Table / Meeting Table / Centre Table (V2) (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	10	45

Modular Table / Meeting Table / Centre Table (V2) (24 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	24	45

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

Modular Table / Meeting Table / Centre Table (V2) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	4	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	1	45

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	1	45

Modular Table / Meeting Table / Centre Table (V2) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	2	45

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

Modular Table / Meeting Table / Centre Table (V2) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	4	45

Modular Table / Meeting Table / Centre Table (V2) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	3	45

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

Modular Table / Meeting Table / Centre Table (V2) (31 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (31 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	31	45

Modular Table / Meeting Table / Centre Table (V2) (21 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (21 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	21	45

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

Modular Table / Meeting Table / Centre Table (V2) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	6	45

Pillows - Synthetic (224 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
REGISTRATION	Whether registered with any Defence Authority	Yes, No
TEST REPORT	Availability of Test Report from designated AHSP,NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes, No
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes, No, Not applicable

Additional Specification Parameters - Pillows - Synthetic (224 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	224	45

Modular Table / Meeting Table / Centre Table (V2) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	6	45

Sofa (V3) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

Additional Specification Parameters - Sofa (V3) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	4	45

Sofa (V3) (9 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

Additional Specification Parameters - Sofa (V3) (9 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	9	45

Sofa (V3) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

Additional Specification Parameters - Sofa (V3) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	5	45

Sofa (V3) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

Additional Specification Parameters - Sofa (V3) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	2	45

Executive Table (V4) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ±5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned, Right Aligned
	Width of ERU (Extended Return Unit) (Tolerance ±20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ±20 mm)	450 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

Additional Specification Parameters - Executive Table (V4) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024, O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	8	45

Modular Work Stations (V3) (76 per seat)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

Additional Specification Parameters - Modular Work Stations (V3) (76 per seat)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	76	45

Modular Work Stations (V3) (60 per seat)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

Additional Specification Parameters - Modular Work Stations (V3) (60 per seat)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	60	45

Modular Work Stations (V3) (37 per seat)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

Additional Specification Parameters - Modular Work Stations (V3) (37 per seat)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	37	45

Executive Table (V4) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Table Top (Tolerance ±5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned, Right Aligned
	Width of ERU (Extended Return Unit) (Tolerance ±20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ±20 mm)	450 mm, 600 mm, 750 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

Additional Specification Parameters - Executive Table (V4) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	2	45

Sofa (V3) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

Additional Specification Parameters - Sofa (V3) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAIL SPECIFICATION WITH IMAGES ATTACHED WITH ATC.	DETAIL SPECIFICATION WITH IMAGES ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	8	45

Executive Table (V4) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ±5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned, Right Aligned
	Width of ERU (Extended Return Unit) (Tolerance ±20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ±20 mm)	450 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

Additional Specification Parameters - Executive Table (V4) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	2	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

Additional Specification Parameters - Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	3	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600	
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

Additional Specification Parameters - Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	6	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

Additional Specification Parameters - Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	2	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600	
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

Additional Specification Parameters - Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.	DETAILED SPECIFICATION WITH IMAGE ATTACHED WITH ATC.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shok Haran Pandey	226024,O/o Executive Engineer (L)-I, Hall No. 3, Fourth Floor, Kendriya Bhawan, Sector-H, Aliganj, Lucknow	8	45

Special terms and conditions-Version:1 effective from 04-05-2020 for category Pillows - Synthetic

- After award of contract, when specified in the Bid, Seller shall have to get Advance Sample(s) approved by the Buyer before starting Bulk Supplies. The Seller shall submit the Advance Sample(s) within 7 days from the date of placement of the order. The buyer shall approve or otherwise the Advance Sample(s) within 7 days from the date of receipt of the Advance Sample(s).

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the

original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

4. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

5. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

6. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

9. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

10. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

Executive Engineer, Lucknow Central Division-I, CPWD, Lucknow.

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction

of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

11. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

12. **Past Project Experience**

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

13. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

14. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Executive Engineer, Lucknow Central Division-I, CPWD, Lucknow.
payable at
Lucknow

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

15. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

“BUYER ADDED BID SPECIFICATION”

The Bidder should be registered under any prevailing Law in India.(registered in GST)

1. The work shall be carried out as per bid document and as per direction of Engineer-in-Charge.
2. The bid can only be submitted after depositing of original EMD either in the office of Executive Engineer inviting bids or division office of any Executive Engineer, CPWD within the period of bid submission or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts towards **EMD in favour of Executive Engineer, Lucknow Central Division-1, CPWD, Lucknow**, receipt of deposition of original EMD to division office of any Executive Engineer (including NIT issuing EE), CPWD and other self-attested documents as specified.
3. Receipt of deposition of original EMD to division office of any Executive Engineer (Including NIT issuing EE), CPWD along with scanned copy of EMD to be uploaded on Gem portal. Without deposition of scanned c

copy of EMD receipt and EMD by the bidder, the bid of the same shall not be opened.

4. OEM- Line diagram / product Specification sheet (Detailed line diagram need to be attached for products with material and manufacturing description) is mandatory of all the products(s) offered in the bid, are to be uploaded along with the bid documents in sequential order. Buyers will match and verify the line diagram with the product specifications asked in bid in case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

5. The Seller has to upload the "Bid Specific Manufacturer Authorisation Form (MAF)" in respect of each item mentioned in the Bid document on the OEM Letter Head.

6. The Seller should not be blacklisted from any Central or State Government Department. An undertaking to this effect should be submitted in the technical bid on their Company's Letter Head. The seller must also provide bankruptcy certificates signed by a Chartered Accountant along with other documents.

7. The seller itself has to upload the relevant copies of past experience of doing work with Central/State Government/ PSUs or attached bodies/autonomous bodies in respect of each category of item.

8. The turnover certificate on the authorized Chartered Accountant Letter Head should be submitted with UDIN no.

9. The turnover/experience criteria as prescribed in the bid document should be fulfilled by bidders as the case may be.

10. The Following Annexures, wherever applicable in the standard format have to be uploaded by each bidder in the technical submission stage:-

a. Make in India (MII) Undertaking.

b. Non-Blacklisting Undertaking.

c. Financial Standing Undertaking.

11. Following documents need to be submitted on ₹100/-stamp paper by the intended bidders:-

a. Bidder financial standing undertaking.

b. Bidder non-blacklisting from Govt. / PSUs / Public Sector Banks/ Autonomous bodies etc.,

12. The bidder should have the following certification:

i. ISO: 9001:2015

ii. ISO:14001:2015

iii. ISO 45001:2018

iv. BIFMA LEVEL1 OR BIFMA LEVEL2 OR BIFMA LEVEL3 (Any one of these)

v. Green Pro by Confederation of Indian Industry (CII) or Green Guard certified by UL lab or Indoor Air Quality (IAQ) Certified by SCS Global Services. (Any one of these)

vi. Ergonomically design AIOTA (Education, Seating, Office Furniture) certificate for relevant category of products certified by AIOTA.

vii. The certificates shall be issued only from parent/authorized company having validity upto last date of bid submission. The OEM listing of their products/names must be displayed on parent certification agency official website. The certificates of compliance issued from third party certification agencies will not be accepted and will lead to rejection of bidder. Copies of all these Certificates shall be enclosed with the technical bid, failing which, their bid is liable to be rejected.

13. BIFMA Certification: The Bidder should also be a member of BIFMA and one or more products of the OEM should be certified as BIFMA level and an official product official link/screenshot of the product listing must be provided from www.bifma.org. BIFMA test reports for seating & desking category must be provided.

14. Buyer may exercise rights for conducting assessment tests independently as per guidelines of BIFMA (Bureau of Industrial Furniture Manufacturer's Association) in the manufacturer's lab. Manufacturer shall not charge anything for testing.

15. Bidders or Its OEM should not be blacklisted/debarred by any Govt./Semi Govt./PSU undertaking the bidder should furnish an affidavit on Non-Judicial Stamp Paper of Rs.100/-that the bidder has never been blacklisted/de-listed or debarred for any of the product by any Central Government/ State Government/ Semi Government/PSU/Banks/Universities/Educational Institute/Autonomous body etc Pan India due to any reason. The bidder who is blacklisted / de-listed / debarred once is not eligible to participate.

- pate in this tender with any kind of justification/judgment taken later on.
16. A Signed declaration on letterhead from intended bidders are required to be submitted that their offered products would be as per the specifications/requirement of the User Department.
 17. Items of which the specifications are not mentioned in GeM Bid document should be of ISI/Industrial standards marked or according to applicable Governments Norms.
 18. The L-1 bidder has to provide Installation Commissioning and Testing (SITC) of the supplied items. No additional payment will be made to the supplier for such SITC and transportation.
 19. Copies of Work Orders and Satisfactory Completion certificates from clients for executing similar works for Central / State Government offices / Public Sector Undertakings / Public Sector Banks / Autonomous Bodies, etc. during the last 03 (three) years. "Similar Works "means experience in executing Work Order for supply of furniture in primary product category of works in Govt./ PSUs/ Public Sector Banks/ Autonomous Bodies, etc.
 20. The bidder should provide warranty of atleast 01 year or more as per manufacturers specification from date of completion of SITC.
 21. After award of contract - Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit samples of each item in the bid for Buyer's approval, **within 10 days of award of contract.** Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 07 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample - the delivery period shall be re-fixed without L/D for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.
 22. The SITC of furniture items should be done within **30 days** period. This period shall be reckoned from date of issue of award of contract. Failing which, liquidated damages shall be recovered as below: "Liquidated Damages: If the Seller/Service Provider fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% of the contract value of delayed quantity per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value of delayed quantity without any controversy/dispute of any sort whatsoever."
 23. Damages / losses, If any, occurred in any part of building during transportation and installation of furniture items, the seller will be liable to rectify the damages / losses at its own cost.
 24. Tenderer shall provide all the guarantee/ warranty of the furniture supplied by them. The tenderer shall guarantee that the work shall be free from any defects whatsoever for a period of Defects Liability Period (warranty) from the date of successful completion of the SITC. In case of any defect arising out of whatsoever nature, the successful bidder shall make necessary arrangements for rectification of these defects or replace the items within a week at his own cost. In this respect, all tenderers shall attach the warranty/guarantee certificate for the items on the OEM letter Head along with the Technical bid. Otherwise, their bids will be summarily rejected. The buyer shall not be responsible for following up directly with OEM for exercising warranty clauses if and when any defect arises in the items supplied during the warranty period. The bidders must be willing to provide warranty based services directly to the buyer.
 25. The bidder/OEM must be willing to submit a Performance Based Guarantee (PBG) as per the bid's clause. The PBG must be valid for a period not less than 14 months.
 26. Manufacturer is requested to furnish test certificate for following test carried for present lot or earlier lot of furniture as required by Engineer-in-charge. (Machinery Details)
 - a. Back durability test- cyclic.
 - b. Seating impact test- cyclic.
 - c. Base test-cyclic.
 - d. Cast or Durability Test

16. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

17. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Punjab National Bank,
Staff Training Collage,
Vibhuti Khand,
Gomti Nagar,
Lucknow-226010

18. **Generic**

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

15 Years
Shelf Life. On the date of supply, minimum
01/05/2026
usable shelf life should be available / balance.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---