

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	24-11-2025 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	24-11-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Ntpc Limited
कार्यालय का नाम/Office Name	Ussc Cpg2 Raipur
कुल मात्रा/Total Quantity	2828
	HEATING MANTLE STD_Schedule 1 _ Item_10_M2679802100_100265729 , HOT PLATE LARGE_Schedule 2 _ Item_20_M2679802003_100265729 , FLASK CONICAL GLASS 250ML_Schedule 3 _ Item_30_M2679153337_100265729 , CUVETTE RECTANGULAR 50MM_Schedule 4 _ Item_40_M2679855017_100265729 , CRUCIBLE SILICA-ASH GLASS 20ML 15X54MM_Schedule 5 _ Item_50_M2679151522_100265729 , CRUCIBLE SILICA- MOISTURE GLASS MEDIUM_Schedule 6 _ Item_60_M2679151512_100265729 , TEST SIEVE SS_Schedule 7 _ Item_70_M2679880100_100265729 , TEST SIEVE BRS 12.5MM_Schedule 8 _ Item_80_M2679880282_100265729 , TEST SIEVE BRS 3.35MM_Schedule 9 _ Item_90_M2679880273_100265729 , TEST SIEVE BRS_Schedule 10 _ Item_100_M2679880242_100265729 , THERMOMETER 0- 1300DEG.C 10-50DEG C_Schedule 11 _ Item_110_M9491766002_100265729 , THERMOMETER HG GLASS_Schedule 12 _ Item_120_M2679157001_100265729 , FLASK ROUND BOTTOM GLASS 1000ML_Schedule 13 _ Item_130_M2679153369_100265729 , FLASK GLASS 100ML_Schedule 14 _ Item_140_M2679153303_100265729 , FLASK VOLUMETRIC GLASS 250ML_Schedule 15 _ Item_150_M2679153305_100265729 , FLASK VOLUMETRIC GLASS 500ML_Schedule 16 _ Item_160_M2679153306_100265729 , FLASK GLASS 1000ML_Schedule 17 _ Item_170_M2679153307_100265729 , FILTRATION ASSY_Schedule 18 _ Item_180_M2679013501_100265729 , PIPETTE VOLUMETRIC GLASS 25ML_Schedule 19 _ Item_190_M2679155525_100265729 , PIPETTE GLASS 10ML 0.1MM_Schedule 20 _ Item_200_M2679155510_100265729 ,

बिड विवरण / Bid Details	वस्तु श्रेणी / Item Category
	<p> PIPETTE GLASS 1ML 0.01MM_Schedule 21 _ Item_210_M2679155501_100265729 , CYLINDER GLASS 100ML_Schedule 22 _ Item_220_M2679151725_100265729 , CYLINDER GLASS 1000ML_Schedule 23 _ Item_230_M2679151738_100265729 , CYLINDER GLASS 50ML_Schedule 24 _ Item_240_M2679151720_100265729 , CYLINDER GLASS 500ML_Schedule 25 _ Item_250_M2679151735_100265729 , CYLINDER GLASS 25ML_Schedule 26 _ Item_260_M2679151715_100265729 , FLASK CONICAL GLASS 500ML_Schedule 27 _ Item_270_M2679153338_100265729 , DIGITAL INDICATOR FOR HUMIDITY TEMP_Schedule 28 _ Item_280_M9425256074_100265729 , WATCH GLASS 90MM_Schedule 29 _ Item_290_M2679157618_100265729 , PETRI DISH GLASS 50X17MM_Schedule 30 _ Item_300_M2679155611_100265729 , NESSLER TUBE GLASS 50ML 25X150MM_Schedule 31 _ Item_310_M2679155305_100265729 , BURETTE 100ML_Schedule 32 _ Item_320_M2679016103_100265729 , BOTTLE WIDE MOUTH PLASTIC 500ML_Schedule 33 _ Item_330_M2679201018_100265729 , BOTTLE NARROW MOUTH PLASTIC 1000ML_Schedule 34 _ Item_340_M2679201030_100265729 , BOTTLE WIDE MOUTH PLASTIC 250ML_Schedule 35 _ Item_350_M2679201016_100265729 , CRUCIBLE GLASS STD_Schedule 36 _ Item_360_M2679151500_100265729 , CRUCIBLE SILICA-VM GLASS SMALL_Schedule 37 _ Item_370_M2679151531_100265729 , SPATULA 150MM_Schedule 38 _ Item_380_M2679167215_100265729 , SPATULA SMALL_Schedule 39 _ Item_390_M2679167214_100265729 , SPATULA LARGE_Schedule 40 _ Item_400_M2679167216_100265729 , HYDROMETER 850-900_Schedule 41 _ Item_410_M2679152513_100265729 , TONG SMALL F ASH AND VM TESTING_Schedule 42 _ Item_420_M2679168001_100265729 , HYDROMETER 800- 850_Schedule 43 _ Item_430_M2679152512_100265729 , HYDROMETER GLASS_Schedule 44 _ Item_440_M2679152502_100265729 , HYDROMETER GLASS_Schedule 45 _ Item_450_M2679152514_100265729 , DISPENSER 0.2-25ML_Schedule 46 _ Item_460_M2679011725_100265729 , RACKS-PIPETTE STANDS PP STD_Schedule 47 _ Item_470_M2679821600_100265729 , MORTAR PASTE PORC MEDIUM_Schedule 48 _ Item_480_M2679223102_100265729 , COAL STD SAMPLE_Schedule 49 _ Item_490_M2697882239_100265729 , SILICONE GREASE_Schedule 50 _ Item_500_M1010756004_100265729 , HAND GLOVES ASB 18IN_Schedule 51 _ Item_510_M2966251018_100265729 , TISSUE PAPER 45M_Schedule 52 _ Item_520_M2679160202_100265729 , DISH ENAMEL TRAY MEDIUM_Schedule 53 _ Item_530_M2679121112_100265729 , FUNNEL SEPARATOR GLASS 500ML_Schedule 54 _ Item_540_M2679156150_100265729 , DESICCATOR GLASS 300ML_Schedule 55 _ Item_550_M2679152130_100265729 , SILICA GEL SELF INDICATING BLUE 1KG_Schedule 56 _ Item_560_M1010804028_100265729 , LABOLENE TR 5L_Schedule 57 _ Item_570_M1010445047_100265729 , FUNNEL PLAIN GLASS MEDIUM_Schedule 58 _ Item_580_M2679153402_100265729 , CRUCIBLE STANDS STD_Schedule 59 _ Item_590_M2679821001_100265729 , MANIFOLD THREE TEST_Schedule 60 _ Item_600_M2679016101_100265729 </p>

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

HEATING MANTLE STD, HOT PLATE LARGE, FLASK CONICAL GLASS 250ML, CUVETTE RECTANGULAR 50MM, CRUCIBLE SILICA-ASH GLASS 20ML 15X54MM, CRUCIBLE SILICA-MOISTURE GLASS MEDIUM, TEST SIEVE SS, TEST SIEVE BRS 12.5MM, TEST SIEVE BRS 3.35MM, TEST SIEVE BRS, THERMOMETER 0-1300DEG.C 10-50DEG C, THERMOMETER HG GLASS, FLASK ROUND BOTTOM GLASS 1000ML, FLASK GLASS 100ML, FLASK VOLUMETRIC GLASS 250ML, FLASK VOLUMETRIC GLASS 500ML, FLASK GLASS 1000ML, FILTRATION ASSY, PIPETTE VOLUMETRIC GLASS 25ML, PIPETTE GLASS 10ML 0.1MM, PIPETTE GLASS 1ML 0.01MM, CYLINDER GLASS 100ML, CYLINDER GLASS 1000ML, CYLINDER GLASS 50ML, CYLINDER GLASS 500ML, CYLINDER GLASS 25ML, FLASK CONICAL GLASS 500ML, DIGITAL INDICATOR FOR HUMIDITY/TEMP, WATCH GLASS 90MM, PETRI DISH GLASS 50X17MM, NESSLER TUBE GLASS 50ML 25X150MM, BURETTE 100ML, BOTTLE WIDE MOUTH PLASTIC 500ML, BOTTLE NARROW MOUTH PLASTIC 1000ML, BOTTLE WIDE MOUTH PLASTIC 250ML, CRUCIBLE GLASS STD, CRUCIBLE SILICA-VM GLASS SMALL, SPATULA 150MM, SPATULA SMALL, SPATULA LARGE, HYDROMETER 850-900, TONG SMALL F/ASH AND VM TESTING, HYDROMETER 800-850, HYDROMETER GLASS, HYDROMETER GLASS, DISPENSER 0.2-25ML, RACKS-PIPETTE STANDS PP STD, MORTAR&PASTE PORC MEDIUM, COAL STD SAMPLE, SILICONE GREASE, HAND GLOVES ASB 18IN, TISSUE PAPER 45M, DISH ENAMEL TRAY MEDIUM, FUNNEL SEPARATOR GLASS 500ML, DESICCATOR GLASS 300ML, SILICA GEL SELF INDICATING BLUE 1KG, LABOLENE TR 5L, FUNNEL PLAIN GLASS MEDIUM, CRUCIBLE STANDS STD, MANIFOLD THREE TEST

Searched String: HEATING MANTLE STD

Mantle Core and Mantle for Gyrotory Crusher and Tertiary Crusher (GMDCL), Laboratory Incubators, MIL-STD Digital Grounding System, Kjeldahl Digestion Cum Distillation Assembly Unit (Classical Type), Ceramic Heating Element, Hamam Water Heating Device (Defense), Flexible Heating Element, Heating Element (BHEL), Heat Seal Sterilization Roll With Chemical Indicator, Butterfly Valve (as per API Std. 609)

Searched String: HOT PLATE LARGE

Laboratory Hot plate, Nitrile Coated/Nitrile Hand Gloves (V2), Commercial Dosa Hot Plate, Professional Large Format Display, Speed Post Envelope (Large), Hot Display Counter, Hot air oven, Hot air gun, Stainless Steel Bain Marie, Professional Large Format Display (V2)

Searched String: FLASK CONICAL GLASS 250ML

Laboratory Glassware Volumetric Flask, Domestic Vacuum Flasks (V2) conforming to IS 7708, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Glass Tableware, Laboratory Glassware - Narrow-Naked Boiling Flasks Conforming to IS 1381(Part 1) (Under BIS Scheme 1), Centrifuge Tubes (V2), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Shaker Incubator, Universal Pipette Tips (V2), Glass Cleaner, Liquid (V2) as per IS 8540

बिड विवरण / Bid Details	Searched String: CUVETTE RECTANGULAR 50MM
	<p>Rectangular Man Hole Door (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Stainless Steel Rectangular / Square Tube, Hemoglobin Test Strips, Light Weight Folding Rectangular Table, Customised Envelopes, Paper Covered Rectangular Copper Conductor, Caution / Crime Scene Tape (V2), Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), Nitrile Coated/Nitrile Hand Gloves (V2)</p> <p>Searched String: CRUCIBLE SILICA-ASH GLASS 20ML 15X54MM</p> <p>Glass Ionomer Cement for Dentistry, Silica Crucibles, Glass Fuse</p> <p>Searched String: CRUCIBLE SILICA-MOISTURE GLASS MEDIUM</p> <p>Sintered Glass Crucible, Silica Crucibles</p> <p>Searched String: TEST SIEVE SS</p> <p>pona ss (cqa specification), Autoclave (Horizontal), Brass Sieve, JAR TEST APPARATUS, Sieve Shaker, Test Sieves as per IS 460 (Part 1 and Part 2), Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), spoon ss and chamcha ss, Platform Trolley (V2), Sieve Plate Distillation Column</p> <p>Searched String: TEST SIEVE BRS 12.5MM</p> <p>Brass Sieve, JAR TEST APPARATUS, Sieve Shaker, Multipurpose or General Test Tubes (V2) as per IS 2618, Test Sieves as per IS 460 (Part 1 and Part 2), Bitumen Penetration Test Apparatus-IS:1203, PELTON WHEEL TURBINE TEST RIG, shoes school pvc boys girls, Rubberized Weight Dumbbells, Carbon Papers as per IS 1551</p> <p>Searched String: TEST SIEVE BRS 3.35MM</p> <p>Brass Sieve, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sieve Shaker, Test Sieves as per IS 460 (Part 1 and Part 2), true rms clamp meter, MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, KAPLAN TURBINE TEST RIG, Health Supplements, Nutraceuticals and Food for Special Dietary Use, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), HCV (ELISA) Test Kits</p> <p>Searched String: TEST SIEVE BRS</p> <p>Brass Sieve, JAR TEST APPARATUS, Sieve Shaker, Test Sieves as per IS 460 (Part 1 and Part 2), Sieve Plate Distillation Column, pona ss (cqa specification), Multipurpose or General Test Tubes as per IS 2618, Test Leads, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit (RA Test Kit)</p> <p>Searched String: THERMOMETER 0-1300DEG.C 10-50DEG C</p> <p>Wheel Set Earthing Equipment, bi distillation units double distillation water unit, Temperature Indicator for Transformers - Analog type, XLPE Cable for Working</p>

बिड विवरण / Bid Details	Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Soldering and Desoldering Station with digital display, PVC
	<p>Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), Gas Chromatography, Laboratory Glassware - Burettes (V2) as per IS 1997, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel)</p> <p>Searched String: THERMOMETER HG GLASS</p> <p>Candy Thermometer / Food Thermometer, Digital Medical Thermometer, Room Thermometer, mercury medical thermometers, Wall Mount Thermometer, Handheld Digital Infrared Thermometer, Portable Pulling & Lifting Machine (BHEL), Dry & wet Thermometer, Laboratory Beakers (V2) as per IS 2619, Infrared Medical Thermometer For Measuring Body Temperature</p> <p>Searched String: FLASK ROUND BOTTOM GLASS 1000ML</p> <p>Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware Volumetric Flask, Laboratory Glassware - Narrow-Naked Boiling Flasks Conforming to IS 1381(Part 1) (Under BIS Scheme 1), Glass Tableware, Domestic Vacuum Flasks (V2) conforming to IS 7708, Shaker Incubator, Enamelled and Varnish Bonded Glass Fibre Covered Round Copper Wires as per IS:11184, Domestic Mugs - Bathroom, Centrifuge Tubes (V2), Glass Cleaner, Liquid (V2) as per IS 8540</p> <p>Searched String: FLASK GLASS 100ML</p> <p>Laboratory Glassware Volumetric Flask, Sterile Hypodermic Syringe (V3), Domestic Vacuum Flasks (V2) conforming to IS 7708, PH buffer solution, flask stand, Online UPS (V2), Insulated Flask for Domestic use as per IS 17790, Ferroun indicator solution, Iodine Flask with Stopper, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)</p> <p>Searched String: FLASK VOLUMETRIC GLASS 250ML</p> <p>Laboratory Glassware Volumetric Flask, Domestic Vacuum Flasks (V2) conforming to IS 7708, Glass Tableware, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Shaker Incubator, Laboratory Glassware - Narrow-Naked Boiling Flasks Conforming to IS 1381(Part 1) (Under BIS Scheme 1), Volumetric Pipettes as per IS 1117, Glass Cleaner, Liquid (V2) as per IS 8540, Glass Ionomer Cement for Dentistry, Domestic Vacuum Flasks as per IS 7708</p> <p>Searched String: FLASK VOLUMETRIC GLASS 500ML</p> <p>Laboratory Glassware Volumetric Flask, Domestic Vacuum Flasks (V2) conforming to IS 7708, Glass Tableware, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Shaker Incubator, Laboratory Glassware - Narrow-Naked Boiling Flasks Conforming to IS 1381(Part 1) (Under BIS Scheme 1), Volumetric Pipettes as per IS 1117, Glass Cleaner, Liquid (V2) as per IS 8540, Glass Ionomer Cement for Dentistry, Domestic Vacuum Flasks as per IS 7708</p> <p>Searched String: FLASK GLASS 1000ML</p>

बिड विवरण / Bid Details

Laboratory Glassware Volumetric Flask, Domestic Vacuum Flasks (V2) conforming to IS 7708, Pycnometers/

Pycnometer Bottle, flask stand, Sterile Hypodermic Syringe (V3), Insulated Flask for Domestic use as per IS 17790, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Iodine Flask with Stopper, Blood Collection Tube, Domestic Vacuum Flasks as per IS 7708

Searched String: FILTRATION ASSY

RELAY FRAME ASSY., MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Vacuum Filtration Assembly, Laboratory Filter Papers, Vacuum Filtration Equipment as per IS 10037 (Part 2), Wilfit Spares, Ultra Filtration (UF) Membrane, Drinking Water ATM / Water Vending Machine (Version 2), Transformer Oil filtration plants, Bulk Packing of TSM Assy (BSF), Drinking Water Coolers With Built In Water Purification System (Uv Or Ro)

Searched String: PIPETTE VOLUMETRIC GLASS 25ML

Volumetric Pipettes as per IS 1117, Laboratory Glassware Volumetric Flask, Laboratory Glassware - Burettes (V2) as per IS 1997, Glass Tableware, Serological Pipettes and Graduated Pipettes as per IS 4364, Glass Cleaner, Liquid (V2) as per IS 8540, Glass Ionomer Cement for Dentistry, Isopropyl Alcohol (2 - Propanol), Glass Tableware (V2) Conforming to IS 1961, GLACIAL ACETIC ACID

Searched String: PIPETTE GLASS 10ML 0.1MM

Online UPS (V2), Glass Ionomer Cement for Dentistry, Line Interactive UPS with AVR (V2), Glass Tableware, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sterile Hypodermic Needles for Single use (V2), Multipurpose or General Test Tubes as per IS 2618, Potato Peeler, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: PIPETTE GLASS 1ML 0.01MM

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Serological Pipettes and Graduated Pipettes as per IS 4364, Online UPS (V2), Line Interactive UPS with AVR (V2), Glass Tableware, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sterile Hypodermic Needles for Single use (V2), digital conductivity meter, Multipurpose or General Test Tubes as per IS 2618

Searched String: CYLINDER GLASS 100ML

Cylinder heads, Sterile Hypodermic Syringe (V3), Cylinder Liner, PH buffer solution, Cylinder Stand, Online UPS (V2), Gasket Cylinder Head, Ferroun indicator solution, Sand Pouring Cylinder, Laboratory Graduated Cylinders as per IS 878

Searched String: CYLINDER GLASS 1000ML

Cylinder heads, Cylinder Liner, Pycnometers/ Pycnometer Bottle, Cylinder Stand, Sterile Hypodermic Syringe (V3), Gasket Cylinder Head, Antiseptic Liquid (V2), Sand Pouring

बिड विवरण / Bid Details

Cylinder, Laboratory Graduated Cylinders as per IS 878, Fully Machined Aluminum Cylinder & Cylinder Cap (522BS43) (BHEL)

Searched String: CYLINDER GLASS 50ML

Cylinder heads, Nitrile Coated/Nitrile Hand Gloves (V2), Cylinder Liner, Glass Ionomer Cement for Dentistry, Cylinder Stand, Sterile Hypodermic Syringe (V3), Gasket Cylinder Head, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Sand Pouring Cylinder, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: CYLINDER GLASS 500ML

Cylinder heads, Sterile Hypodermic Syringe (V3), Cylinder Liner, GLACIAL ACETIC ACID, Cylinder Stand, Squeegee Washer Wiper Mopper (V2), Gasket Cylinder Head, Laboratory Graduated Cylinders as per IS 878, Sand Pouring Cylinder, Blood Collection Tube

Searched String: CYLINDER GLASS 25ML

Cylinder Stand, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cylinder heads, Laboratory Glassware - Burettes (V2) as per IS 1997, Cylinder Liner, Sterile Hypodermic Syringe (V3), Sand Pouring Cylinder, Laboratory Vials (V2), Gasket Cylinder Head, Laboratory Graduated Cylinders as per IS 878

Searched String: FLASK CONICAL GLASS 500ML

Laboratory Glassware Volumetric Flask, Domestic Vacuum Flasks (V2) conforming to IS 7708, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Glass Tableware, Laboratory Glassware - Narrow-Naked Boiling Flasks Conforming to IS 1381(Part 1) (Under BIS Scheme 1), GLACIAL ACETIC ACID, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Shaker Incubator, Glass Cleaner, Liquid (V2) as per IS 8540, Glass Ionomer Cement for Dentistry

Searched String: DIGITAL INDICATOR FOR HUMIDITY/TEMP

Digital Temperature Indicator, Infrared Medical Thermometer For Measuring Body Temperature, Temperature & Humidity Sensor, Live Remote Temperature and Humidity Monitoring and Alert System, Phase Indicator, Movable Stand for Mounting Digital Display, Temperature humidity controller, Medical Training kit with Human mannequins for medical education or training, Temperature Indicator for Transformers - Analog type, DIGITAL BUTYRO REFRACTOMETER FOR DAIRY PRODUCTS

Searched String: WATCH GLASS 90MM

Watch Cases, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wrist Watch, Wrist Watch and Watch Movements for Quartz Mechanical Watches conforming to IS 13130 (Part 2), Stop Watch, Customised Envelopes, Leather Watch Straps, Wrist Watch and Watch Movements for Mechanical Watches conforming to IS 13130 (Part 1), Wrist Watch Dials, Bathroom Water Shower (V2)

Searched String: PETRI DISH GLASS 50X17MM

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण/Bid Details

petri plates or dishes, Petri plates or dishes(V2), Fabric Pin Up Notice Boards, Glass Tableware, Glass Tableware as per IS 1961, magnifying glass, Glass Tableware (V2) Conforming to IS 1961, traffic signs - bilinker light, Laboratory Glassware Washers, Electronic Baby Weighing Scale - RBSK

Searched String: NESSLER TUBE GLASS 50ML 25X150MM

FIBRE GLASS TUBE, Blood Collection Tube, Tubes, Glass for Pathological Work as per IS 3740, Glass Ionomer Cement for Dentistry, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Endotracheal Tubes (V2), Glass Tableware, modular electrical enclosure switch board boxes for modular type accessories, Shaker Incubator, Medical Centrifuge

Searched String: BURETTE 100ML

Digital Burette, Sterile Hypodermic Syringe (V3), Burette Clamp, Laboratory Glassware - Burettes (V2) as per IS 1997, burette stand, Online UPS (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Blood Collection Tube, Classroom Stools, Diaries Printed - Plain - Register

Searched String: BOTTLE WIDE MOUTH PLASTIC 500ML

Plastic Bottle Booth, Touchless Sanitizer Dispenser, Plastic Wash Bottle, PH buffer solution, Polyethylene Terephthalate (PET) Bottle, Sipper Bottle (V2), Bottle Water Plastic with Cover (DEFENCE), GLACIAL ACETIC ACID, plastic bottles water bottle with carry bag for cpmf, Bottle for Chemical Laboratory

Searched String: BOTTLE NARROW MOUTH PLASTIC 1000ML

Plastic Bottle Booth, Touchless Sanitizer Dispenser, Plastic Wash Bottle, PH buffer solution, Narrow Mouth HDPE Drum for Lubricating Oil, Sipper Bottle (V2), Polyethylene Terephthalate (PET) Bottle, Bottle Water Plastic with Cover (DEFENCE), Bottle for Chemical Laboratory, plastic bottles water bottle with carry bag for cpmf

Searched String: BOTTLE WIDE MOUTH PLASTIC 250ML

Plastic Bottle Booth, Touchless Sanitizer Dispenser, Plastic Wash Bottle, Dimethyl sulfoxide, Polyethylene Terephthalate (PET) Bottle, Sipper Bottle (V2), Bottle Water Plastic with Cover (DEFENCE), Acetobacter Diazotrophicus Bio - Fertilizer, plastic bottles water bottle with carry bag for cpmf, Bottle for Chemical Laboratory

Searched String: CRUCIBLE GLASS STD

Sintered Glass Crucible, Laboratory Beakers (V2) as per IS 2619, MIL-STD Digital Grounding System, Nickel Crucible with Lid, Glass Tableware, Quartz Plate,Disc,Crucible,Wafer, Environmental Chamber, Butterfly Valve (as per API Std. 609), Multipurpose or General Test Tubes as per IS 2618, LED Well Glass Fixture

Searched String: CRUCIBLE SILICA-VM GLASS SMALL

Sintered Glass Crucible, Silica Crucibles

Searched String: SPATULA 150MM

बिड विवरण / Bid Details

Laparoscopic spatula, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Surgical Spatulas, surgical spatulas cytobrush with ayres spatula, Dental Plaster Spatula -(RBSK), Customised Envelopes, Micro Spatula-IS:3888, Domestic Kitchen Spatulas (V2), Domestic kitchen spatulas, Dental Cement Spatula -(Rbsk)-IS:3888, IS:5541

Searched String: SPATULA SMALL

Laparoscopic spatula, Nitrile Coated/Nitrile Hand Gloves (V2), Surgical Spatulas, surgical spatulas cytobrush with ayres spatula, Dental Plaster Spatula -(RBSK), Small Angle Grinders, Micro Spatula-IS:3888, Domestic Kitchen Spatulas (V2), Single use Rubber Examination Gloves (V2), Domestic kitchen spatulas

Searched String: SPATULA LARGE

Laparoscopic spatula, Nitrile Coated/Nitrile Hand Gloves (V2), Surgical Spatulas, surgical spatulas cytobrush with ayres spatula, Dental Plaster Spatula -(RBSK), Speed Post Envelope (Large), Micro Spatula-IS:3888, Domestic Kitchen Spatulas (V2), Professional Large Format Display, Domestic kitchen spatulas

Searched String: HYDROMETER 850-900

Hydrometer(Nclil), Power Generator - DG Set (up to 900 KVA), Power Generators (Upto 900 kVA), Dry Erase Writing Boards (V3), Density Hydrometers, Petroleum Coke (V2) Confirming to IS 8502, Modular Metal Drawer File Cabinet Pedestal, Anaerobic Jar- IS:8501, Cellulose Powder, Pin Up Notice Board (V2)

Searched String: TONG SMALL F/ASH AND VM TESTING

Category not available on GeM for the text string uploaded by the buyer

Searched String: HYDROMETER 800-850

Hydrometer(Nclil), Ultra low temperature laboratory deep freezer, X - Ray Machine (800 MA), 800 mA X - Ray Machine (V2), LED Display System, First Line Anti TB Drugs for NTEP - Ethambutol 800 mg Tablet, Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL), Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Density Hydrometers, Petroleum Coke (V2) Confirming to IS 8502

Searched String: HYDROMETER GLASS

Hydrometer(Nclil), Laboratory Beakers (V2) as per IS 2619, Glass Tableware, Safety Glass for Road Transport Marked to IS 2553 (Part 2), Glass Coasters, Whisky Glass, magnifying glass, Environmental Chamber, Glass Fuse, Glass Tableware as per IS 1961

Searched String: HYDROMETER GLASS

Hydrometer(Nclil), Laboratory Beakers (V2) as per IS 2619, Glass Tableware, Safety Glass for Road Transport Marked to IS 2553 (Part 2), Glass Coasters, Whisky Glass, magnifying glass, Environmental Chamber, Glass Fuse, Glass Tableware as per IS 1961

Searched String: DISPENSER 0.2-25ML

बिड विवरण / Bid Details

Touchless Soap Dispenser (Version 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098

(Part 1), Isopropyl Alcohol (2 - Propanol), Electronic Weighing Scales, Laboratory Glassware - Burettes (V2) as per IS 1997, Touchless Sanitizer Dispenser, Online UPS (V2), Line Interactive UPS with AVR (V2), Sterile Hypodermic Syringe (V3), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694

Searched String: RACKS-PIPETTE STANDS PP STD

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Magazine and Newspaper Racks - Handcrafted

Searched String: MORTAR&PASTE PORC MEDIUM

Category not available on GeM for the text string uploaded by the buyer

Searched String: COAL STD SAMPLE

Sample Cup, Blood Sample Collection Tubes, MIL-STD Digital Grounding System, Anthracite coal, Steam Coal, Tissue Homogenizer, Sample Warping Machine, Cardiac Troponin T TEST KIT, Sample Weaving Machine, Butterfly Valve (as per API Std. 609)

Searched String: SILICONE GREASE

Silicone Grease as per IS 508, Muffle Furnace, Silicone Tubes, Silicone Oil, Silicone sealant, Grease Gun as per IS 7794, Aviation Grease, Lithium Base Grease for Industrial Purposes as per IS 7623, Lubricating Grease, Sand Paper (Defense)

Searched String: HAND GLOVES ASB 18IN

General Purpose Hand Gloves (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Cotton Canvas Hand Gloves (SAIL), hand gloves woolen knitted, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, Gloves - Handicraft, Hand Held Brush Cutter (V2), Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Finger Restraint, Leather Products from Tirupathur - ODOP

Searched String: TISSUE PAPER 45M

Facial Tissue Papers(V3), Paper Shredding Machines (V2), Toilet Paper (V3) Conforming to IS 14661, Tissue Papers (V2), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Tissue box, Pressure Calibrator, Tissue Homogenizer, Tissue Embedding Ring, Tissue Embedding Cassette

Searched String: DISH ENAMEL TRAY MEDIUM

Enamel Tray, Enamel Tray (V2), Pipe saddles, Tableware Made of Melamine Plastics as per IS 9220, Stainless Steel Utensil as per IS 14756

Searched String: FUNNEL SEPARATOR GLASS 500ML

Glass Tableware, GLACIAL ACETIC ACID, Blood Collection Tube, Glass Cleaner, Liquid (V2) as per IS 8540, Funnel, Glass Ionomer Cement for Dentistry, Glass Tableware (V2) Conforming to IS 1961, Separating funnels, Sipper Bottle

	<p>(V2), Domestic Drinking Glasses (Defence)</p> <p>बिड विवरण / Bid Details</p> <p>Searched String: DESICCATOR GLASS 300ML</p> <p>Laboratory Desiccator (V2), Sterile Hypodermic Syringe (V3), Glass Tableware, Glass Coasters, Blood Collection Tube, Whisky Glass, Caution / Crime Scene Tape (V2), magnifying glass, Modular Metal Drawer File Cabinet Pedestal, Glass Fuse</p> <p>Searched String: SILICA GEL SELF INDICATING BLUE 1KG</p> <p>Silica Gel (V2) Conforming to IS 3401, Silica Gel as per IS 3401, Silica Gel Breather</p> <p>Searched String: LABOLENE TR 5L</p> <p>Labolene, Sofas (V2), ERW Line Pipe (as per API 5I / ISO 3183) (Oil PSU), Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Seamless Line Pipe (as per API 5I / ISO 3183) (Oil PSU), Ultra low temperature laboratory deep freezer, Conventional Gas Lift Mandrel (Petroleum Industry), Virechan Peeth For Panchakarma, Instrument Trolley for Hospitals (V2), Medicine Trolley</p> <p>Searched String: FUNNEL PLAIN GLASS MEDIUM</p> <p>Laboratory Glass Adapters, Funnel, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Glass Coasters, Steel Trunk confirming to IS 7257 (V3)</p> <p>Searched String: CRUCIBLE STANDS STD</p> <p>Sintered Glass Crucible, Metal Storage Cabinet, Pen Stands-Handicraft, Pen Stands-Handicraft, Cloth Dryer Stand, Vertical Garden Stands, Sign holders or stands, Nickel Crucible with Lid, Twister - Outdoor Gym Equipment, MIL-STD Digital Grounding System</p> <p>Searched String: MANIFOLD THREE TEST</p> <p>Three way Stop Cocks or Manifolds, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Solid Phase Extraction unit, Directional Control Valve, Three Finger Clamps, Wooden Podium, Three Way Stopcocks, Triaxial Test Apparatus (Single Speed), JAR TEST APPARATUS, Three Wheeler for Passengers</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Lab Coat (NPCIL)
बीओक्यू शीर्षक /BOQ Title	Lab Items
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No

बिड विवरण/Bid Details

विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	HEATING MANTLE STD_Schedule 1 _ Item_10_M2679802100_100265729
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--------------------------------------------	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
------------------------------------------------	------------------------------	----------------------

Schedule 1	Heating Mantle Std_schedule 1 _ Item_10_m2679802100_100265729	1
Schedule 2	Hot Plate Large_schedule 2 _ Item_20_m2679802003_100265729	1
Schedule 3	Flask Conical Glass 250ml_schedule 3 _ Item_30_m2679153337_100265729	20
Schedule 4	Cuvette Rectangular 50mm_schedule 4 _ Item_40_m2697855017_100265729	5
Schedule 5	Crucible Silica-ash Glass 20ml 15x54mm_schedule 5 _ Item_50_m2679151522_100265729	50
Schedule 6	Crucible Silica-moisture Glass Medium_schedule 6 _ Item_60_m2679151512_100265729	50
Schedule 7	Test Sieve Ss_schedule 7 _ Item_70_m2679880100_100265729	3
Schedule 8	Test Sieve Brs 12.5mm_schedule 8 _ Item_80_m2679880282_100265729	2
Schedule 9	Test Sieve Brs 3.35mm_schedule 9 _ Item_90_m2679880273_100265729	2
Schedule 10	Test Sieve Brs_schedule 10 _ Item_100_m2679880242_100265729	2
Schedule 11	Thermometer 0-1300deg.c 10-50deg C_schedule 11 _ Item_110_m9491766002_100265729	10
Schedule 12	Thermometer Hg Glass_schedule 12 _ Item_120_m2679157001_100265729	10
Schedule 13	Flask Round Bottom Glass 1000ml_schedule 13 _ Item_130_m2679153369_100265729	20
Schedule 14	Flask Glass 100ml_schedule 14 _ Item_140_m2679153303_100265729	20
Schedule 15	Flask Volumetric Glass 250ml_schedule 15 _ Item_150_m2679153305_100265729	20
Schedule 16	Flask Volumetric Glass 500ml_schedule 16 _ Item_160_m2679153306_100265729	20
Schedule 17	Flask Glass 1000ml_schedule 17 _ Item_170_m2679153307_100265729	10
Schedule 18	Filtration Assy_schedule 18 _ Item_180_m2679013501_100265729	2
Schedule 19	Pipette Volumetric Glass 25ml_schedule 19 _ Item_190_m2679155525_100265729	25
Schedule 20	Pipette Glass 10ml 0.1mm_schedule 20 _ Item_200_m2679155510_100265729	50
Schedule 21	Pipette Glass 1ml 0.01mm_schedule 21 _ Item_210_m2679155501_100265729	25
Schedule 22	Cylinder Glass 100ml_schedule 22 _ Item_220_m2679151725_100265729	20
Schedule 23	Cylinder Glass 1000ml_schedule 23 _ Item_230_m2679151738_100265729	10

Schedule 24	Cylinder Glass 50ml_schedule 24 _ Item_240_m2679151720_100265729	50
Schedule 25	Cylinder Glass 500ml_schedule 25 _ Item_250_m2679151735_100265729	10
Schedule 26	Cylinder Glass 25ml_schedule 26 _ Item_260_m2679151715_100265729	25
Schedule 27	Flask Conical Glass 500ml_schedule 27 _ Item_270_m2679153338_100265729	20
Schedule 28	Digital Indicator For Humidity Temp_schedule 28 _ Item_280_m9425256074_100265729	10
Schedule 29	Watch Glass 90mm_schedule 29 _ Item_290_m2679157618_100265729	100
Schedule 30	Petri Dish Glass 50x17mm_schedule 30 _ Item_300_m2679155611_100265729	50
Schedule 31	Nessler Tube Glass 50ml 25x150mm_schedule 31 _ Item_310_m2679155305_100265729	50
Schedule 32	Burette 100ml_schedule 32 _ Item_320_m2679016103_100265729	10
Schedule 33	Bottle Wide Mouth Plastic 500ml_schedule 33 _ Item_330_m2679201018_100265729	500
Schedule 34	Bottle Narrow Mouth Plastic 1000ml_schedule 34 _ Item_340_m2679201030_100265729	200
Schedule 35	Bottle Wide Mouth Plastic 250ml_schedule 35 _ Item_350_m2679201016_100265729	200
Schedule 36	Crucible Glass Std_schedule 36 _ Item_360_m2679151500_100265729	100
Schedule 37	Crucible Silica-vm Glass Small_schedule 37 _ Item_370_m2679151531_100265729	100
Schedule 38	Spatula 150mm_schedule 38 _ Item_380_m2679167215_100265729	15
Schedule 39	Spatula Small_schedule 39 _ Item_390_m2679167214_100265729	15
Schedule 40	Spatula Large_schedule 40 _ Item_400_m2679167216_100265729	10
Schedule 41	Hydrometer 850-900_schedule 41 _ Item_410_m2679152513_100265729	20
Schedule 42	Tong Small F Ash And Vm Testing_schedule 42 _ Item_420_m2679168001_100265729	10
Schedule 43	Hydrometer 800-850_schedule 43 _ Item_430_m2679152512_100265729	20
Schedule 44	Hydrometer Glass_schedule 44 _ Item_440_m2679152502_100265729	10
Schedule 45	Hydrometer Glass_schedule 45 _ Item_450_m2679152514_100265729	20
Schedule 46	Dispenser 0.2-25ml_schedule 46 _ Item_460_m2679011725_100265729	10

Schedule 47	Racks-pipette Stands Pp Std_schedule 47 _ Item_470_m2679821600_100265729	5
Schedule 48	Mortar Paste Porc Medium_schedule 48 _ Item_480_m2679223102_100265729	5
Schedule 49	Coal Std Sample_schedule 49 _ Item_490_m2697882239_100265729	5
Schedule 50	Silicone Grease_schedule 50 _ Item_500_m1010756004_100265729	250
Schedule 51	Hand Gloves Asb 18in_schedule 51 _ Item_510_m2966251018_100265729	30
Schedule 52	Tissue Paper 45m_schedule 52 _ Item_520_m2679160202_100265729	500
Schedule 53	Dish Enamel Tray Medium_schedule 53 _ Item_530_m2679121112_100265729	30
Schedule 54	Funnel Separator Glass 500ml_schedule 54 _ Item_540_m2679156150_100265729	10
Schedule 55	Desiccator Glass 300ml_schedule 55 _ Item_550_m2679152130_100265729	5
Schedule 56	Silica Gel Self Indicating Blue 1kg_schedule 56 _ Item_560_m1010804028_100265729	10
Schedule 57	Labolene Tr 5l_schedule 57 _ Item_570_m1010445047_100265729	5
Schedule 58	Funnel Plain Glass Medium_schedule 58 _ Item_580_m2679153402_100265729	20
Schedule 59	Crucible Stands Std_schedule 59 _ Item_590_m2679821001_100265729	10
Schedule 60	Manifold Three Test_schedule 60 _ Item_600_m2679016101_100265729	10

HEATING MANTLE STD_Schedule 1 _ Item_10_M2679802100_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	1	60

HOT PLATE LARGE_Schedule 2 _ Item_20_M2679802003_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	1	60

FLASK CONICAL GLASS 250ML_Schedule 3 _ Item_30_M2679153337_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

CUVETTE RECTANGULAR 50MM_Schedule 4 _ Item_40_M2697855017_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	5	60

**CRUCIBLE SILICA-ASH GLASS 20ML 15X54MM_Schedule 5 _
Item_50_M2679151522_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	50	60

**CRUCIBLE SILICA-MOISTURE GLASS MEDIUM_Schedule 6 _
Item_60_M2679151512_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	50	60

TEST SIEVE SS_Schedule 7 _ Item_70_M2679880100_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	3	60

TEST SIEVE BRS 12.5MM_Schedule 8 _ Item_80_M2679880282_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	2	60

TEST SIEVE BRS 3.35MM_Schedule 9 _ Item_90_M2679880273_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	2	60

TEST SIEVE BRS_Schedule 10 _ Item_100_M2679880242_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---------------------------------------------------------	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	2	60

**THERMOMETER 0-1300DEG.C 10-50DEG C_Schedule 11 _
Item_110_M9491766002_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

THERMOMETER HG GLASS_Schedule 12 _ Item_120_M2679157001_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

**FLASK ROUND BOTTOM GLASS 1000ML_Schedule 13 _
Item_130_M2679153369_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

FLASK GLASS 100ML_Schedule 14 _ Item_140_M2679153303_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

FLASK VOLUMETRIC GLASS 250ML_Schedule 15 _ Item_150_M2679153305_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

FLASK VOLUMETRIC GLASS 500ML_Schedule 16 _ Item_160_M2679153306_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

FLASK GLASS 1000ML_Schedule 17 _ Item_170_M2679153307_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

FILTRATION ASSY_Schedule 18 _ Item_180_M2679013501_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	2	60

PIPETTE VOLUMETRIC GLASS 25ML_Schedule 19 _ Item_190_M2679155525_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---------------------------------------------------------	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	25	60

PIPETTE GLASS 10ML 0.1MM_Schedule 20 _ Item_200_M2679155510_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	50	60

PIPETTE GLASS 1ML 0.01MM_Schedule 21 _ Item_210_M2679155501_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	25	60

CYLINDER GLASS 100ML_Schedule 22 _ Item_220_M2679151725_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

CYLINDER GLASS 1000ML_Schedule 23 _ Item_230_M2679151738_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

CYLINDER GLASS 50ML_Schedule 24 _ Item_240_M2679151720_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	50	60

CYLINDER GLASS 500ML_Schedule 25 _ Item_250_M2679151735_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

CYLINDER GLASS 25ML_Schedule 26 _ Item_260_M2679151715_100265729**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	25	60

FLASK CONICAL GLASS 500ML_Schedule 27 _ Item_270_M2679153338_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

**DIGITAL INDICATOR FOR HUMIDITY TEMP_Schedule 28 _
Item_280_M9425256074_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

WATCH GLASS 90MM_Schedule 29 _ Item_290_M2679157618_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	100	60

PETRI DISH GLASS 50X17MM_Schedule 30 _ Item_300_M2679155611_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---------------------------------------------------------------	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	50	60

**NESSLER TUBE GLASS 50ML 25X150MM_Schedule 31 _
Item_310_M2679155305_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	50	60

BURETTE 100ML_Schedule 32 _ Item_320_M2679016103_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

**BOTTLE WIDE MOUTH PLASTIC 500ML_Schedule 33 _
Item_330_M2679201018_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	500	60

**BOTTLE NARROW MOUTH PLASTIC 1000ML_Schedule 34 _
Item_340_M2679201030_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	200	60

**BOTTLE WIDE MOUTH PLASTIC 250ML_Schedule 35 _
Item_350_M2679201016_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	200	60

CRUCIBLE GLASS STD_Schedule 36 _ Item_360_M2679151500_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	100	60

CRUCIBLE SILICA-VM GLASS SMALL_Schedule 37 _ Item_370_M2679151531_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	100	60

SPATULA 150MM_Schedule 38 _ Item_380_M2679167215_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	15	60

SPATULA SMALL_Schedule 39 _ Item_390_M2679167214_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	----------------------------------------------------------------	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	15	60

SPATULA LARGE_Schedule 40 _ Item_400_M2679167216_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

HYDROMETER 850-900_Schedule 41 _ Item_410_M2679152513_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

**TONG SMALL F ASH AND VM TESTING_Schedule 42 _
Item_420_M2679168001_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

HYDROMETER 800-850_Schedule 43 _ Item_430_M2679152512_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

HYDROMETER GLASS_Schedule 44 _ Item_440_M2679152502_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

HYDROMETER GLASS_Schedule 45 _ Item_450_M2679152514_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

DISPENSER 0.2-25ML_Schedule 46 _ Item_460_M2679011725_100265729**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

RACKS-PIPETTE STANDS PP STD_Schedule 47 _ Item_470_M2679821600_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	5	60

MORTAR PASTE PORC MEDIUM_Schedule 48 _ Item_480_M2679223102_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	5	60

COAL STD SAMPLE_Schedule 49 _ Item_490_M2697882239_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	5	60

SILICONE GREASE_Schedule 50 _ Item_500_M1010756004_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	----------------------------------------------------------	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	250	60

HAND GLOVES ASB 18IN_Schedule 51 _ Item_510_M2966251018_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	30	60

TISSUE PAPER 45M_Schedule 52 _ Item_520_M2679160202_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	500	60

DISH ENAMEL TRAY MEDIUM_Schedule 53 _ Item_530_M2679121112_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	30	60

FUNNEL SEPARATOR GLASS 500ML_Schedule 54 _ Item_540_M2679156150_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

DESICCATOR GLASS 300ML_Schedule 55 _ Item_550_M2679152130_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	5	60

**SILICA GEL SELF INDICATING BLUE 1KG_Schedule 56 _
Item_560_M1010804028_100265729**

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

LABOLENE TR 5L_Schedule 57 _ Item_570_M1010445047_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	5	60

FUNNEL PLAIN GLASS MEDIUM_Schedule 58 _ Item_580_M2679153402_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	20	60

CRUCIBLE STANDS STD_Schedule 59 _ Item_590_M2679821001_100265729**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---------------------------------------------------------	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

MANIFOLD THREE TEST_Schedule 60 _ Item_600_M2679016101_100265729

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hem Chandra Roy	843130,GSTIN: 10AAACN0255D2ZC NTPC Stores, Muzaffarpur Thermal Power Station, P.O. Kanti Thermal Phone No. : 06223- 267371/56 Fax No. : 06223- 267310	10	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

	Buyer Added text-based ATC clauses (PR -100265729)
1	<u>Not Applicable</u>
2	<p>Nil deviation clause for all schedules: The sellers who participate in current Tender are deemed to have fully accepted all Terms & Conditions, Technical Specifications, Data Sheets, Drawings, Quality Plans, Buyer Added Bid Specific Terms and Conditions given in Bidding Documents, read in conjunction with Amendment(s)/ Clarification(s)/ Addenda/ Errata (if any) issued by the Buyer prior to opening of Techno-Commercial Bids, and the same are supposed to have been taken into consideration while making their Techno-Commercial Bid & Price Bid. Further it is construed that no deviation has been taken by the seller in this regard. In case any documents/ details/ catalogues are found to have been submitted by the bidder along with their bid, which is in contravention to buyer's bidding documents, those will not be taken into cognizance and will stand automatically withdrawn.</p> <p>The above is confirmed by bidder through the "Seller undertaking" during submission of offer as "I hereby confirm acceptance and compliance of all the conditions including GTC, STC and ATC and Corrigendum conditions. I also confirm that all the product(s) offered is/are fully compliant with the specifications asked for in the bid, including the additional specification parameters incorporated by the Buyer in the bid document".</p>
3	<p>If any seller/bidder has any clarification against technical specification or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation Window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication as allowed by GeM. Clarification asked through any means other than above, may not be considered by NTPC.</p>
4	<p>Bidder may quote as per "Technical Specification" and/ or spec sheet attached for each line item/ schedule. In case of any contradiction between Category/ BOQ Item description and "Technical Specification" of the item(s) attached in the tender, TECHNICAL SPECIFICATION OF THAT ITEM SHOULD BE CONSIDERED FOR THE SUBMISSION OF OFFER AND SAME SHALL BE CONSIDERED FOR EVALUATION PURPOSE AT OUR END. The details mentioned in the detailed Technical specification shall be considered final for the offer/ bid/ technical evaluation .</p> <p>Bidder has to quote make and model in GeM as per option available in GeM during submission of offer after meeting all the technical specification of tender. After opening of bids, any change in vendor's quoted make or model in their bid can not be done and any such request will be rejected. In the event of an order, vendors' quoted make and model in their bid will also gets automatically populated in the GEM Purchase order. Also, MSE & MII benefits will be given exclusively based on documents submitted in reference to the "quoted make and model" submitted in the GeM bid.</p>

5	Guarantee/Warranty: 12 months from the date of use/commissioning or 18 months from the date of supply, whichever is earlier. (The Guarantee/ Warranty Terms and Conditions shall be applicable to the material supplied against the PO. No separate Guarantee/ Warranty Certificate is required to be submitted by the Supplier along with the material. The Guarantee / Warranty terms and condition shall be binding on the supplier). If any higher Guarantee/ warranty mentioned in the technical specification the same shall be applicable.
6	Common IP Addresses:- Bidders may please note that GeM is capturing and presenting to the buyer the IP addresses used by the Buyer and the Bidder(s) /Seller(s). The received bids having matching/common IP address with either Bidder(s)/Seller(s) or Buyer, shall be outrightly rejected & shall not be considered for further evaluation.
7	During techno-commercial evaluation of offer, clarification/ reply to the queries (if asked by NTPC) given by bidder will be considered an integral part of the GeM purchase order and the vendor will be liable to execute the PO also in accordance to the same. Furthermore, in the event subsequent clarification(s)/query(ies) are sought and bidder fails to respond or responds with incorrect / inadequate or non-compliant information, the bid will be liable to be rejected. Subsequent representation(s) may not be accepted in such cases.
8	All post award communication/ grievance will be addressed to consignee at email id: storeincharge-kanti@ntpc.co.in . In case of non-resolution of the issue, matter can be escalated along with previous correspondence(s) to email id :- vendor_grievance_cpg2@ntpc.co.in
9	Payment terms: The payment shall be released after successful delivery and within 10 days from the date of CRAC generation in line with GeM GTC.
10	Not Applicable
11	Not Applicable

1 CONFLICT OF INTEREST:

- 2 A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Employer's interests. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:
- a) they directly or indirectly control, or are controlled by or are under common control of another entity; or
 - b) they have the same legal representative/agent for purposes of their bids; or
 - c) they have relationship with each other, directly or through common third party(ies), that puts them in a position to have access to information about or influence on the bid of another Bidder; or
 - d) Bidder and/or any of its allied entity(ies), which directly or indirectly control(s) or is(are) controlled by or is(are) under common control of another entity, has(ve) participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the tender; or
 - e) Bidder participates in more than one bid in this bidding process.
 - f) In cases of agents quoting on behalf of their principal manufacturers/service providers, one agent cannot represent two manufacturers/service providers or quote on their behalf in a particular tender enquiry. One manufacturer/service provider can also authorize only one agent. There can be only one bid from the following:
 - i) The principal manufacturer/service provider directly or through one Indian agent on his behalf; and
 - ii) Indian/foreign agent on behalf of only one principal.

For the purposes of this clause the term 'control' shall have the following meaning:

"Control" shall include the right to appoint majority of the directors or to control the management or policy decisions exercisable by a person or persons acting individually or in concert, directly or indirectly, including by virtue of their shareholding or management rights or shareholders' agreements or voting agreements or in any other manner.

Vendor has to submit CONFLICT OF INTEREST declaration in bid during submission offer as detail as "We confirm that we have read and understood the Buyer Added Bid Specific ATC Clause regarding "Conflict of Interest" and our bid is in compliance to this clause. In case it is established that we have provided any false information in pursuance of the aforesaid Clause, while competing for this contract, then our bid shall be rejected and bid security shall be forfeited. We also understand that in case we become successful bidder, if it is established that we have not complied with terms of aforesaid Clause, during execution of contract, this would be considered as fraudulent practice as mentioned in para 5.1 (j) of "Policy for Debarment from Business Dealings" and shall be dealt accordingly."

Note: Policy for Debarment from Business Dealings available at "https://ntpc.co.in/sites/default/files/policy- documents/Policy_for_Debarment_from_Business_Dealings.pdf".

CONFLICT OF INTEREST DECLARATION FORM

..... PACKAGE FOR
..... PROJECT
BIDDING DOCUMENT NO.
(Compliance to "Conflict of Interest" provisions)

We confirm that we have read and understood the ITB* Clause regarding "Conflict of Interest" and our bid is in compliance to this clause.

In case it is established that we have provided any false information in pursuance of the aforesaid ITB* Clause, while competing for this contract, then our bid shall be rejected and bid security shall be forfeited.

We also understand that in case we become successful bidder, if it is established that we have not complied with terms of aforesaid ITB Clause, during execution of contract, this would be considered as fraudulent practice as mentioned in para 5.1 (j) of "Policy for Debarment from Business Dealings" and shall be dealt accordingly.

1 3	Risk purchase- In the event of Suppliers failure to supply the material of acceptable quality in scheduled delivery period, NTPC reserves the right to procure the materials from any other source at the Suppliers risk and cost and the difference in cost shall be borne by the Supplier. Further, NTPC shall retain the right of forfeiture of CPG/ PBG and or any other action as deemed fit.
1 4	Pre-Dispatch Inspection (PDI): Not Applicable
1 5	EMD BG: NOT APPLICABLE
1 6	Performance Bank Guarantee (PBG) Detail: NOT APPLICABLE
1 7	<p>MSME benefit (purchase preference) is to be given as per following conditions:</p> <p>In case of procurement of goods/ services, preferences to MSEs whose quoted prices are within L1 (non-MSEs) +15% range (subject to matching of L1 price) will be given in the following order:</p> <ul style="list-style-type: none">a) SC-ST Women MSEsb) SC-ST other than Women MSEsc) Women MSEsd) Other MSEs <p>The MSE order quantity will be as per following:</p> <ul style="list-style-type: none">i. Where the requirement is Not-Splitable: 100% of contract quantity will be awarded to MSEs.ii. Where the requirement is Splitable: 25% of contract quantity will be awarded to MSEs. In case of more than one MSEs (for the same category) are within range of L1+15 % price, then 25% of tendered quantity will be divided equally amongst them

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---