

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	11-02-2026 16:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	11-02-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Gujarat
विभाग का नाम / Department Name	Education Department Gujarat
संगठन का नाम / Organisation Name	Commissionerate Of Technical Education
कार्यालय का नाम / Office Name	Government Engineering College, Sector-28, Gandhinagar
कुल मात्रा / Total Quantity	11
वस्तु श्रेणी / Item Category	Plate type heat exchanger apparatus , Stefan Boltzmann Apparatus , COMPOSITE WALL APPARATUS , PIN FIN APPARATUS , HEAT TRANSFER IN NATURAL CONVECTION AND FORCED CONVECTION , EMISSIVITY MEASUREMENT APPARATUS , Cascade Refrigeration Test Rig , AIR-CONDITIONING TEST RIG , CRITICAL RADIUS OF INSULATING MATERIAL APPARATUS , CUT SECTION MODEL OF ROTARY COMPRESSOR Model , CENTRIFUGAL COMPRESSOR CUT SECTION MODEL
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Plate type heat exchanger apparatus, Stefan Boltzmann Apparatus, COMPOSITE WALL APPARATUS, PIN FIN APPARATUS, HEAT TRANSFER IN NATURAL CONVECTION AND FORCED CONVECTION, EMISSIVITY MEASUREMENT APPARATUS , Cascade Refrigeration Test Rig, AIR-CONDITIONING TEST RIG , CRITICAL RADIUS OF INSULATING MATERIAL APPARATUS, CUT SECTION MODEL OF ROTARY COMPRESSOR Model , CENTRIFUGAL COMPRESSOR CUT SECTION MODEL
	<p>Searched String: Plate type heat exchanger apparatus</p> <p>Welded Plate and Frame Heat Exchanger (MRPL), Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651, Shell & Tube Heat Exchanger, Furnace and Heat Exchanger Tubes, Boiler, Superheater and Heat Exchanger Tubes (As Per ASTM A 213), Heat Pump Food Dehydrator, Plate Loaded Tibia Trainer, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Bacterial / Viral Filters (V2), Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910</p> <p>Searched String: Stefan Boltzmann Apparatus</p>

बिड विवरण / Bid Details	Pendulum Apparatus, JAR TEST APPARATUS, Extraction Apparatus, Orificemeter Apparatus, Sound Level Meter /
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Noise Level Meter (Sound Measuring Apparatus or Decibel Meter), Notch Apparatus, Breathing Apparatus Accessories or Supplies Re Breathing Bag as per IS 11364:1994, Reynolds Apparatus, Microcontroller Based Melting and Boiling Point Apparatus, Resonance Tube apparatus</p> <p>Searched String: COMPOSITE WALL APPARATUS</p> <p>Wall Bars, Composite Office Tables confirming to IS 8126 (V2), Wall lamp, Breathing Apparatus with compressed Air Cylinder (Diving Instruments or Accessories), Wall Shelves, JAR TEST APPARATUS, Dental Composite syringe, Parallelogram Law of Forces Apparatus, Composite Armour (IOF), Wall Clocks as per IS 12510</p> <p>Searched String: PIN FIN APPARATUS</p> <p>Knowles Pin, Steinmann Pin, Chest Press - Outdoor Gym Equipments, Piston Pin, Pin Up Notice Board (V2), Lapel Pin, Dolomite For Metallurgical (For Steel Industry) And Refractory Use conforming to IS 10346, pin cushions, JAR TEST APPARATUS, Dowel Pin</p> <p>Searched String: HEAT TRANSFER IN NATURAL CONVECTION AND FORCED CONVECTION</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: EMISSIVITY MEASUREMENT APPARATUS</p> <p>Pendulum Apparatus, JAR TEST APPARATUS, Extraction Apparatus, Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910, Orificemeter Apparatus, Water Quality Meters / Analyzers, Notch Apparatus, Battery Tester, Reynolds Apparatus, Measured Volume Set (V2)</p> <p>Searched String: Cascade Refrigeration Test Rig</p> <p>Vapor Compression Refrigeration Test Rig, PELTON WHEEL TURBINE TEST RIG, FRANCIS TURBINE TEST RIG, KAPLAN TURBINE TEST RIG, Ice Plant Test Rig, Venturi Meter Apparatus, Orificemeter Apparatus, Two Body Abrasion Test Rig</p> <p>Searched String: AIR-CONDITIONING TEST RIG</p> <p>FRANCIS TURBINE TEST RIG, PELTON WHEEL TURBINE TEST RIG, KAPLAN TURBINE TEST RIG, Ice Plant Test Rig, Venturi Meter Apparatus, Vapor Compression Refrigeration Test Rig, Orificemeter Apparatus, Two Body Abrasion Test Rig, Air Permeability Tester (Textile), Airport Surface Friction Tester (ASFT)</p> <p>Searched String: CRITICAL RADIUS OF INSULATING MATERIAL APPARATUS</p> <p>Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Ceramic Fibre Blanket Insulation as per IS 15402</p> <p>Searched String: CUT SECTION MODEL OF ROTARY COMPRESSOR Model</p>

बिड विवरण / Bid Details	Dental Type II Plaster of Paris (Model Plaster), Anatomy Structure Model (V3), Dental Type II Plaster of Paris (Model Plaster) (V2), Modeling Software for Processing and Interpretation of Geophysical Data, Anatomy Structure Model (V2), Gynecological Patient Education Model
	<p>Searched String: CENTRIFUGAL COMPRESSOR CUT SECTION MODEL</p> <p>Centrifugal Compressor Pump (IOCL), plasma air cutting machine, Centrifugal Compressor for Hydrocarbon Service (IOCL), Non Refrigerated Centrifuge for General Purpose and research, Centrifugal/Screw Compressor with Dryer (NALCO), Anatomy Structure Model (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Anatomy Structure Model (V3)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Heat resistance Gauntlet
बीओक्यू शीर्षक /BOQ Title	Heat transfer lab equipments
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	3 Lakh (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ /Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है /Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	10 %

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Plate type heat exchanger apparatus
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	30000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	15

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Principal

Government Engineering College, Sector-28, Gandhinagar, Education Department Gujarat, Commissionerate of Technical Education,
(Principal Government Engineering College, Sector 28 Gandhinagar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--------------------------------------------	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	20
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	50

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority : Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within $L-1+ 20\%$ of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 50 % of total quantity as defined/ decided in relevant policy.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of

cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Plate Type Heat Exchanger Apparatus

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

Stefan Boltzmann Apparatus

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---------------------------------------------------------------	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

COMPOSITE WALL APPARATUS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

PIN FIN APPARATUS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

HEAT TRANSFER IN NATURAL CONVECTION AND FORCED CONVECTION

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

EMISSIVITY MEASUREMENT APPARATUS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

Cascade Refrigeration Test Rig

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

AIR-CONDITIONING TEST RIG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

CRITICAL RADIUS OF INSULATING MATERIAL APPARATUS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

CUT SECTION MODEL OF ROTARY COMPRESSOR Model

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

CENTRIFUGAL COMPRESSOR CUT SECTION MODEL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Modi Vijaykumar Natvarlal	382028,GOVERNMENT ENGINEERING COLLEGE NEAR ANIMAL VACCINE INSTITUTE, SECTOR-28, GANDHINAGAR	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Principal Government Engineering College
payable at
Principal Government Engineering College

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

4. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

5. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Bidder must include the installation with plumbing work.
2. Bidder must provide necessary accessory with relevant equipment's.

6. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---