

**बिड दस्तावेज़ / Bid Document**

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	06-03-2026 20:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	06-03-2026 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Uttar Pradesh
विभाग का नाम / Department Name	Public Works Department Uttar Pradesh
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	Engineer In Chief(hod)
कुल मात्रा / Total Quantity	7
वस्तु श्रेणी / Item Category	Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2) (Q2) , Mobile Storage Compactors (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	15 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	120 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

**बिड विवरण/Bid Details**

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Mobile Storage Compactors
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
<b>Payment Timelines</b>	Payments shall be made to the Seller within <b>45</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	63000

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	2.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	24

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Provincial Division PWD Amroha  
Executive Engineer Provincial Division PWD Amroha  
(Executive Engineer)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc.

This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## **Metal Shelving Racks (Adjustable Type) Conforming To Is 1883 (V2) ( 5 pieces )**

### **तकनीकी विशिष्टियाँ / Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

<b>विवरण/Specification</b>	<b>विशिष्टि का नाम /Specification Name</b>	<b>बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)</b>
STANDARDS AND CERTIFICATIONS	<b>Governing Standard</b>	Conformity to IS 1883
GENERIC	<b>Types of Shelving Racks</b>	Open-type (No side and back sheets), Semi-Open Type (with sides only and no back), Semi-Open Type (with back only and no sides, Closed Type (with side and back sheets)
DIMENSIONS AND TOLERANCES	<b>Overall Height of Shelving Racks (Tolerance: ± 50 mm)</b>	975 mm, 1275 mm, 1575 mm, 1875 mm, 2175 mm, 2475 mm, 2775 mm, 3075 mm, 3375 mm, 3675 mm, 3975 mm, 4275 mm, 4575 mm, 4875 mm
	<b>Overall Depth of Shelving Racks (Tolerance: ± 10 mm)</b>	300 mm, 400 mm, 500 mm, 600 mm
MATERIAL REQUIREMENTS	<b>Type of material for rack shelves</b>	Metal, Wooden-based
	<b>Material of rack shelves</b>	Steel Sheet - Grade HR1 of IS 1079, Steel Sheet - Grade CR1 of IS 513 (Part 1), Wooden Particle Board confirming to IS 3087 - FPS type, Wooden Particle Board confirming to IS 3087- FPT-1 type, Veneered Particle Boards confirming to IS 3097 - Grade-1, Veneered Particle Boards confirming to IS 3097 - Grade-2, Plywood confirming to IS 303 - BWR Grade, Plywood confirming to IS 303 - MR Grade
	<b>Finish of Wooden Rack Shelves</b>	Polished, Painted, NA
	<b>Type of material for rack sides</b>	Metal, Wooden-based, NA
	<b>Material of rack Sides</b>	Steel Sheet - Grade HR1 of IS 1079, Steel Sheet - Grade CR1 of IS 513 (Part 1), Wooden Particle Board confirming to IS 3087 - FPS type, Wooden Particle Board confirming to IS 3087- FPT-1 type, Veneered Particle Boards confirming to IS 3097 - Grade-1, Veneered Particle Boards confirming to IS 3097 - Grade-2, Plywood confirming to IS 303 - BWR Grade, Plywood confirming to IS 303 - MR Grade, NA
	<b>Finish of Wooden rack sides</b>	NA, Polished, Painted

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Type of material for rack panel</b>	Metal, Wooden-based
	<b>Material of rack panel</b>	Steel Sheet - Grade HR1 of IS 1079, Steel Sheet - Grade CR1 of IS 513 (Part 1), Wooden Particle Board confirming to IS 3087 - FPS type, Wooden Particle Board confirming to IS 3087- FPT-1 type, Veneered Particle Boards confirming to IS 3097 - Grade-1, Veneered Particle Boards confirming to IS 3097 - Grade-2, Plywood confirming to IS 303 - BWR Grade, Plywood confirming to IS 303 - MR Grade
	<b>Finish of Wooden rack panel</b>	Polished, Painted, NA
	<b>Availability of Strips</b>	Yes, No
	<b>Availability of Binstrips</b>	Yes, No

**Additional Specification Parameters - Metal Shelving Racks (Adjustable Type) Conforming To Is 1883 (V2) ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Pls Refer Attached Specification Sheet in ATC	Pls Refer Attached Specification Sheet in ATC

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gulab Singh	244221,Executive Engineer Provincial Division, P.W.D.	5	30

**Mobile Storage Compactors ( 2 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GUIDE RAIL	<b>Number of guide rail rows</b>	2, 3, 4, 5, 6, 7, 8
	<b>Number of 915 mm Rail Pieces per Rail Row</b>	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Number of 1830 mm Rails Pieces per Rail Row</b>	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	<b>Number of 2745 mm Rails Pieces per Rail Row</b>	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	<b>Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)</b>	4-Bay
	<b>Type of Drive</b>	Push Pull Type, Mechanized Drive Type, Sprocket Chain Drive Mechanism
	<b>Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)</b>	0, 1
	<b>Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)</b>	0, 1, 2, 3, 4, 5, 6, 7
	<b>Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)</b>	0, 1, 2, 3, 4, 5, 6, 7, 8, 9

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Number of Shelves in Each Almira / Body of the single faced fixed / static bodies</b>	2 Shelves/ 3 Compartments, 3 Shelves/4 Compartments, 4 Shelves/5 Compartments, 5 Shelves/6 Compartments, 6 Shelves/7 Compartments, 7 Shelves/8 Compartments, 8 Shelves/9 Compartments, 9 Shelves/10 Compartments, NA
	<b>Number of Shelves in Each Almira / Body of the double faced movable bodies</b>	2 Shelves/ 3 Compartments, 3 Shelves/4 Compartments, 4 Shelves/5 Compartments, 5 Shelves/6 Compartments, 6 Shelves/7 Compartments, 7 Shelves/8 Compartments, 8 Shelves/9 Compartments, 9 Shelves/10 Compartments, NA
	<b>Number of Shelves in Each Almira / Body of the single faced movable bodies</b>	2 Shelves/ 3 Compartments, 3 Shelves/4 Compartments, 4 Shelves/5 Compartments, 5 Shelves/6 Compartments, 6 Shelves/7 Compartments, 7 Shelves/8 Compartments, 8 Shelves/9 Compartments, 9 Shelves/10 Compartments, NA
	<b>Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg</b>	60 kg, 70 kg, 80 kg, 90 kg, 100 kg, NA, 40 kg, 50 kg, 30 kg
	<b>Load Carrying Capacity of Each Shelf of the Movable bodies in Kg</b>	60 kg, 70 kg, 80 kg, 90 kg, 100 kg, NA, 40 kg, 50 kg, 30 kg
	<b>Load bearing capacity of under structure and base frame</b>	600 Kg, 1200 Kg, 1600 Kg, 2000 Kg, 5000 Kg, 3000 Kg, 4000 Kg, 2400 kg, 3600 kg, 4800 kg
	<b>Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning</b>	MS wheels, Anti frictional ball bearing, Cast Iron Wheels, MS wheels and Anti Friction Ball, Cast Iron wheels and Anti Friction Ball bearings
	<b>Number of pairs of Wheels in Every Base frame</b>	1, 2, 3, 4, 5, 6, 7, 8, N.A
	<b>Minimum number of pairs of Bearings in Every Base frame</b>	1, 2, 3, 4, 5, 6, 7, 8, N.A
	<b>Drive cover included on Body</b>	YES, NO
	<b>Stud</b>	Main only, Main and add on construction, N.A
DOORS and LOCKING	<b>Separate door lock for each section</b>	YES, NO
MATERIAL	<b>M S Sheet Thickness of the Cabinet Body (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.6 mm thick CRC sheet conforming to Grade D of IS 513 latest.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>M S Sheet Thickness of the Shelf Panels (mm)</b>	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.7 mm thick CRC sheet conforming to Grade D of IS 513 latest
	<b>M S Sheet Thickness of the Door Panels (mm)</b>	0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, N.A.
	<b>Height of base frame ±2(mm)</b>	65 mm, 75 mm, 90 mm, 100 mm, 120 mm, 80 mm
	<b>Height of track and moving clearance ±2(mm)</b>	35 mm, 45 mm, 55 mm, 65 mm, 80 mm
	<b>Material of Stud</b>	Rubber stud between bodies, PVC stud between bodies, NA
	<b>Material of 'C' Channel</b>	H R Sheet 2MM thick confmg. to IS:1079/Latest, H R Sheet 3.15MM thick confmg. to IS:1079/Latest, H R Sheet 2MM thick confmg. to IS:2062/Latest, H R Sheet 3.15MM thick confmg. to IS:2062/Latest
	<b>Drive cover material</b>	1MM thick CRCA confmg. to IS:513/Latest and box type construction, 0. 8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction, No Cover
	<b>Number of Folds in Shelf Panels</b>	8 Nos., 10 Nos., 12 Nos.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
DIMENSION	<b>Overall Height of the Cabinet from the ground in mm <math>\pm 20</math> (mm)</b>	1725 mm, 2080 mm, 2180 mm, 2350 mm, 2600 mm, 2750 mm, 2900 mm, 2950 mm, 2130 mm, 1875 mm, 2561 mm, 2460 mm, 1976 mm, 2276 mm, 2376 mm, 2576 mm, 2776 mm, 2876 mm, 3176 mm, 3276 mm, 3476 mm, 2400 mm, 1980 mm, 2500 mm
	<b>Depth of the single faced fixed / static bodies Cabinet <math>\pm 10</math>(mm)</b>	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm, 475 mm
	<b>Depth of the single faced movable bodies Cabinet <math>\pm 10</math>(mm)</b>	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm
	<b>Depth of the movable bodies Cabinet <math>\pm 10</math>(mm)</b>	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 760 mm, 300 mm, 400 mm, 500 mm, 800 mm, 1000 mm, 1200 mm, 475 mm
	<b>Width of the single faced fixed / static bodies Cabinet in mm (<math>\pm 5</math> mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
	<b>Width of the movable bodies Cabinet in mm (<math>\pm 5</math> mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
PAINT	<b>Paint</b>	Powder Coating, Enamel Paint, Pre Coated, Powder Coated with fire retardant epoxy polyester powder, Lead free Paint Powder coating
WARRANTY	<b>Warranty Period IN NUMBER OF YEARS</b>	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years

**Additional Specification Parameters - Mobile Storage Compactors ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Pls Refer Attached Specification Sheet in ATC	Pls Refer Attached Specification Sheet in ATC

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gulab Singh	244221,Executive Engineer Provincial Division, P.W.D.	2	30

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

**3. Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

**4. Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

**5. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**6. Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Executive Engineer Provincial Division PWD Amroha  
payable at  
Amroha

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy

to the Buyer within 5 days of Bid End date / Bid Opening date.

## 7. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

Executive Engineer Provincial Division PWD Amroha

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**