

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-03-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-03-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	9823
	Health Faucet (Q3) , Plastic Seats and Covers for Water - Closets as per IS 2548 (Q3) , Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , LED street light fitting complete 90 watt single phase , LED street light fitting complete 35 or 45 watt , Bulk head fitting LED 12 watt , Inverter LED Bulb 9W , MCCB 160 Amp 4 Pole 25 KA 415 V with magnetic coil , Switch Socket combination 15 or 16 Amp with gang box , Modular switch socket combination 15 or 16 Amp with gang box , Modular switch socket combination 5 or 6 Amp with gang box , Switch socket combination 5 or 6 Amp with gang box , Switch piano type 5 or 6 amp , Socket 16 Amp 3 or 5 Pin , PVC Switch board 10 inch by 12 inch by 2 inch , PVC Switch board 8 inch by 10 inch by 2 inch , PVC Switch board 7 inch by 4 inch by 2 inch , PVC Switch board 4 inch by 4 inch by 2 inch , Cable lugs 50 Sqm Copper , Cable lugs 35 Sqm Copper , Cable lugs 95 Sqm aluminium , Cable lugs 240 Sqmm aluminium , Cable lugs 70 Sqmm aluminium , Cable lugs 16 Sqmm aluminium , Cable lugs 120 Sqmm aluminium , Cable lugs 10 Sqmm aluminium , Cable lugs 50 Sqmm aluminium , Cable lugs 70 Sqm Copper , Heating element 2000 watt for gysyer , Heating element 1500 watt , 3 Phase Electronic Timer 3 to 30 sec , NRV for gesyer , Thermostate and thermal cut out 11inch thermostate , Thermostate and thermal cut out 7 inch thermostate , Geyser sefty valve , Flexible cable twine core copper conductor size 14 or 0076 , Cable PVC standard aluminum conductor sheathed single core 4 Sqmm core 1 Point 1 KV grade , AC drain pipe long type , Reverse cycling valve for AC 1 Point 5 Ton , AC Outdoor fan motor 1 Point 5 Ton , AC Outdoor fan motor 2 Point 0 Ton , AC Indoor fan motor 1 Point 5 Ton , AC Indoor fan motor 2 Point 0 Ton , Relay over load for refrigerator , Gas hydrocarbon for

बिड विवरण / Bid Details	refrigerator, Thermostate for AC , Compressor 2 Point 0 Ton , Gas 410 R , Gas R 22 , Copper tube 3 or 4 Inch , Copper tube 5 or 8 Inch , PCB 1 Point 5 or 2 Ton Universol , Voltage stabilizer 5 KVA , Compressor for refrigerator , Capacitor 4 mfd , Capacitor for ceiling fan 2 Point 5 mfd , Regulator electronic for ceiling fan , Lamp holder pendent , PVC flat 20 or 25 mm Casing capping , Call bell ding dong , Ball bearing No 6201 , M seal , PVC insulation tape 25 mm , Lamp holder batten , Plug top 16 or 20 Amp , Distilled water for bty , Change over switch sheet metal enclosure side operated 200 Amp Modular type , Change over switch conforming to sheet metal 63 Amp 4 Pole Modular type , Heat shrinkable end terminal box of cable XLPE 3 point 5 core 95 Sqmm outdoor type , Heat shrinkable 3 by 70 or 95 sqmm St through joint kit , Coolant heavy duty , Cotton waste , HT tape 3 or 4 inch by 50 mtrs , Transformer oil , PVC flexible pipe of size 25mm , SPN DB 4 Way double door , Wall fan 450 mm sweep , PVC Conduit Pipe of size 25 mm dia , Foot valve 50mm dia brass , Foot valve 80mm dia brass , Foot valve 100mm dia brass , CI flange sluice valve 150mm , CI flange sluice valve 100mm , CI flange sluice valve 80mm , Gland packing 5mm thick , Crystal Alum , Sodium Carbonate for water treatment , Copper Sulphate , Lime , Teflon tape , GI pipe med grade 25 mm , GI pipe med grade 32 mm , GI pipe med grade 40 mm , GI pipe med grade 50 mm , GI pipe med grade 80 mm , Gate Valve 25mm Gunmetal , Gate Valve 40 mm Gunmetal , Gate Valve 20 mm Gunmetal , Gate Valve 50 mm Brass , GI elbow 15 mm , GI Elbow 20 mm , GI pipe med grade 20 mm , GI pipe med grade 15 mm , Paint smoke grey , Thinner , French polish , Plywood one side teak face 4 mm thick , MDF Board 12 mm Thick , MDF Board 18 mm thick size 2400 by 1200mm , Plywood 4mm thick size 2400 by 1200mm , Pre laminated board 19 mm thick Size 2400 by 1200 mm , Plywood 9 mm thick size 2400 by 1200 mm , MDF board 6 mm thick size 2400 by 1200 mm , Ply wood commercial SIX feet BY THREE feet BY TWELVE mm , Decorative designer 6mm ply one side teak face of size 6 feet by 4 feet by 6mm , Aluminium Aldrop bolt 300 mm long , Alluminium Aldrop bolt 250 mm long , Tower bolt aluminium 200 mm , Aluminium Door handle 150mm long , Glass pane clear size 3 mm thickness , Fevicol SH , GI wire mesh 0 point 46 by 1 point 8 by 15 mtr length , Super flash strip 4 inch thick by 10 mtr length , Mirror looking 450mm by 600mm , MS Screw wood 25 mm long Pkt of 400 gms , Glass Putty , Nails wire steel 50 mm , MS Screw wood 35 mm long , Plastic wall plug Pkt of 50 , Paint brush 100 mm , White Cement 1 kg , Flush washer Pkt of 05 Nos , MS butt hinges 100 mm , Haps and Staples CP size 75 mm , Nails wire steel 25 mm , Nails wire steel 100 mm , Hack saw blade double side , Fastner with nut and bolt , Satinless sink with drainage board of size 915 by 460mm with bowl size 410 by 310 by 160mm , Al sheet 0 point 50 mm thick 1 mtr wide , Allum Tower bolt 150mm , Screw wood steel 75mm , Locks for Almirah steel Med or Large , Handle for Almirah steel , Hook CP SIX Way , Glass pane frosted size 4mm thickness , SS Curtain rod 20 mm with bracket , SS Curtain rod 25 mm with bracket , PVC Connection pipe 15 by 600mm long , PVC connection pipe 15 by 450 mm long , Corner shelf 250mm , Glass shelf 18 inch long , Acrylic shelf of size 18 inch by 5 inch , PVC flushing cistern low level 10 Ltr capacity , CP Towel rack , Tumbler holder , PVC Shower Rose 15mm , Stainless steel soap dish for bath room , Bath room cabinet with sliding shutter , CP towel ring , Grating doom 75mm with hole CP , Grating doom 75mm with out hole CP
वस्तु श्रेणी /Item Category	

बिड विवरण / Bid Details

LED street light fitting complete 90 watt single phase, LED street light fitting complete 35 or 45 watt, Bulk head fitting LED 12 watt , Inverter LED Bulb 9W, MCCB 160 Amp 4 Pole 25 KA 415 V with magnetic coil , Switch Socket combination 15 or 16 Amp with gang box, Modular switch socket combination 15 or 16 Amp with gang box, Modular switch socket combination 5 or 6 Amp with gang box, Switch socket combination 5 or 6 Amp with gang box, Switch piano type 5 or 6 amp , Socket 16 Amp 3 or 5 Pin , PVC Switch board 10 inch by 12 inch by 2 inch , PVC Switch board 8 inch by 10 inch by 2 inch , PVC Switch board 7 inch by 4 inch by 2 inch, PVC Switch board 4 inch by 4 inch by 2 inch , Cable lugs 50 Sqm Copper , Cable lugs 35 Sqm Copper, Cable lugs 95 Sqm aluminium , Cable lugs 240 Sqmm aluminium , Cable lugs 70 Sqmm aluminium , Cable lugs 16 Sqmm aluminium , Cable lugs 120 Sqmm aluminium , Cable lugs 10 Sqmm aluminium , Cable lugs 50 Sqmm aluminium , Cable lugs 70 Sqm Copper, Heating element 2000 watt for gyser, Heating element 1500 watt , 3 Phase Electronic Timer 3 to 30 sec, NRV for gesyer, Thermostate and thermal cut out 11inch thermostate, Thermostate and thermal cut out 7 inch thermostate, Geyser sefty valve, Flexible cable twine core copper conductor size 14 or 0076, Cable PVC standard al single core 4 Sqmm core 1 , AC drain pipe long type, Reverse cycling valve for AC 1 Point 5 Ton, AC Outdoor fan motor 1 Point 5 Ton, AC Outdoor fan motor 2 Point 0 Ton, AC Indoor fan motor 1 Point 5 Ton, AC Indoor fan motor 2 Point 0 Ton, Relay over load for refrigerator, Gas hydrocarbon for refrigerator, Thermostate for AC, Compressor 2 Point 0 Ton, Gas 410 R, Gas R 22, Copper tube 3 or 4 Inch, Copper tube 5 or 8 Inch, PCB 1 Point 5 or 2 Ton Universol, Voltage stabilizer 5 KVA, Compressor for refrigerator, Capacitor 4 mfd , Capacitor for ceiling fan 2 Point 5 mfd , Regulator electronic for ceiling fan , Lamp holder pendent , PVC flat 20 or 25 mm Casing capping , Call bell ding dong , Ball bearing No 6201 , M seal , PVC insulation tape 25 mm , Lamp holder batten , Plug top 16 or 20 Amp , Distilled water for bty , Change over switch sheet metal operated 200 Amp , Change over switch 63 Amp 4 Pole Modular type, Heat shrinkable end of cable XLPE 3 point 5 core 95 Sqmm , Heat shrinkable 3 by 70 or 95 sqmm St through joint kit, Coolant heavy duty, Cotton waste, HT tape 3 or 4 inch by 50 mtrs, Transformer oil, PVC flexible pipe of size 25mm, SPN DB 4 Way double door, Wall fan 450 mm sweep , PVC Conduit Pipe of size 25 mm dia, Foot valve 50mm dia brass, Foot valve 80mm dia brass, Foot valve 100mm dia brass, CI flange sluice valve 150mm, CI flange sluice valve 100mm, CI flange sluice valve 80mm, Gland packing 5mm thick, Crystal Alum, Sodium Carbonate for water treatment, Copper Sulphate, Lime, Teflon tape, GI pipe med grade 25 mm , GI pipe med grade 32 mm , GI pipe med grade 40 mm , GI pipe med grade 50 mm , GI pipe med grade 80 mm , Gate Valve 25mm Gunmetal , Gate Valve 40 mm Gunmetal , Gate Valve 20 mm Gunmetal , Gate Valve 50 mm Brass , GI elbow 15 mm , GI Elbow 20 mm , GI pipe med grade 20 mm , GI pipe med grade 15 mm , Paint smoke grey , Thinner , French polish , Plywood one side teak face 4 mm thick, MDF Board 12 mm Thick , MDF Board 18 mm thick size 2400 by 1200mm, Plywood 4mm thick size 2400 by 1200mm, Pre laminated board 19 mm thick Size 2400 by 1200 mm, Plywood 9 mm thick size 2400 by 1200 mm, MDF board 6 mm thick size 2400 by 1200 mm, Ply wood commercial SIX feet BY THREE feet BY TWELVE mm , 6mm ply one side teak face 6 feet 4 feet 6mm , Alluminium

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

विड विवरण/Bid Details	Aldrop bolt 300 mm long, Alluminium Aldrop bolt 250 mm long, Tower bolt aluminium 200 mm , Aluminium Door
	<p>handle 150mm long, Glass pane clear size 3 mm thickness, Fevicol SH , GI wire mesh 0 point 46 by 1 point 8 by 15 mtr length, Super flash strip 4 inch thick by 10 mtr length , Mirror looking 450mm by 600mm, MS Screw wood 25 mm long Pkt of 400 gms, Glass Putty, Nails wire steel 50 mm, MS Screw wood 35 mm long , Plastic wall plug Pkt of 50, Paint brush 100 mm, White Cement 1 kg, Flush washer Pkt of 05 Nos, MS butt hinges 100 mm, Haps and Staples CP size 75 mm, Nails wire steel 25 mm, Nails wire steel 100 mm, Hack saw blade double side, Fastner with nut and bolt, SS sink with drainage 915 by 460mm 410 310 160mm, Al sheet 0 point 50 mm thick 1 mtr wide, Allum Tower bolt 150mm, Screw wood steel 75mm, Locks for Almirah steel Med or Large, Handle for Almirah steel, Hook CP SIX Way, Glass pane frosted size 4mm thickness, SS Curtain rod 20 mm with bracket, SS Curtain rod 25 mm with bracket, PVC Connection pipe 15 by 600mm long, PVC connection pipe 15 by 450 mm long, Corner shelf 250mm, Glass shelf 18 inch long, Acrylic shelf of size 18 inch by 5 inch , PVC flushing cistern low level 10 Ltr capacity , CP Towel rack, Tumbler holder, PVC Shower Rose 15mm , Stainless steel soap dish for bath room, Bath room cabinet with sliding shutter, CP towel ring, Grating doom 75mm with hole CP, Grating doom 75mm with out hole CP</p>
	<p>Searched String: LED street light fitting complete 90 watt single phase</p> <p>12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)</p> <p>Searched String: LED street light fitting complete 35 or 45 watt</p> <p>12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)</p> <p>Searched String: Bulk head fitting LED 12 watt</p> <p>Bulk Head Fitting(BHEL), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Inspection Lamp, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Batten, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Track Light, Hand Lamp</p> <p>Searched String: Inverter LED Bulb 9W</p> <p>Rechargeable LED Bulb (V2), T Bulb, Inverter Based LED Street Light (V2), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), LED Bulb with Battery as per IS 16102, Rechargeable LED</p>

बिड विवरण / Bid Details

Batten Light (Emergency LED Tube Light) (V2), Self Ballasted LED Lamps for General Lighting Services (V2)

Conforming to IS 16102, Diagnostic Otoscope Rechargeable, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), High Mast Lighting Octagonal Tower with Solar Based LED Street Light

Searched String: MCCB 160 Amp 4 Pole 25 KA 415 V with magnetic coil

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: Switch Socket combination 15 or 16 Amp with gang box

Electrical Extension Box (V4)

Searched String: Modular switch socket combination 15 or 16 Amp with gang box

Electrical Extension Box (V4)

Searched String: Modular switch socket combination 5 or 6 Amp with gang box

Electrical Extension Box (V4)

Searched String: Switch socket combination 5 or 6 Amp with gang box

Electrical Extension Box (V4)

Searched String: Switch piano type 5 or 6 amp

Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Electrical Extension Box (V4), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical connection Lugs or thimbles, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Standard Storage Container or Cargo or Container Ships (V2)

Searched String: Socket 16 Amp 3 or 5 Pin

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrical Extension Box (V4), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Integrated Electrosurgical Unit and vessel sealer, Electrical connection Lugs or thimbles, Flameproof Switch Socket, Electrical Plugs (V2) ISI Marked to IS 1293

Searched String: PVC Switch board 10 inch by 12 inch by 2 inch

PVC gitti, Taflon Tape as per IS 14635, File Storage Box (V2), Radar Speed Display Board (V2), Chess Board (V2), General Purpose Hand Gloves (V2)

Searched String: PVC Switch board 8 inch by 10 inch by 2 inch

बिड विवरण / Bid Details	General Purpose Hand Gloves (V2), PVC gitti, Chess Board (V2), Taflon Tape as per IS 14635, CPVC Industrial Pipe Fittings, Schedule 80, Radar Speed Display Board (V2), Drill Pipes (Petroleum Industry), Hand Operated Hydraulic Pipe Bender, Elbow Pipe Fitting, External Upset End (EUE) Tubing
	<p>Searched String: PVC Switch board 7 inch by 4 inch by 2 inch</p>
	<p>General Purpose Hand Gloves (V2), PVC gitti, Radar Speed Display Board (V2), Upright Bike, CPVC Industrial Pipe Fittings, Schedule 80, Hand Operated Hydraulic Pipe Bender, Elbow Pipe Fitting, Drill Pipes (Petroleum Industry)</p> <p>Searched String: PVC Switch board 4 inch by 4 inch by 2 inch</p>
	<p>General Purpose Ball Valves (V2), PVC gitti, Taflon Tape as per IS 14635, CPVC Industrial Pipe Fittings, Schedule 80, Elbow Pipe Fitting, Cardiopulmonary Bypass Connectors (V2), Scantling teak wood, Grinding Wheel (V2), CPVC Ball Valve, Ratchet Handle as per IS 7975</p> <p>Searched String: Cable lugs 50 Sqm Copper</p>
	<p>Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Oxychloride 50% WP, Electrical connection Lugs or thimbles, Copper Cable Analyser, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Welding Cable ISI Marked To IS 9857 (V2)</p> <p>Searched String: Cable lugs 35 Sqm Copper</p>
	<p>Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Tube 35 mm-OFB, Electrical connection Lugs or thimbles, Copper Cable Analyser, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Welding Cable ISI Marked To IS 9857 (V2)</p> <p>Searched String: Cable lugs 95 Sqm aluminium</p>
	<p>Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per</p>

बिड विवरण

IS 694, Aerial Bunched Cables as per IS 14255, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: Cable lugs 240 Sqmm aluminium

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: Cable lugs 70 Sqmm aluminium

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, XLPE Cable, Working Voltage from 66 kV up to and including 220 kV (V2) ISI Marked to IS 7098 (Part 3)

Searched String: Cable lugs 16 Sqmm aluminium

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Wrought Aluminium Utensils (V2) as per IS 1660

Searched String: Cable lugs 120 Sqmm aluminium

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium

बिड विवरण / Bid Details

Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper

Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: Cable lugs 10 Sqmm aluminium

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium

Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper

Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Aluminium Hydroxide as per IS:10896, Laboratory Vials (V2), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: Cable lugs 50 Sqmm aluminium

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Aluminium

Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper

Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Wrought Aluminium and Aluminium Alloy Bars, Rods, Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4)

Searched String: Cable lugs 70 Sqm Copper

Compression cable lugs, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Cable Analyser, Electrical connection Lugs or thimbles, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Welding Cable ISI Marked To IS 9857 (V2), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694

Searched String: Heating element 2000 watt for gyser

Shaft Insulator Heater-IS:302, IS:4159, Heater Elements,

बिड विवरण/Bid Details

Single Burner Gas Range (for Deep Fryer)

Searched String: Heating element 1500 watt

Flexible Heating Element, Hot air oven, Hopper Heating Element as per IS 302, IS 4159, Solar Water Heating System as per IS 12976:1990, Shaft Insulator Heater-IS:302, IS:4159, Convection Heaters - Room Heater, Blower, Roti Making Machine, Heater Elements

Searched String: 3 Phase Electronic Timer 3 to 30 sec

Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Isolation Transformer, Distribution Transformer, 3 Phase, 11 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Distribution Transformer, 3 Phase, 33 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Tennis Ball

Searched String: NRV for gesyer

Coolant Hose, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Hydrochloric Acid for Well Stimulation for (ONGC), Waterless and Odourless Urinal, Pillow for Head and Knee For Panchakarma, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Spares for Tripper and Apron Feeder, Dungaree for NDRF, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Firewood (for Cremation)

Searched String: Thermostate and thermal cut out 11inch thermostate

Trackside Indicator Boards and Signages as per IRICEN Manual

Searched String: Thermostate and thermal cut out 7 inch thermostate

Category not available on GeM for the text string uploaded by the buyer

Searched String: Geyser sefty valve

Connector Pipes for Washbasins/ Sinks/ Geyser, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Electric Water Heater - Geyser (V2) as per IS 2082:2018 (Latest), Needle Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Sequence valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, General Purpose Ball Valves (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

Searched String: Flexible cable twine core copper conductor size 14 or 0076

बिड विवरण

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To

IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: Cable PVC standard al single core 4 Sqmm core 1

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: AC drain pipe long type

Drain or pipe cleaning equipment, Split Air Conditioner Including Green AC, Wall Mount Type (V2), AC Type 2 Charging Station, Long Handle Drainage Cleaner, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Split Air Conditioner (Floor Type), as per IS: 1391 (part 2), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Flameproof Propeller Type AC Ventilating Fans (Exhaust Fan) (V2), Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Pipe Cutter

Searched String: Reverse cycling valve for AC 1 Point 5 Ton

Split Air Conditioner Including Green AC, Wall Mount Type (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, LED Based Indicating Lamp for Panel Cut Outs, Temperature Indicator for Transformers - Analog type, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763

Searched String: AC Outdoor fan motor 1 Point 5 Ton

Split Air Conditioner Including Green AC, Wall Mount Type (V2)

Searched String: AC Outdoor fan motor 2 Point 0 Ton

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset)

Searched String: AC Indoor fan motor 1 Point 5 Ton

Split Air Conditioner Including Green AC, Wall Mount Type (V2)

Searched String: AC Indoor fan motor 2 Point 0 Ton

बिड विवरण / Bid Details

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Box Strapping Machine, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset)

Searched String: Relay over load for refrigerator

SOVP Device for Street light Pole Mounted, Refrigerated Centrifuge For General And Research Purpose, Overload Relay, Static Protective Relays, Refrigerator Truck for Vaccine Transport, Non Refrigerated Centrifuge for General Purpose and research, Cross Over For Premium Casing (Petroleum Industry), Wire rope as per IS 4521/API Spec 9A (ONGC), Cross Over for EUE Tubing (Petroleum Industry), Cross over for Premium threaded Tubing (Petroleum Industry)

Searched String: Gas hydrocarbon for refrigerator

HydroCarbon gas detector, Refrigerated Centrifuge For General And Research Purpose, Adsorbent for Sulphur removal from Hydrocarbon Gas, Centrifugal Pump for Hydrocarbon (IOCL), Non Refrigerated Centrifuge for General Purpose and research, Refrigerator Truck for Vaccine Transport, Single Burner Gas Range (for Deep Fryer), Corrosion Inhibitor for Gas Line (ONGC), Domestic Gas Stoves for use with Piped Natural Gas (PNG) as per IS 17153, Household Refrigerating Appliances as per IS 17550

Searched String: Thermostate for AC

Thermostate(BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), AC Charging Station, AC Current Transducer, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, AC Voltage Transducer (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), AC Current Transducer (V2), File/Folder (V3), AC EV Charging Station

Searched String: Compressor 2 Point 0 Ton

Isopropyl Alcohol (2 - Propanol), Line Interactive UPS with AVR (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Online UPS (V2), Split Air Conditioner, Floor Mount Type (V3) ISI Marked to IS 1391 (Part 2), Electronic Weighing Scales, Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Reciprocating Air Compressors - Electric Motor Driven, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Multimedia Projector (MMP)

Searched String: Gas 410 R

Ambulances - R, Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Panel Air Conditioner, Refrigerant Gas, Muffle Furnace, Calibration Gas, Gas Ejector, Revolving Chair (V5), Gas Analyser, Gas burners

Searched String: Gas R 22

Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, water baths, Ambulances - R, Dimilin 22 SC, Lime Sulphur 22% SC (Suspension Concentrate), Muffle Furnace, Refrigerant Gas, Revolving Chair (V5), Calibration Gas, Cleaning Duster (V3)

बिड विवरण/Bid Details **Searched String:** Copper tube 3 or 4 Inch

Taflon Tape as per IS 14635, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Blood Collection Tube, General Purpose Ball Valves (V2), CPVC Industrial Pipe Fittings, Schedule 80, Scantling teak wood, Cardiopulmonary Bypass Connectors (V2), Steel Tubes used for Water Wells (V2) as per IS 4270, Elbow Pipe Fitting

Searched String: Copper tube 5 or 8 Inch

Endotracheal Tube - Sterile (Single Use), Minifuge, Endotracheal Tubes (V2), Telecommunication Cable - Fully Filled Petroleum Jelly or Absorbent Thixotropic Gel (V2), Steel Tubes used for Water Wells (V2) as per IS 4270, Drill Pipes (Petroleum Industry), Electrical connection Lugs or thimbles, Automatic Milk Collection Unit with Electronic Milk Analyzer and Adulteration testing, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2)

Searched String: PCB 1 Point 5 or 2 Ton Universol

Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Digital Electronic Spirit Level (Digi level or Digital inclinometer), Electronic Weighing Scales, Information Boards or Illustration Board (V2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Tapered Bearings as per IS 12102, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Voltage stabilizer 5 KVA

Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, Online UPS (V2), Automatic Line Voltage Correctors (Step Type) for Domestic Use - IS - 8448, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Line Interactive UPS with AVR (V2), Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Portable Welding Machine (V2), Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Off - Grid Solar Photovoltaic (PV) Power Plant (V2)

Searched String: Compressor for refrigerator

Laboratory Refrigerator, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Refrigerator Truck for Vaccine Transport, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Laboratory Refrigerator (V2), Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Ice Lined Refrigerator, Screw Compressor, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Compressor oils

Searched String: Capacitor 4 mfd

Capacitor Banks For Use On 11 KV System (PSPCL), XLPE

बिड विवरण / Bid Details

Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, 4-Aminoantipyrine, water baths, Methyl 4 Hydroxybenoate (Methylparaben), Cotton Pillow, Interceptor Vehicle (4 Wheeler), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: Capacitor for ceiling fan 2 Point 5 mfd

Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374

Searched String: Regulator electronic for ceiling fan

Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, modular electrical enclosure switch board boxes for modular type accessories, Electric Ceiling Fan (V4) ISI Marked to IS 374, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Pressure Regulator For Gases, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037

Searched String: Lamp holder pendent

Solar Lamp (Solar Study Lamp), Dumbbell Rack, Gouging holder, Business Card Holder (V2), Hand Lamp, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Inspection Lamp, Slit Lamp, Badge Holders - I Card, Soldering Clamp Holder

Searched String: PVC flat 20 or 25 mm Casing capping

Wild - Life Cages

Searched String: Call bell ding dong

Wireless Attendant Calling System, Electric Bells and Accessories as per IS 2268

Searched String: Ball bearing No 6201

Bearing (BHEL), Roller Bearing (BHEL), Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Mounted Bearings

Searched String: M seal

M - Seal as per IS 9197, Puf Seal, Bolt / Bullet Seal, water baths, Plastic Grip Seal, Ultra low temperature laboratory deep freezer, D Seal (Rubber), Inflatable Tent, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Laboratory Incubators

Searched String: PVC insulation tape 25 mm

Glass Mica Tape-IS :7809, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Carbon Tape 19 MM(OFB-DEFENCE), Polyimide Tapes, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, HT Tape, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable

बिड विवरण / Bid Details

Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper

Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1)

Searched String: Lamp holder batten

LED Batten, Solar lamps (Solar Home Lighting System with Batten type Luminary), Solar Lamp (Solar Study Lamp), Dumbbell Rack, Gouging holder, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Batten with Battery / Invertor, Badge Holders - I Card, Hand Lamp, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II)

Searched String: Plug top 16 or 20 Amp

Non electric Potable water purification system gravity or inline based, Tapered Bearings as per IS 12102, High Temperature High Pressure Table Top Sample Dyeing Machine, Standard Storage Container or Cargo or Container Ships (V2)

Searched String: Distilled water for bty

Reagent Grade Distilled water, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Bi Double Distillation Water Unit (V2), water for chromatography, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Sterile Water for Injection, Amyl Alcohol as per IS: 360, Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Polyethylene Pipes for Water Supply, RO Water Plant for Hemodialysis

Searched String: Change over switch sheet metal operated 200 Amp

Category not available on GeM for the text string uploaded by the buyer

Searched String: Change over switch 63 Amp 4 Pole Modular type

modular electrical enclosure switch board boxes for modular type accessories

Searched String: Heat shrinkable end of cable XLPE 3 point 5 core 95 Sqmm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: Heat shrinkable 3 by 70 or 95 sqmm St through joint kit

Category not available on GeM for the text string uploaded by the buyer

Searched String: Coolant heavy duty

Heavy Duty Curtains - Panchakarma, industrial vacuum cleaner, Heavy Duty Storage Racks, Battery Charger, Heavy Duty, Heavy Duty Creeper Seat, Styling Chair / Salon Chair / Swiveling Barber Chair, Heavy duty diesel ultra oil, PVC

बिड विवरण / Bid Details

Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Heavy duty longspan storage System, Heavy Duty

Pipe Wrench as per IS 4003

Searched String: Cotton waste

Cotton Yarn Waste (V2) as per IS 5485, Cleaning Duster (V3), Waste Container (V3), Medical Waste Incinerator, Bio - Medical Waste Collection Bags (Biohazard Bags), Cotton Saree, Shorts Cotton, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Cotton Stockinette, Markin Cloth (V2)

Searched String: HT tape 3 or 4 inch by 50 mtrs

Tapered Bearings as per IS 12102

Searched String: Transformer oil

Transformer Oil Pump, 15w - 40 Diesel Engine Oil, Transformer oil Sampling Bottles, centrifugal oil cleaning machine, Transformer Oil filtration plants, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Power Transformer, Oil immersed type, Transformer Oil BDV Test Kit, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Transformer Oil BDV Test Set

Searched String: PVC flexible pipe of size 25mm

Pipe Clamps (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Bathroom Water Shower (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Cast Iron Bench, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Corrugated Boxes

Searched String: SPN DB 4 Way double door

Fire Hose Cabinet

Searched String: Wall fan 450 mm sweep

Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Wall Mounting Cabinet, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Air Circulator Type Electric Fan as per IS 2997, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Industrial Cooling Fan (Man Coolers) as per IS 6272, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Bathroom Water Shower (V2), Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Corrugated Boxes

Searched String: PVC Conduit Pipe of size 25 mm dia

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Cast Iron Bench, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Endotracheal Tube - Sterile (Single Use), Wild - Life Cages, Commercial CPVC Pipe Fittings, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Modular Toilet, Swing (Preschool Kit), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458

बिड विवरण / Bid Details	Searched String: Foot valve 50mm dia brass
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Foot Valve (V2), FOOT VALVE STRAINER, Foot Operated Water Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Foot Valves for Water Works Purpose as per IS 4038 (Latest), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Diaphragm type valves for general purpose - IS 11791</p>
	<p>Searched String: Foot valve 80mm dia brass</p> <p>Foot Valve (V2), FOOT VALVE STRAINER, Check Valve (V2) as per IS 778, Foot Operated Water Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Foot Valves for Water Works Purpose as per IS 4038 (Latest), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p>
	<p>Searched String: Foot valve 100mm dia brass</p> <p>Foot Valve (V2), FOOT VALVE STRAINER, Foot Operated Water Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Foot Valves for Water Works Purpose as per IS 4038 (Latest), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Diaphragm type valves for general purpose - IS 11791</p>
	<p>Searched String: CI flange sluice valve 150mm</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Fittings and Accessories for Power Transformer, Drain Valve and Flanges as per IS:3639, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778, Modular Toilet, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549</p>
	<p>Searched String: CI flange sluice valve 100mm</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Fittings and Accessories for Power Transformer, Drain Valve and Flanges as per IS:3639, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778, Modular Toilet</p> <p>Searched String: CI flange sluice valve 80mm</p> <p>Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Gate Valve for</p>

बिड विवरण/Bid Details

Waterworks Purpose as per IS 778, Fittings and Accessories for Power Transformer, Drain Valve and Flanges as per

IS:3639, Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778, Modular Toilet, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)

Searched String: Gland packing 5mm thick

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gasket And Packings-Gland Packings Asbestos - IS 4687, Endotracheal Tube - Sterile (Single Use), Kabaddi Mat (V2), Urine Collection Bag - Sterile (Single Use), Ultrasonic Thickness Gauge, Vertical Blinds (V2), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Microscopes Slide Coverslips as per IS 3099

Searched String: Crystal Alum

Alumino - Ferric (V2) Conforming to IS 299, Cricket Ball, Corrugated Fibreboard Cartons (Specification for packing Jelly Crystals) - DEFENCE, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Electronic Calculator (V2), X-Ray Diffractometer (XRD), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Professional Large Format Display (V2), Wrought Aluminium and Aluminium alloy Bars, Rods and Sections conforming to IS 733, Trophy (V2)

Searched String: Sodium Carbonate for water treatment

Corrosion Inhibitors for Cooling Water treatment, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Scale Inhibitors for Cooling Water treatment, Sodium Carbonate Anhydrous as per IS 296, Mobile Water Treatment Vehicle, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Polyethylene Pipes for Water Supply, Algaecides and Biocide for Cooling Water treatment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Sodium Hypochlorite Solution for Water Maker - ONGC

Searched String: Copper Sulphate

Copper Sulphate (V3) Conforming to IS 261, Copper Sulphate (V2) as per IS 261, Ammonium Sulphate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cadmium Sulphate, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Mercuric Sulphate, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Stannous Sulphate, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: Lime

Lime, Quick Lime Burnt, Soda Lime (as Carbon Dioxide Absorbent) as per IS 5321, Hydrated Lime for Bulk Supply as per IS 1540 (Part 2), Lime Sulphur 22% SC (Suspension Concentrate), Hydrated Lime For Chemical Industries (V2) Conforming to IS 1540 Part 2, Dolomite, Quick Lime For

बिड विवरण

Chemical Industries (V2) Conforming to IS 1540 Part 1, Soda Lime (as Carbon Dioxide Absorbent) (V2) Conforming to IS 5321, Hydrated Lime (V3) Conforming To Is 1540 (Part 2)

Searched String: Teflon tape

Teflon hose, Elastic Surgical Adhesive Tapes (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, Teflon Beaker with Lid, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Tape Cartridge / Tape Media, Measuring Tape, Aluminum Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221

Searched String: GI pipe med grade 25 mm

Steel Tubes, Tubulars as per IS 1239, Parallel Bar - Outdoor Gym Equipment, Endotracheal Tube - Sterile (Single Use), Commercial CPVC Pipe Fittings, Steel Pipes for Water and Sewage as per IS 3589, Swing (Preschool Kit), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Commercial PPR Pipes Fittings as per IS 15801, Polyethylene Pipes for Water Supply, Pipe Clamps (V2)

Searched String: GI pipe med grade 32 mm

General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars as per IS 1239, Steel Pipes for Water and Sewage as per IS 3589, Commercial CPVC Pipe Fittings, Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Polyethylene Pipes for Water Supply, Commercial PPR Pipes Fittings as per IS 15801, Pipe Unions confirming to IS 1239 (Part 2), Polyethylene Pipes for Water Supply conforming to IS 4984

Searched String: GI pipe med grade 40 mm

Steel Tubes, Tubulars as per IS 1239, Parallel Bar - Outdoor Gym Equipment, Steel Pipes for Water and Sewage as per IS 3589, Commercial CPVC Pipe Fittings, Large Outer Diameter Casing Pipes (Petroleum Industry), Polyethylene Pipes for Water Supply, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe Unions confirming to IS 1239 (Part 2)

Searched String: GI pipe med grade 50 mm

Steel Tubes, Tubulars as per IS 1239, Parallel Bar - Outdoor Gym Equipment, Steel Pipes for Water and Sewage as per IS 3589, Polyethylene Pipes for Water Supply, Rigid GI Pipe (BHEL), Commercial CPVC Pipe Fittings, Polyethylene Pipes for Water Supply conforming to IS 4984, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Grain Storage Bin (V2), Commercial PPR Pipes Fittings as per IS 15801

Searched String: GI pipe med grade 80 mm

Steel Tubes, Tubulars as per IS 1239, Parallel Bar - Outdoor Gym Equipment, Steel Pipes for Water and Sewage as per IS 3589, Polyethylene Pipes for Water Supply, Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885,

विड विवरण / Bid Details Polyethylene Pipes for Water Supply conforming to IS 4984, Commercial CPVC Pipe Fittings

Searched String: Gate Valve 25mm Gunmetal

Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Portable Toilet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Check Valve (V2) as per IS 778

Searched String: Gate Valve 40 mm Gunmetal

Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Foot Valves for Water Works Purpose as per IS 4038 (Latest)

Searched String: Gate Valve 20 mm Gunmetal

Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, LED Batten, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Grill Gate as per IS 544:1968, IS 544:2014, IS 3473:1966, (Reaffirmed 2009) and IS 11375:1985, Commercial CPVC Pipe Fittings

Searched String: Gate Valve 50 mm Brass

Knife Edge Gate Valve, Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, modular electrical enclosure switch board boxes for modular type accessories, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Cast Iron Bench

Searched String: GI elbow 15 mm

Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi

बिड विवरण / Bid Details

Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: GI Elbow 20 mm

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Elbows, Tees and Crosses, Equal conforming to IS 1239 (Part 2), Memory Card Reader (V2), LED Batten, Commercial CPVC Pipe Fittings, Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: GI pipe med grade 20 mm

General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars as per IS 1239, Steel Pipes for Water and Sewage as per IS 3589, Memory Card Reader (V2), Commercial CPVC Pipe Fittings, Swing (Preschool Kit), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Copper Nickel Pipe

Searched String: GI pipe med grade 15 mm

General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars as per IS 1239, Steel Pipes for Water and Sewage as per IS 3589, Copper Nickel Pipe, Commercial CPVC Pipe Fittings, Pipe Clamps (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Grain Storage Bin (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778

Searched String: Paint smoke grey

Smoke Detector, Steel Almirah / Cabinets (V4), Smoke Evacuation System (V2), Tear Smoke Grenade, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Smoke Density Meter, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Fabric Paint, Grey Scale for Assessing Staining, Cypermethrin 03% Smoke Generator

Searched String: Thinner

Thinner for Synthetic Paint and Varnishes Conforming to IS 14314, THINNER FOR CELLULOSE NITRATE BASED PAINTS AND LACQUERS, Conformal Coating Compound and Thinner, Thinner For Epoxy Paints (BHEL)

Searched String: French polish

French Bean (Vegetable) Seeds, Garden Bench, French Chalk - IS 380, Shoe Polish Liquid as per IS 12010, Single Disc Scrubber, Shoe Polish Paste as per IS 1746, French Chalk Conforming to IS 380, Apron Locker Cabinet, Shoe Polish, Paste (V2) conforming to IS 1746, Single Burner Gas

विड विवरण / Bid Details Range (for Deep Fryer)

Searched String: Plywood one side teak face 4 mm thick

Carrrom Board and Accessories (V2)

Searched String: MDF Board 12 mm Thick

Prelaminated MDF Board, Dry Erase Writing Boards (V3), Folding Box Board (FBB), Coated - Conforming to IS 12999, Foot Rest, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Pin Up Notice Board (V2), Prelaminated Particle Boards From Wood and Other Lignocellulosic Material (V2) as per IS 12823, Modular Table / Meeting Table / Centre Table (V2), modular electrical enclosure switch board boxes for modular type accessories, Wooden Podium

Searched String: MDF Board 18 mm thick size 2400 by 1200mm

Table - Tennis Table (V2), Dry Erase Writing Boards (V3), Foot Rest, Pin Up Notice Board (V2), Prelaminated MDF Board, Combination Board, Pulp Board as per IS 4664, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, The Indian National Flag as per IS 1, Wind sock

Searched String: Plywood 4mm thick size 2400 by 1200mm

Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), petri plates or dishes, Bathroom Water Shower (V2), Dry Erase Writing Boards (V3), Electronic Baby Weighing Scale - RBSK, Cast Iron Bench, Kabaddi Mat (V2), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846

Searched String: Pre laminated board 19 mm thick Size 2400 by 1200 mm

Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Combination Board, Foot Rest, Decorative Laminate Sheet, Particle Boards

Searched String: Plywood 9 mm thick size 2400 by 1200 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Dry Erase Writing Boards (V3), Combination Board, Aluminium Composite Panel (V2) as per IS 17682, Decorative Laminate Sheet, Pin Up Notice Board (V2), The Indian National Flag as per IS 1, Endotracheal Tube - Sterile (Single Use), The Indian National Flag - Polyester, traffic signs - bilinker light

Searched String: MDF board 6 mm thick size 2400 by 1200 mm

Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Combination Board, Foot Rest, Particle Boards

Searched String: Ply wood commercial SIX feet BY THREE feet BY TWELVE mm

Category not available on GeM for the text string uploaded

विड विवरण/Bid Details

by the buyer

Searched String: 6mm ply one side teak face 6 feet 4 feet 6mm

patient care mattresses, Mirzapur Carpets - ODOP, External branding signage boards, Flex Posters / Banners (V2), Platform Step Ladder (V2), Olympic Bar (Version 2)

Searched String: Alluminium Aldrop bolt 300 mm long

Plastic Grip Seal

Searched String: Alluminium Aldrop bolt 250 mm long

Plastic Grip Seal, Tower Bolts (Ferrous Metals) as per IS 204, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Electro-Magnetic Lock(MHA)

Searched String: Tower bolt aluminium 200 mm

Tower Bolts (Ferrous Metals) as per IS 204, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Mild Steel Sheet, Tower Ladder (V2), Roti Making Machine, scissors, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Foot Steps For Hospital/Clinic and Domestic Purposes

Searched String: Aluminium Door handle 150mm long

Long Handle Drainage Cleaner, Access Controlled Handle Door Lock, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Sweeping Long SS Handle Steel Fork, Door Handles & Knobs, Door Handles as per IS 208, Door Handles & Knobs-handcrafted, Cricket Bat (V2) Conforming to IS 828, Door Handles (V2) ISI marked to IS 208, Wrought Aluminium Utensils (V2) as per IS 1660

Searched String: Glass pane clear size 3 mm thickness

XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), Laboratory Vials (V2), petri plates or dishes, Endotracheal Tube - Sterile (Single Use), Aluminium Composite Panel (V2) as per IS 17682, traffic signs - bilinker light, Medals (V3), Electronic Baby Weighing Scale - RBSK, Corrugated Boxes

Searched String: Fevicol SH

Shoe Shine Machine, Men's Cotton Knitted Sports Shirt / T-Shirt conforming to IS 4375, Patient Bed (Fowler and Semi Fowler), Performance Footwear Sports (V2) ISI marked to IS 15844 (Part 2), Bus Stop Shelter, Glue Stick (V2), Shredding Machine/Paper Shredder (V2), Shooting shoes, medical stools or chairs, Bathroom Water Shower (V2)

Searched String: GI wire mesh 0 point 46 by 1 point 8 by 15 mtr length

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

बिड विवरण / Bid Details **Searched String:** Super flash strip 4 inch thick by 10 mtr length

Category not available on GeM for the text string uploaded by the buyer

Searched String: Mirror looking 450mm by 600mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rabbit/Guinea Pigs Caging System, Dry Erase Writing Boards (V3), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors

Searched String: MS Screw wood 25 mm long Pkt of 400 gms

Category not available on GeM for the text string uploaded by the buyer

Searched String: Glass Putty

Metal Putty, Laboratory Beakers (V2) as per IS 2619, Titanium Putty, Putty for use on Window Frames as per IS 419, Lapi Patra (Putty Applicator), White Cement Based Polymeric Putty as per IS 17545, Environmental Chamber, Glass Fuse, Modular Table / Meeting Table / Centre Table (V2), Connector Glass

Searched String: Nails wire steel 50 mm

Steel Countersunk Head Wire Nails Conforming To IS 723, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Panels Pins and Lost Head Nails Conforming To IS 6738, Steel Wire Rope (CMPDI), Pipe Clamps (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Galvanized Steel Barbed Wire for Fencing (V3) ISI marked to IS 278, modular electrical enclosure switch board boxes for modular type accessories, Steel Drum for Conductor, Tapered Bearings as per IS 12102

Searched String: MS Screw wood 35 mm long

Bone Screw (V2), Wood screws, Locking Compression Plates (V2), Pedicle Screw (V2)

Searched String: Plastic wall plug Pkt of 50

Plastic Ice Box (V2), Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262

Searched String: Paint brush 100 mm

Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1), Ready Mixed Paint, Brushing, Acid Resisting, Flat Brushes for Paints and Varnishes for Heavy Duty as per IS 384 (Part 1), Ready Mixed Paint, Brushing, Bituminous, Black, Lead - Free, Acid, Alkali, Water and Chlorine Resisting as per IS 9862, Polyethylene Pipes for Water Supply, Ready Mixed Paint, Brushing, Bituminous, Black, Lead Free, Acid, Alkali and Heat Resisting as per IS

बिड विवरण

158 Classroom Stools, Wooden Lab Stools, Bitumen Primer for use in Waterproofing and Damp - Proofing as per IS 3384, Electronic Baby Weighing Scale - RBSK

Searched String: White Cement 1 kg

White Cement Based Polymeric Putty as per IS 17545, Automatic Fire Ball for Fire - Extinguishing, Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), Portland Pozzolana Cement (Fly Ash Based) (V3) Conforming to IS 1489 (Part 1), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Writing and Printing Papers Conforming to IS 1848 (Part 1), Electronic Weighing Scales, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1), Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Large Cardamom (Badi Elaichi) as per IS 13446

Searched String: Flush washer Pkt of 05 Nos

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS butt hinges 100 mm

Non - Ferrous Metal Butt Hinges as per IS 205, Parallel Bar - Outdoor Gym Equipment, Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, Polyethylene Pipes for Water Supply, Cast Iron Bench, Wooden Lab Stools, Electronic Baby Weighing Scale - RBSK, Theft Proof Rifle Racks, modular electrical enclosure switch board boxes for modular type accessories

Searched String: Haps and Staples CP size 75 mm

XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Brushes for Paints and Varnishes for Heavy Duty as per IS 384 (Part 1), Cotton Towelling And Towels (V3) Conforming To IS 7056, Staplers (V2), Portable Toilet, Modular Toilet, Stapler Pin / Staples (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Waste Fittings for Washbasin and Sinks as per IS 2963, Bathroom Water Shower (V2)

Searched String: Nails wire steel 25 mm

Steel Countersunk Head Wire Nails Conforming To IS 723, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Panels Pins and Lost Head Nails Conforming To IS 6738, Steel Wire Rope (CMPDI), Pipe Clamps (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Galvanized Steel Barbed Wire for Fencing (V3) ISI marked to IS 278, Parallel Bar - Outdoor Gym Equipment, Steel Drum for Conductor, Tapered Bearings as per IS 12102

Searched String: Nails wire steel 100 mm

Steel Countersunk Head Wire Nails Conforming To IS 723, Pipe Clamps (V2), Panels Pins and Lost Head Nails Conforming To IS 6738, Steel Wire Rope (CMPDI), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Galvanized Steel Barbed Wire for Fencing (V3) ISI marked to IS 278, Tapered

बिड विवरण / Bid Details

Bearings as per IS 12102, Steel Drum for Conductor, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: Hack saw blade double side

Band saw blade, Hand Held Brush Cutter (V2), JigSaw Blade, Saw Blades or Hacksaw Blades (V2) as per IS 2594, Double Side Lapping and Polishing Machine, Carbide Chain Saw, Newspaper Reading Stand (V2), Double sided tape, Non Sparking Hacksaw Blade Or Frame-IS:4595, Replacement Wood Cutting Blades for Reciprocating Saw

Searched String: Fastner with nut and bolt

Span Bolt and Nut, Entry and Mid Level Desktop Computer, Coach Bolt, Nut and Washer (BHEL), Hydraulic Nut Splitter, Modular Table / Meeting Table / Centre Table (V2), Studs-IS:1862, Galvanised Foundation Bolt including Nuts and Washers (BHEL), medical stools or chairs, Eye Bolts with Collars - IS 4190, Executive Table (V3)

Searched String: SS sink with drainage 915 by 460mm 410 310 160mm

Category not available on GeM for the text string uploaded by the buyer

Searched String: Al sheet 0 point 50 mm thick 1 mtr wide

Phenolic Laminated Sheets As per IS 2036, Sports Mats (V2), Lead Sheets And Strips For Other Than Chemical Purposes-IS:405 (Part 2)

Searched String: Allum Tower bolt 150mm

Tower Bolts (Ferrous Metals) as per IS 204, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Bolt Cutters as per IS 5200, U Bolt, Bolt / Bullet Seal

Searched String: Screw wood steel 75mm

Wood screws, Pipe Clamps (V2), Stainless Steel slotted Cheese Head Screw - BHEL, Modular Table / Meeting Table / Centre Table (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa, Dining Bowl (V3), Bone Screw (V2), Domestic Soup or Salad Bowls (V2)

Searched String: Locks for Almirah steel Med or Large

Steel Almirah / Cabinets (V4), Steel Tubes used for Water Wells (V2) as per IS 4270, Silicomanganese for Steel PSUs, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Tricycle or Rickshaw for Carrying Goods (V2), Medical Training kit with Human mannequins for medical education or training, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Instrument Trolley for Hospitals (V2), Tricycle or Rickshaw for Carrying Goods, Cold - Rolled Medium, High Carbon and Low Alloy Steel Strip for General Engineering Purposes as per IS 7226

Searched String: Handle for Almirah steel

Steel Almirah / Cabinets (V4), Sweeping Long SS Handle

बिड विवरण / Bid Details

Steel Fork, Wooden Almirah / Wardrobe (V2), Steel Cloth Lockers (V3), Steel Filing Cabinets for General Office

Purpose (V2) as per IS 3313, Plastic Almirah For Record Keeping (Preschool Kit), Instrument Trolley for Hospitals (V2), Garden Rake - IS 2559, Handles for Detachable Surgical Blades (Bard Parker Type) Conforming to IS 3319, foot step for hospitals

Searched String: Hook CP SIX Way

Category not available on GeM for the text string uploaded by the buyer

Searched String: Glass pane frosted size 4mm thickness

Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), petri plates or dishes, Safety Glass as per IS 2553, traffic signs - bilinker light, Electronic Baby Weighing Scale - RBSK, Multipurpose or General Test Tubes (V2) as per IS 2618, Glass Fuse, Petri plates or dishes(V2), HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS

Searched String: SS Curtain rod 20 mm with bracket

Dental Mouth Mirror or Dentist's Mirror - RBSK, Swing (Preschool Kit), First Aid Dressing, Stud with Nuts, Double sided tape, Thermal Paper (V2) Conforming to IS 17568, Check Valve (V2) as per IS 778

Searched String: SS Curtain rod 25 mm with bracket

Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Swing (Preschool Kit), wooden flooring, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Double sided tape, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Thermal Paper (V2) Conforming to IS 17568, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: PVC Connection pipe 15 by 600mm long

Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipe Clamps (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: PVC connection pipe 15 by 450 mm long

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details **Searched String:** Corner shelf 250mm

Corner Brackets, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Corner Bracket(BHEL), FRP Urinal Cabin, Stainless Steel Shelf Rack, Steel container Corner Casting Blocks, Shelf stable prepared soups or stews, Dry Erase Writing Boards (V3), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Steel Bookcases conforming To Is 7761 (V2)

Searched String: Glass shelf 18 inch long

Long Cloth Made Of Cotton, Manmade Fibres And Their Blends Conforming To IS 187, Cleaning Duster (V3), Cotton Long Cloth - IS 187, H2S Vial Bacteriological Field Test kit, Bio - Medical Waste Collection Bags (Biohazard Bags), Laboratory Hot plate, Automative Cleaner, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Commercial Idli Steamer, Reciprocal Shakers - Mechanical Shaker Machine with Timer

Searched String: Acrylic shelf of size 18 inch by 5 inch

Cleaning Duster (V3), HF Gate Antenna Systems, Television (TV) (V2), General purpose safety pins, General Purpose Hand Gloves (V2), The Indian National Flag as per IS 1, Polyethylene Bags for General Purposes, Garbage Bags, Laboratory Hot plate, Needle Valve

Searched String: PVC flushing cistern low level 10 Ltr capacity

Flushing Cistern

Searched String: CP Towel rack

Towel Rail / Ring / Rack / Hooks for Bathroom, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Recycled Towel, Networking / Server Rack, Towel Ring, Wooden Shoe Rack, Towel Rail, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Towel Hand (IAF), Heavy Duty Storage Racks

Searched String: Tumbler holder

Stationery Holder/Pen Stand(V3), Dumbbell Rack, Pen Stand (V2), Gouging holder, Soldering Clamp Holder, Badge Holders - I Card, Ryder Needle Holder, Surgical Needle Holders, Tooth brush Holder, Plane Mirror Strip Holder

Searched String: PVC Shower Rose 15mm

(Vitreous China) - Shower Rose-IS:2556, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Bathroom Water Shower (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

बिड विवरण / Bid Details	<p>Searched String: Stainless steel soap dish for bath room</p>
	<p>Stainless Steel Bain Marie, Instrument Trolley for Hospitals (V2), Stainless Steel Bucket (Defence), Soap Dish/ Case (V2), Stainless Steel Utensil as per IS 14756, Endodontic Files, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Stainless Steel Sinks for Domestic Purposes (V3) as per IS 13983, Towel Rail / Ring for Bathroom, Welded Austenitic Stainless Steel Tubes For Condensers And Heat Exchangers- BHEL</p> <p>Searched String: Bath room cabinet with sliding shutter</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CP towel ring</p> <p>Towel Ring, Towel Rail / Ring for Bathroom, Cotton Towelling And Towels (V3) Conforming To IS 7056, Towel Rail / Ring / Rack / Hooks for Bathroom, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Recycled Towel, File/Folder (V3), Towel Rail, Towel Hand (IAF), Towel Hand Cotton Turkish (IAF)</p> <p>Searched String: Grating doom 75mm with hole CP</p> <p>Interactive Panels with CPU, Paper Punch Machine(V2), Plastic Button (Thermosetting) as per IS 1461, Locking Compression Plates (V2)</p> <p>Searched String: Grating doom 75mm with out hole CP</p> <p>Interactive Panels with CPU, Paper Punch Machine(V2), Plastic Button (Thermosetting) as per IS 1461, Locking Compression Plates (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 • Steel Pipes for Water and Sewage as per IS 3589 • Compression cable lugs
बीओक्यू शीर्षक /BOQ Title	PRC Silchar 1 Mar 2026
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	7 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details

विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Cable lugs 50 Sqm Copper
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईएमडी राशि/EMD Amount	66000
-----------------------	-------

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

sbso
MES, Department of Military Affairs, Indian Army, Ministry of Defence
(Sbso)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers

as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Health Faucet (15 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Pressure rating (Bar)	0.5
	Flow Rate , Minimum (lpm)	10, 11 Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Construction	Material of construction	Brass
	Hose Material	Stainless Steel
	Hose length (in meters)	1
	Handle Type	Lever
	Anti bacterial coating	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

Health Faucet (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Pressure rating (Bar)	0.75
	Flow Rate , Minimum (lpm)	11 Or higher
Material & Construction	Material of construction	ABS
	Hose Material	PVC
	Hose length (in meters)	1.5
	Handle Type	Lever
	Anti bacterial coating	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Plastic Seats And Covers For Water - Closets As Per IS 2548 (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Materials of Seat and Covers	Polypropylene
	Materials of Hinging Device	Aluminium alloy with anodic coating
RIGIDITY	Seat	Grade 1
	Cover	Grade 1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 2 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Waste Fittings For Washbasin And Sinks As Per IS 2963 (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	12	45

LED Street Light Fitting Complete 90 Watt Single Phase

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

LED Street Light Fitting Complete 35 Or 45 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	8	45

Bulk Head Fitting LED 12 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Inverter LED Bulb 9W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

MCCB 160 Amp 4 Pole 25 KA 415 V With Magnetic Coil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Switch Socket Combination 15 Or 16 Amp With Gang Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	90	45

Modular Switch Socket Combination 15 Or 16 Amp With Gang Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Modular Switch Socket Combination 5 Or 6 Amp With Gang Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	80	45

Switch Socket Combination 5 Or 6 Amp With Gang Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Switch Piano Type 5 Or 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	250	45

Socket 16 Amp 3 Or 5 Pin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

PVC Switch Board 10 Inch By 12 Inch By 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

PVC Switch Board 8 Inch By 10 Inch By 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

PVC Switch Board 7 Inch By 4 Inch By 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

PVC Switch Board 4 Inch By 4 Inch By 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	40	45

Cable Lugs 50 Sqm Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

Cable Lugs 35 Sqm Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Cable Lugs 95 Sqm Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	22	45

Cable Lugs 240 Sqmm Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	30	45

Cable Lugs 70 Sqmm Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Cable Lugs 16 Sqmm Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	150	45

Cable Lugs 120 Sqmm Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Cable Lugs 10 Sqmm Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	150	45

Cable Lugs 50 Sqmm Aluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	70	45

Cable Lugs 70 Sqm Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Heating Element 2000 Watt For Gyser

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	7	45

Heating Element 1500 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	7	45

3 Phase Electronic Timer 3 To 30 Sec

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

NRV For Gesyer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

Thermostate And Thermal Cut Out 11inch Thermostate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Thermostate And Thermal Cut Out 7 Inch Thermostate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	25	45

Geyser Sefty Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	6	45

Flexible Cable Twine Core Copper Conductor Size 14 Or 0076

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	200	45

Cable PVC Standard Aluminum Conductor Sheathed Single Core 4 Sqmm Core 1 Point 1 KV Grade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

AC Drain Pipe Long Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Reverse Cycling Valve For AC 1 Point 5 Ton

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

AC Outdoor Fan Motor 1 Point 5 Ton

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

AC Outdoor Fan Motor 2 Point 0 Ton

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

AC Indoor Fan Motor 1 Point 5 Ton

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

AC Indoor Fan Motor 2 Point 0 Ton

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Relay Over Load For Refrigerator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	4	45

Gas Hydrocarbon For Refrigerator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Thermostate For AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

Compressor 2 Point 0 Ton

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Gas 410 R

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	8	45

Gas R 22

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	7	45

Copper Tube 3 Or 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Copper Tube 5 Or 8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

PCB 1 Point 5 Or 2 Ton Universol

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	8	45

Voltage Stabilizer 5 KVA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	1	45

Compressor For Refrigerator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	1	45

Capacitor 4 Mfd

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Capacitor For Ceiling Fan 2 Point 5 Mfd

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	102	45

Regulator Electronic For Ceiling Fan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	88	45

Lamp Holder Pendent

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	150	45

PVC Flat 20 Or 25 Mm Casing Capping

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Call Bell Ding Dong

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	76	45

Ball Bearing No 6201

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	107	45

M Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	40	45

PVC Insulation Tape 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	400	45

Lamp Holder Batten

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Plug Top 16 Or 20 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Distilled Water For Bty

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	193	45

Change Over Switch Sheet Metal Enclosure Side Operated 200 Amp Modular Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	4	45

Change Over Switch Conforming To Sheet Metal 63 Amp 4 Pole Modular Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	4	45

Heat Shrinkable End Terminal Box Of Cable XLPE 3 Point 5 Core 95 Sqmm Outdoor Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

Heat Shrinkable 3 By 70 Or 95 Sqmm St Through Joint Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

Coolant Heavy Duty

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	40	45

Cotton Waste

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

HT Tape3 Or 4 Inch By 50 Mtrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	40	45

Transformer Oil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	125	45

PVC Flexible Pipe Of Size 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

SPN DB 4 Way Double Door

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	8	45

Wall Fan 450 Mm Sweep

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	12	45

PVC Conduit Pipe Of Size 25 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Foot Valve 50mm Dia Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Foot Valve 80mm Dia Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Foot Valve 100mm Dia Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

CI Flange Sluice Valve 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	1	45

CI Flange Sluice Valve 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	1	45

CI Flange Sluice Valve 80mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	1	45

Gland Packing 5mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

Crystal Alum

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	1500	45

Sodium Carbonate For Water Treatment

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	600	45

Copper Sulphate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Lime

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	200	45

Teflon Tape

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	200	45

GI Pipe Med Grade 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

GI Pipe Med Grade 32 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

GI Pipe Med Grade 40 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

GI Pipe Med Grade 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

GI Pipe Med Grade 80 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Gate Valve 25mm Gunmetal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	7	45

Gate Valve 40 Mm Gunmetal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Gate Valve 20 Mm Gunmetal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	2	45

Gate Valve 50 Mm Brass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	3	45

GI Elbow 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

GI Elbow 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

GI Pipe Med Grade 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

GI Pipe Med Grade 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Paint Smoke Grey

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Thinner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

French Polish

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	8	45

Plywood One Side Teak Face 4 Mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	159	45

MDF Board 12 Mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	61	45

MDF Board 18 Mm Thick Size 2400 By 1200mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	55	45

Plywood 4mm Thick Size 2400 By 1200mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	136	45

Pre Laminated Board 19 Mm Thick Size 2400 By 1200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	41	45

Plywood 9 Mm Thick Size 2400 By 1200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	74	45

MDF Board 6 Mm Thick Size 2400 By 1200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	53	45

Ply Wood Commercial SIX Feet BY THREE Feet BY TWELVE Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	640	45

Decorative Designer 6mm Ply One Side Teak Face Of Size 6 Feet By 4 Feet By 6mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	64	45

Alluminium Aldrop Bolt 300 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Alluminium Aldrop Bolt 250 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Tower Bolt Aluminium 200 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Aluminium Door Handle 150mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Glass Pane Clear Size 3 Mm Thickness

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	4	45

Fevicol SH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

GI Wire Mesh 0 Point 46 By 1 Point 8 By 15 Mtr Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	23	45

Super Flash Strip 4 Inch Thick By 10 Mtr Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	7	45

Mirror Looking 450mm By 600mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

MS Screw Wood 25 Mm Long Pkt Of 400 Gms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Glass Putty

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

Nails Wire Steel 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

MS Screw Wood 35 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

Plastic Wall Plug Pkt Of 50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Paint Brush 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

White Cement 1 Kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Flush Washer Pkt Of 05 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

MS Butt Hinges 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	25	45

Haps And Staples CP Size 75 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	134	45

Nails Wire Steel 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Nails Wire Steel 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Hack Saw Blade Double Side

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Fastner With Nut And Bolt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Satinless Sink With Drainage Board Of Size 915 By 460mm With Bowl Size 410 By 310 By 160mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	6	45

Al Sheet 0 Point 50 Mm Thick 1 Mtr Wide

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	13	45

Allum Tower Bolt 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Screw Wood Steel 75mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

Locks For Almirah Steel Med Or Large

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

Handle For Almirah Steel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	15	45

Hook CP SIX Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Glass Pane Frosted Size 4mm Thickness

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

SS Curtain Rod 20 Mm With Bracket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

SS Curtain Rod 25 Mm With Bracket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	100	45

PVC Connection Pipe 15 By 600mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	40	45

PVC Connection Pipe 15 By 450 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	30	45

Corner Shelf 250mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Glass Shelf 18 Inch Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Acrylic Shelf Of Size 18 Inch By 5 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

PVC Flushing Cistern Low Level 10 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

CP Towel Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	4	45

Tumbler Holder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

PVC Shower Rose 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Stainless Steel Soap Dish For Bath Room

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	50	45

Bath Room Cabinet With Sliding Shutter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	5	45

CP Towel Ring

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	10	45

Grating Doom 75mm With Hole CP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

Grating Doom 75mm With Out Hole CP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Cachar	20	45

क्रयता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.

- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

7. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

9. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

BUYER ADDED BID SPECIFIC ADDITIONAL TERMS & CONDITIONS (ATC)

Bidders shall communicate with the Buyer only through the GeM portal for any queries related to this bid, as no other mode of communication is permitted under GeM Terms and Conditions.

1. **Discrepancy in Conditions.** In the event of any discrepancy between the GeM Terms and Conditions, the Standard Terms and Conditions (STC), and the Buyer Added Bid Specific Additional Terms and Conditions (ATC), the Buyer's Bid Specific ATC shall prevail and be final.

2. **Pre-qualification / Eligibility.** All bidders intending to participate in this bid shall upload the following documents on the GeM portal for technical scrutiny and eligibility verification, in addition to the documents required under GeM :-

2.1 List of works successfully executed during the last three financial years.

2.2 Annual Turnover Certificates of both the OEM and the bidder for the last three financial years.

2.3 Copy of Form 26AS.

2.4 Valid MSME / Udyam Registration, if applicable.

2.5 Affidavit of no dues / no recovery pending.

2.6 Affidavit declaring that the bidder is not involved in any arbitration or litigation.

2.7 Copy of Partnership Deed, where applicable.

2.8 Memorandum and Articles of Association, where applicable

2.9 Copy of the bidder's Registration Certificate.

2.10 Affidavit confirming that no near relative of the bidder is employed in MES /Corps of Engineers / Ministry of Defence in a capacity that attracts restrictions under applicable Government of India and departmental instructions.

3. The following Annexures shall be submitted on non-judicial stamp paper of appropriate value as per prevailing state laws and then scanned and uploaded on the GeM portal:-

3.1 Bid Submission Form on bidder's letterhead, duly filled, signed and uploaded along with the bid on GeM. **(Annexure-I)**

3.2 Notarized affidavit confirming acceptance of all terms and conditions of the bid document. **(Annexure-II)**

3.3 Notarized affidavit confirming that none of the bidder's or OEM's employees or their relatives are employees of the Client, and that the bidder has not been convicted under the Prevention of Corruption Act, 1988 or under any other law in force for offences involving loss of life or property or threat to public health in execution of a public procurement contract. **(Annexure-III)**

3.4 Self-declaration on non-judicial stamp paper stating that the bidder has not been blacklisted or debarred by any Government department, organization, or public sector undertaking; non-submission in the prescribed format may result in rejection of the bid. **(Annexure-IV)**

4. **Additional Documents** :-

4.1 GST portal screenshot showing the name of the firm and aggregate annual turnover for the last three financial years.

4.2 Statement of all items quoted, strictly of branded make; unbranded items shall not be accepted, and details shall be given in Table-1 (Product Name, Make, Product ID).

4.3 Valid ISO 9001 certificate of the OEM or bidder, as applicable.

Note :- **The Buyer reserves the right to verify all submitted certificates and information from issuing authorities and official websites; any deviation, misrepresentation, or unverifiable credential may lead to outright rejection of the bid without further notice.**

5. **Right of Rejection** :-

5.1 The Buyer reserves the right to cancel the bidding process and reject all bids at any time before award of contract, without liability towards any bidder.

5.2 The Buyer also reserves the right, at its sole discretion, not to place any order under this bid, and will not be liable for any compensation or cost incurred in preparation or submission of the bid.

5.3 If any part of the bid or prescribed information is missing, vague, or incomplete, or if conditions are not met, the bid shall be treated as non-responsive and is liable to be rejected.

5.4 The Buyer may terminate the contract if the bidder is found to have been blacklisted / debarred by any Government Department / Institution / Local Body / Municipality / Public Sector Undertaking, without any further notice.

5.5 If any information given by the bidder is found to be incorrect, the Buyer may reject the bid at any stage, cancel the contract if awarded, and forfeit the entire Earnest Money Deposit.

5.6 Information furnished in the bid shall be clear, specific, and limited to what is sought; bids containing extraneous or confusing information with intent to mislead are liable to be rejected.

5.7 The Buyer shall be the sole judge for short-listing, and the Buyer's decision shall be final and binding.

5.8 Bids shall conform to the provisions of the Manual for Procurement of Goods, 2024, and to the GeM General Terms and Conditions, as amended from time to time.

Annexure I - Bid Submission Form

(To be printed on bidder's letterhead, signed, stamped, scanned and uploaded on GeM)

Date: _____

To

The Buyer

[Department / Office Name]

[Address]

Subject: Bid Submission for GeM Bid No.

Sir/Madam,

1. Having examined the Bid Document, including all terms, conditions and specifications, the undersigned hereby submits the bid for "[Name of Work / Item]" against GeM Bid No. _____.
2. The undersigned hereby accepts all terms and conditions of GeM, the Bid Document, Buyer Added ATC and any corrigenda issued, and undertakes to comply with the same without any reservations.
3. The quoted prices are firm and inclusive of all applicable taxes, duties, freight, packing, insurance and other charges, as per GeM Terms and Conditions.
4. The bid shall remain valid for _____ days from the date of bid opening, as required in the Bid Document. The undersigned certifies that all information and documents submitted on the GeM portal are true, correct and complete to the best of bidder's knowledge and belief.

Yours faithfully,

Name: _____

Designation: _____

Name of Bidder/Firm: _____

Address: _____

Mobile / Phone: _____

E-mail: _____

Signature with seal

Annexure II - Affidavit for Acceptance of Bid Conditions

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

AFFIDAVIT

I, _____, son/daughter of _____, aged ____ year
s, resident of _____, being the authorised signatory of M/s _____
_____ (hereinafter called "the Bidder"), do hereby solemnly affirm and
state as under:

1. That I am duly authorised to submit this affidavit on behalf of the Bidder in response to GeM Bid No. _____ for "[Name of Work / Item]".
2. That the Bidder has carefully read and understood all the terms and conditions of the Bid Document, including GeM General Terms and Conditions, STC and Buyer Added Bid Specific ATC.
3. That the Bidder unconditionally accepts all the aforesaid terms and conditions and agrees that any deviation or conditional bid is liable to be rejected.
4. That all information, certificates and documents uploaded on the GeM portal for this bid are true, correct and complete, and nothing material has been concealed.

Verified at _____ on this ____ day of _____ 20__ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: _____

Designation: _____

Firm's Name with seal: _____

(Notary Seal & Signature)

Annexure III - Affidavit regarding Non-conviction and Non-employment of Relatives

(To be executed on non-judicial stamp paper of Rs. 10/- or higher as per State law, duly notarized, then scanned and uploaded on GeM)

AFFIDAVIT

I, _____, son/daughter of _____, aged ____ year
s, resident of _____, authorised signatory of M/s _____
_____ (Bidder), do hereby solemnly affirm and state as under.

1. That none of my near relative(s), as defined in the Bid Document, is employed in MES / Corps of Engineers / Ministry of Defence / Client Department in a capacity which would attract provisions regarding conflict of interest.
2. That none of the employees/partners/directors of the Bidder, nor their relatives, are employees of the Client in a manner that may affect the fairness of this procurement.
3. That the Bidder and its directors/partners/proprietor have not been convicted under the Prevention of Corruption Act, 1988 or under the Indian Penal Code or any other law in force for offences resulting in loss of life or property or causing threat to public health in execution of any public procurement contract.
4. That there is no criminal case involving fraud, corruption or moral turpitude pending against the Bidder or its key management personnel in any court of law.

Verified at _____ on this ____ day of _____ 20__ that the contents of this affidavit are true and correct to the best of my knowledge and belief.

Deponent

(Signature of Authorised Signatory)

Name: _____

Designation: _____

Firm's Name with seal: _____

(Notary Seal & Signature)

Annexure IV - Self-Declaration on Non-blacklisting / Non-debarment

(To be executed on non-judicial stamp paper of Rs. 10/- with Re. 1/- revenue stamp affixed, as mentioned in the Bid Document, and uploaded on GeM)

SELF-DECLARATION

Date: _____ To

The Buyer

[Department / Office Name]

[Address]

Subject: Declaration regarding Non-blacklisting / Non-debarment – GeM Bid No.

Sir/Madam,

1. I/We, M/s _____, having registered office at _____, hereby declare that our firm/company, its partners/directors and promoters have not been blacklisted, debarred, suspended or removed from any approved list of vendors by any Central Government / State Government / Union Territory / Government Department / Autonomous Body / PSU / Public Sector Bank or any other public authority as on the date of this declaration.

2. I/We further declare that there are no orders or proceedings pending for blacklisting or debarment against our firm/company by any of the above authorities. I/We understand that if this declaration is found to be false or incorrect at any stage, the Buyer shall be entitled to reject our bid, terminate the contract if

awarded, and take any other action as per GeM Terms and Conditions and applicable law.

Yours faithfully,

Signature of authorised signatory: _____

Name: _____

Designation: _____

Name of Bidder/Firm: _____

Address: _____

GSTIN: _____ PAN: _____

Contact No.: _____ E-mail: _____

(Seal of the Bidder/Firm)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---