

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 09-02-2026 20:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 09-02-2026 20:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Defence |
| विभाग का नाम/Department Name | Department Of Military Affairs |
| संगठन का नाम/Organisation Name | Indian Air Force |
| कार्यालय का नाम/Office Name | ***** |
| कुल मात्रा/Total Quantity | 24 |
| वस्तु श्रेणी /Item Category | Seesaw for Playground (V2) (Q3) , Outdoor Slide (V2) (Q4) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Twister - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Garden Swings (Q3) , Swing (Preschool Kit) (Q3) |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 2 Lakh (s) |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) | 19 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service | 3 Year (s) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover | No |

| बिड विवरण/Bid Details | |
|---|---|
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 1 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन /Past Performance | 50 % |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule | H1-Highest Priced Bid Elimination |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | Air Walker / Stroller - Outdoor Gym Equipment |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|--------------------------|----|
| आवश्यकता/Required | No |
|--------------------------|----|

ईपीबीजी विवरण /ePBG Detail

| | |
|--|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%) / ePBG Percentage (%) | 3.00 |
| ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months). | 14 |

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी / Beneficiary :

Unit Sports Offr
12 WING, Department of Military Affairs, Indian Air Force, Ministry of Defence
(Rohan Mishra)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old,

the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

7. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Seesaw For Playground (V2) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| GENERIC | General Requirements of the Play Ground Seesaw Conforming to | Play Ground Seesaw for Schools - The equipment conforming to IS 8404 : Part 1 |
| | Material of the Seesaw | Iron |
| | Type of Play Ground Seesaw | Traditional Type |
| | Seater Type | 4 Seater Double Bar Seesaw |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---------------------------------------|---|
| DIMENSIONS | Overall Length of the Seesaw (In ft) | 6.1 ft to 7 ft |
| | Overall Width of the Seesaw (In ft) | 1 ft to 2 ft |
| | Overall Height of the Seesaw (In ft) | 2.6 ft to 3 ft |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Outdoor Slide (V2) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| GENERIC | Design of the Slide Surface | Straight |
| | Warranty | 2 Year, 3 Year Or higher |
| MATERIAL | Material of the Slide Surface | FRP |
| | Material of the Platform with Side Hand Rails,Platform and Ladder | HDPE |
| | Material of the Frames (Support Legs) | Galvanized Steel |
| WEIGHT & DIMENSIONS | Diameter of the Frames (Support Legs) | 2.6 inch to 3.5 inch |
| | Overall Length of the Slide | 10 feet to 15 feet |
| | Overall Height of the Slide | 5 feet to 8 feet |
| | Width of the Sliding Surface | 1.5 feet to 2 feet |
| | Overall Weight of the Slide | 50 kg to 100 kg |

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|--|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 3 | 15 |

Air Walker / Stroller - Outdoor Gym Equipment (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE | Type | Single |
| CAPACITY | Maximum User Weight (Kg) | 110.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | No |
| | Main Frame | 80mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | leg movement frame | 32mm Nominal Bore G.I. Pipe |
| | Leg Movement Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Ball Bearing |
| | Foot Rest | Fibre Reinforced Plastic |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| OTHER REQUIREMENTS | Installation | Not Included |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Parallel Bar - Outdoor Gym Equipment (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Material | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Vertical / Standing Pipes | 25mm Nominal Bore G.I. Pipe |
| | Vertical/ Standing Pipes, Class as per IS 1239 | Medium |
| | Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore & Wall Thickness | 80 mm NB with 4 mm Thickness |
| | Horizontal Pipe | 25 mm Nominal Bore G.I. Pipe |
| | Horizontal Pipe, Class as per IS 1239 | Medium |
| | Horizontal Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 32 mm NB with 4 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | Not Applicable |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Nominal Bore of Foundation Pipe | 40 mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 4 mm Thickness |
| | M S Foundation Plate Thickness | 12.0 (millimeter) |
| | Bearings | Ball Bearing |
| | Foot Rest | Aluminum casting material |
| | Other Requirements | Installation |
| Certification | Certification (Safety and Quality Requirements) | No |
| Warranty | Warranty (years) | 4.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Twister - Outdoor Gym Equipment (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| TYPE | Type | Double Twister (Both Sitting), Triple Twister (Three standing) |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Main Central Pipe | 125 mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 125 mm NB with 4.5 mm Thickness, 80 mm NB with 3.2 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 210, YSt 355 |
| | Standing/ Sitting Twister Frame Pipe | 25 mm Nominal Bore G.I. Pipe, 50 mm Nominal Bore G.I. Pipe |
| | Standing/ Sitting Twister Frame Pipe, Class as per IS 1239 | Heavy |
| | Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 40 mm NB with 2.9 mm Thickness, 50 mm NB with 4.5 mm Thickness |
| | Grade Material as per table 2 IS 1161 | YSt 310, YSt 355 |
| | Rotating Disk Support Pipe at Bottom Pipe | 80 mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe |
| | Rotating Disk Support Pipe, Class as per IS 1239 | Heavy |
| | Rotating Disk Support Pipe (as per IS 1161) as per Clause 3, Nominal Bore & Wall Thickness | 125 mm NB with 4.5 mm Thickness, 80 mm NB with 4.8 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 310, YSt 355 |
| | Handle Frame Pipe | 32mm Nominal bore G.I. pipe, 40 mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 4 mm Thickness, 40 mm NB with 4 mm Thickness |
| | Grade Material per table 2 of IS 1161 | YSt 240, YSt 355 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 125 mm NB with 4.5 mm Thickness, 80 mm NB with 4 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 240, YSt 355 |
| | M S Foundation Plate Thickness | 12.0, 10.0 (millimeter) |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| | Foot Rest | Fibre Reinforced Plastic |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0, 3.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Surf Board - Outdoor Gym Equipment (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE | Type | Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 150mm Nominal Bore G.I. Pipe |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 125 mm NB with 4.5 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 210 |
| | Movement (Paddle) Frame | 50mm Nominal Bore G.I. Pipe |
| | Movement (Paddle) Frame Pipe, Class as per IS 1239 | Heavy |
| | Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 40 mm NB with 4 mm Thickness |
| | Grade Material as per table 2 IS 1161 | YSt 210 |
| | Connecting Links | 40 mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Heavy |
| | Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 40 mm NB with 2.9 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |
| | Handle Frame | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness |
| | Grade Material per table 2 of IS 1161 | YSt 210 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 150mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | M S Foundation Plate Thickness | 12.0 (millimeter) |
| | Bearings | Tapered Roller Bearing |
| | Foot Rest | Fibre Reinforced Plastic |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Sit Up Board - Outdoor Gym Equipment (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| TYPE | Type | Double Station |
| MATERIAL | Type of Back Rest | Plain Sheet |
| | Material of Back Rest | Fibre Reinforced Plastic |
| | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Frame/Central Pipe | 80mm Nominal Bore G.I. Pipe |
| | Main Frame/Central Pipe, Class as per IS 1239 | Heavy |
| | Main Frame/Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Grade of Material as per table 2 of IS 1161 | YSt 210 |
| | Foot Rest Pipe | 40mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe , Class as per IS 1239 | Heavy |
| | Foot Rest Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 40 mm NB with 3.2 mm Thickness |
| | Grade of Material as per table 2 IS 1161 | YSt 210 |
| | Back Rest Frame Pipe and Connecting Links | 25 mm Nominal Bore G.I. Pipe |
| | Back Rest Frame Pipe and Connecting Links, Class as per IS 1239 | Heavy |
| | Back Rest Frame Pipe and Connecting Links (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 32 mm NB with 4 mm Thickness |
| | Grade of Material (as per table 2 of IS 1161) | YSt 210 |
| | Leg Support Pipe | 32mm Nominal bore G.I. pipe |
| | Leg Support Pipe , Class as per IS 1239 | Heavy |
| | Leg Support Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 3.2 mm Thickness |
| | Grade of Material per table 2 of IS 1161 | YSt 210 |
| | Foundation Pipes with anchoring | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade of Material (as per table 2 of IS 1161) | YSt 210 |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|--|---|
| TYPE | Type | Two Wheel |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe construction | 100mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Medium |
| | Ring (Wheel) | 32mm Nominal Bore G.I. Pipe |
| | Ring (Wheel) Pipe, Class as per IS 1239 | Medium |
| | Pipe of Spokes of Wheel | 20mm Nominal bore G.I. pipe |
| | Pipe of Spoke of Wheel , Class as per IS 1239 | Medium |
| Connector Pipe (between Main Central Pipe and Wheel) | 40 mm Nominal bore G.I. pipe | |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Connector Pipe, Class as per IS 1239 | Medium |
| | MS Foundation Plate Thickness | 12.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |
| | Bearings | Ball Bearing |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Leg Press - Outdoor Gym Equipments (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--------------------------------------|---|
| TYPE | Type | Leg Press Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |

| विवरण/Specification | विशिष्ट का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Main Central Pipe | 125 mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Moving Frame Pipe | 40mm Nominal bore G.I. pipe |
| | Moving Frame Pipe, Class as per IS 1239 | Heavy |
| | Foot Rest Frame/ Foot Rest Hinging Pipe | 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Frame Pipe, Class as per IS 1239 | Heavy |
| | Connecting Links | 32mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Heavy |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Ball Bearing |
| | Seat and Back Rest | 2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 15 |

Garden Swings (2 pieces)

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| MATERIAL | Seat (with integrated back rest) made up of | Fibre Reinforced Plastic |
| | Seat thickness (FRP) | 5 mm |
| | Roof made up of | No roof |
| | Roof thickness (FRP) | No roof |
| | Roof supported by | 20 NB medium steel galvanized pipe conforming to IS 1239 (part 1)/latest at the top |
| | Whole assembly of roof supported by (4-Legs) | 40 NB medium steel galvanized pipe conforming to IS 1239 (part 1)/latest on both sides |
| | Seat and Backrest Consist of | FRP C-section channel with wood finish of good quality and reinforced with GI coated ISA |
| | Swing suspended with | Stainless steel chains with wire dia of 4.7 mm |
| GENERIC | Structure | Swing with seat and roof |
| | Roof shape | No roof |
| | Provision of side bars in legs (for leg strengthening) | Yes |
| | Seat with arm | No |
| | Provision of back cushion | No |
| | Provision of seat cushion | No |
| | Seating capacity | 2 - seater |
| | Weight bearing capacity in KG | 136 |
| COLOUR AND FINISH | FRP roof should be | N.A |
| | Colour of seat | As per buyer's choice |
| WARRANTY | Warranty period in number of years | 1, 2, 3 Or higher |
| CERTIFICATION | Test reports to be furnished to buyer on demand | Yes |
| | OEM of offered product is ISO 9001:2015 certified | Yes |
| | OEM of offered product is ISO 14001:2015 certified | Yes |

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****CHANDIGARH | 2 | 45 |

Swing (Preschool Kit) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| MATERIAL | Swing seat made up of Virgin grade polyethylene plastic | Virgin Polycarbonate |
| WARRANTY | Warranty periods | 1 - Year |
| CERTIFICATION | Test reports in respect of to be furnished to buyer on demand | NO |
| | OEM of offered product is ISO 9001:2015 certified | YES |
| | OEM of offered product is ISO 14001:2015 certified | YES |
| | OEM of offered product is ISO 18001:2007 certified | YES |

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

| | |
|-----------------------------|----------------------|
| Applicable Drawing Document | View |
|-----------------------------|----------------------|

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****CHANDIGARH | 3 | 15 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---