

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	11-03-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-03-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Labour And Employment
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Employees State Insurance Corporation (esic)
कार्यालय का नाम/Office Name	Esic General Hospital Naroda Ahmedabad Gujarat
कुल मात्रा/Total Quantity	12270
वस्तु श्रेणी /Item Category	Methanol , Potassium acetate , 1 percent Pyridinepowder , Sodium borate buffer , Eosin Y , Alizarin red S , Absolute alcohol Formalin alcohol , Ammonium hydroxide , Histology pencils eosin and hematoxylin , Benzidine , N Butano , Calcium Chloride , Magnesium sulphate , Phenol red indicator , Silver nitrate , Sodium hydroxide , Trichloro acetic acid , Sulphur powder , Horse gram powder , Whatsmann filter paper HM2 circle , Gram Stain Kit , ZN stain Kit , Acetic acid test 10 percent , Sulfosalicylic acid , Nitric acid , Copper sulphate 100gmsby100ml , Ammonium sulphate 100gmsby100ml , Sodium nitroprusside crystal , 10 percent Barium chloride , Fouchets reagent , Ehrlichs reagent , Ortho toluidine , Glacial acetic acid , H2O2 , 3 point 8 percent Sodium citrate solution , Heamatoxylin and eosin stain 1 bottle , Field Stain 125ml , Leishman stain 5 bottle , RBC diluting fluid 500ml , WBC diluting fluid 500ml , N 10 HCL 500ml , Brilliant cresyl blue 125ml , potassium permanganate sol 500ml , Anti sera A B and D 10ml , Urease powder , Ammonium chloride

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Methanol, Potassium acetate, 1% Pyridine(powder), Sodium borate(buffer), Eosin Y, Alizarin red S, Absolute alcohol (Formalin alcohol), Ammonium hydroxide, Histology pencils(eosin and hematoxylin), Benzidine, N-Butano;, Calcium Chloride, Magnesium sulphate, Phenol red indicator, Silver nitrate, Sodium hydroxide, Trichloro acetic acid, Sulphur powder, Horse gram powder, Whatsmann filter paper HM2 (circle), Gram Stain Kit, ZN stain Kit, Acetic acid test (10%), Sulfosalicylic acid, Nitric acid, Copper sulphate, Ammonium sulphate, Sodium nitroprusside crystal, 10% Barium chloride, Fouchet's reagent, Ehrlich's reagent, Ortho-toluidine, Glacial acetic acid, H2O2, 3.8% Sodium citrate solution, Heamatoxylin and eosin stain 1 bottle, Field Stain , Leishman stain 1 bottle, Urease powder, ammonium chloride, RBC diluting fluid 500ml, WBC diluting fluid 500ml, N 10 HCL 500ml, Brilliant cresyl blue 125ml, potassium permanganate sol 500ml, Anti sera A B and D 10ml

Searched String: Methanol

Methanol - (Commercial Grade) for ONGC as per IS 517, Methanol as per IS 517, Direct Methanol Fuel Cell (600 Wh) as per MHA QR, Methanol for Bulk Supply as per IS 517, Karl Fischer Reagent

Searched String: Potassium acetate

Potassium Persulfate (Potassium Peroxodisulfate), Yoga Mats, SODIUM ACETATE, Potassium Mobilizing Bio-Fertilizer (KMB), Ammonium acetate, Flame Photometer, Barium Acetate, Zinc Acetate, Blood Collection Tube, Butyl Acetate

Searched String: 1% Pyridine(powder)

BCAA 2:1:1 Powder, Nitrile Coated/Nitrile Hand Gloves (V2), BCAA 8:1:1 Powder, Milk Powders and Cream Powder (दूध पाउडर और क्रीम पाउडर), Stable Bleaching Powder for Household and Industrial use (V3) conforming to IS 1065 (Part 1), BOD Incubator, Cellulose Powder, Calamine Powder, Multipara Monitor - Low End, Custard powder

Searched String: Sodium borate(buffer)

Di - Sodium Octa Borate Tetrahydrate (Boron), Flame Photometer, Buffer Capsules, Buffer Tablets, Blood Collection Tube, Buffer Solutions, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Buffer Solutions (V2) Conforming to IS 15557, Ammonia Buffer Solution, High Pressure Sodium Vapour Lamps (HPSV Lamps) as per IS 9974 (Part 1 and 2)

Searched String: Eosin Y

Eosin Y Dissodium Salt, Servers (V2), Y Strainer, Eosin Methylene Blue Agar, Y-Type Dirt Catcher (BHLE), Human Identification - DNA Kit Y Chromosomal STR (Forensic use), Jersey, Y Neck, Plain Knitted, Worsted as per IS 2360, Laboratory Glassware Volumetric Flask, Y-Pieces, Female, Equal conforming to IS 1239 (Part 2), Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2)

Searched String: Alizarin red S

Methyl Red, Steel Almirah / Cabinets (V4), Cresol Red

बिड विवरण / Bid Details

Indicator, Geru / Red ochre, Bio - Medical Waste Collection Bags (Biohazard Bags), Infra red Torch, Parallel Bar -

Outdoor Gym Equipment, FPO - Red Rice, personal safety kit reflective luminous garments, Congo Red Indicator

Searched String: Absolute alcohol (Formalin alcohol)

Octyl Alcohol, Alcohol Based Hand Sanitizer, Benzyl alcohol, Alcohol Swab, tert-Amyl Alcohol, Isopropyl Alcohol (2 - Propanol), Tertiary Butyl Alcohol, Isoamyl Alcohol (V2), ISO Propyl Alcohol as per IS 2631, Isopropyl Alcohol (IPA) (ONGC)

Searched String: Ammonium hydroxide

Ammonia, Liquor / Ammonium Hydroxide as per IS 799, Quarternary Ammonium Compound Based Surface Cleaner, Liquid, Barium Hydroxide, High Level Medical Device Disinfectant, Calcium Hydroxide, Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Lithium Hydroxide Monohydrate (V2), Ammonium molybdate, Ammonia solution 25%, Ammonium acetate

Searched String: Histology pencils(eosin and hematoxylin)

Electrosurgical Cautery Pencil (V2), Bindu Milaye And Colour Bharna Sikhe/Art And Craft Book (Preschool Kit), Mechanical Pencil (V3)

Searched String: Benzidine

Category not available on GeM for the text string uploaded by the buyer

Searched String: N-Butano;

N Heptane, N-Hexane, N - Hexadecane, N,N Dimethyl P Phenylenediamine Dihydrochloride, N-acetylcysteine Injection, Classroom Stools, N-ACETYL-DL-METHIONINE, Books (V2), N - Hexane AR Grade, Twist Drill (Parallel Shank) as per IS 5102 (V2)

Searched String: Calcium Chloride

Calcium Chloride (ONGC), Suction Catheters (V2), Calcium Chloride- IS:1314, Calcium Chloride (V2) Conforming to IS 1314, Flame Photometer, Calcium Silicate, Calcium Stearate, Yoga Mats, Calcium hypophosphite, PVC (Polyvinyl Chloride) Sheet

Searched String: Magnesium sulphate

Magnesium sulphate Injection, Medical Tuning Fork Sets, Magnesium Sulphate (Epsom Salt) as per IS 2730, Magnesium Sulphate (Epsom Salts) (V2) Conforming to IS 2730, Silver sulfate, Magnesium (Mg) Powder, Ammonium Sulphate, Magnesium Gym Chalk, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Magnesium Standard Solution

Searched String: Phenol red indicator

Cresol Red Indicator, Steel Almirah / Cabinets (V4), Congo Red Indicator, Phenol (Carbolic Acid) as per IS 538, Phenolphthalein indicator, Bio - Medical Waste Collection Bags (Biohazard Bags), Pera nitro Phenol, Methyl Red,

बिड विवरण / Bid Details

personal safety kit reflective luminous garments, Universal Indicator

Searched String: Silver nitrate

Silver Nitrate as per IS 2214, Steel Almirah / Cabinets (V4), Silver Nitrate (V2) Conforming to IS 2214, ECO - Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate), Servers (V2), Silver sulfate, Apron Locker Cabinet, Silver chloride, Flower Pots or Planters (V2), Silver Coins

Searched String: Sodium hydroxide

Barium Hydroxide, Flame Photometer, Calcium Hydroxide, Lithium Hydroxide Monohydrate (V2), Blood Collection Tube, Aluminium Hydroxide as per IS:10896, Potassium Hydroxide / Caustic Potash as per IS 6831, Potassium Hydroxide for Drilling Fluids (ONGC), Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), SODIUM ACETATE

Searched String: Trichloro acetic acid

Diethylenetriaminepenta acetic acid, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, GLACIAL ACETIC ACID, Acetic Acid (ONGC) as per IS: 695, 1-Naphthylacetic acid, Trichloroisocyanuric Acid (TCCA-90), Yoga Mats, Ethyl Acetate, Alpha Naphthyl Acetic Acid Soluble Concentrate (SL) (V2) Conforming to IS 13138, Ammonium acetate

Searched String: Sulpher powder

Cellulose Powder, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Calamine Powder, Toilet Cleaners Powder as per IS 13760, Custard powder, Garden Bench, Protein Powder, Preacher curl bench, Agarose powder, Classroom Stools

Searched String: Horse gram powder

HORSE GRAM (KULTHI) Seeds, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, FPO - Kulthi Dal / Horse Gram, Bentonite as per IS:6186, Whole Gram, Garden Bench, Horse Bridle, Toilet Cleaners Powder as per IS 13760, Horse - Saddle, Cricket Bat

Searched String: Whatsmann filter paper HM2 (circle)

Cellulose Nitrate Filter Paper (V2), Laboratory Filter Papers, Laboratory Filter Papers (V2), Syringe Filter, Air Sampler, Plain Copier Paper (V3) ISI Marked to IS 14490, Computer Paper (V3) Conforming to IS 12766, Computer Paper (V3) Conforming to IS 12766 (In Packet), Toilet Paper (V2) as per IS 14661, Bond Paper (V3) Conforming to IS 1848 (Part 1)

Searched String: Gram Stain Kit

Gram Stain Kit (V2), Cricket Bat, Papanicolaou (PAP) Stain Kit (V2), Giemsa Stain, personal safety kit reflective luminous garments, Leishman's Stain, Biochemistry Reagent Kit for Human Samples, Whole Gram, Networking Trainer Educational Kit, New Methylene Blue Stain (Reticulocyte Stain)

Searched String: ZN stain Kit

Gram Stain Kit (V2), personal safety kit reflective luminous

बिड विवरण / Bid Details	<p>garments, Papanicolaou (PAP) Stain Kit (V2), Swachhta Kit as per IS 2888, Giemsa Stain, Biochemistry Reagent Kit for Human Samples, Leishman's Stain, Networking Trainer Educational Kit, New Methylene Blue Stain (Reticulocyte Stain), Digital Trainer Kit</p>
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Acetic acid test (10%)</p> <p>Diethylenetriaminepenta acetic acid, GLACIAL ACETIC ACID, Cartridge Based Nucleic Acid Amplification test (CBNAAT), Acetic Acid (ONGC) as per IS: 695, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Acrylic acid, 1-Naphthylacetic acid, Sieve Shaker, Ethyl Acetate, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV)</p> <p>Searched String: Sulfosalicylic acid</p> <p>5-Sulfosalicylic acid, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Veratric Acid (3,4-Dimethoxybenzoic Acid), Humic Acid and Fulvic Acid, Acid Orange, Acid Slurry or Alkyl Benzene Sulphonic Acid as per IS 8401, Adipic Acid, Perchloric acid, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Periodic Acid</p> <p>Searched String: Nitric acid</p> <p>Nitric Acid (V2) as per IS 264, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Nitric Acid (V3) Conforming to IS 264 (In Liter), Nitric Acid (V3) Conforming to IS 264 (In kg), Veratric Acid (3,4-Dimethoxybenzoic Acid), Humic Acid and Fulvic Acid, Acid Orange, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Adipic Acid, Perchloric acid</p> <p>Searched String: Copper sulphate</p> <p>Copper Sulphate (V3) Conforming to IS 261, Copper Sulphate (V2) as per IS 261, Ammonium Sulphate, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cadmium Sulphate, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Mercuric Sulphate, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Stannous Sulphate, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: Ammonium sulphate</p> <p>Ammonium Sulphate, Quarternary Ammonium Compound Based Surface Cleaner, Liquid, Ferric Ammonium Sulphate, Ammonium Ferrous Sulphate, Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Ammonium Ferrous Sulphate hexahydrate, Ammonia solution 25%, Aluminium Ammonium Sulphate Dodecahydrate, Silver sulfate, Cadmium Sulphate</p> <p>Searched String: Sodium nitroprusside crystal</p> <p>Sodium nitroprusside dihydrate, Flame Photometer, Sodium Nitroprusside Injection, SODIUM ACETATE, Blood Collection Tube, Sodium Hydrosulfite, Electronic Calculator (V2), SODIUM COBALTINITRITE, Computer Monitor, Sodium Arsenite</p>

बिड विवरण/Bid Details **Searched String:** 10% Barium chloride

Barium Chloride liquid, water baths, Barium Chloride as per IS: 5288, Barium Nitrate, Online UPS (V2), Barium Chloride (V2) Conforming to IS 5288, Barium Acetate, Nitrile Coated/Nitrile Hand Gloves (V2), Barium Hydroxide, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: Fouchet's reagent

Fouchet reagent, Barfoed's Reagent, Biuret Reagent, Biochemistry Reagent Kit for Human Samples, Molisch's Reagent, Parallel Bar - Outdoor Gym Equipment, Tollen's Reagent, Nitric Acid (V2) as per IS 264, Schiff's reagent, TRIzol Reagent

Searched String: Ehrlich's reagent

Barfoed's Reagent, Biuret Reagent, Nitric Acid (V2) as per IS 264, Molisch's Reagent, Biochemistry Reagent Kit for Human Samples, Tollen's Reagent, Fouchet reagent, Parallel Bar - Outdoor Gym Equipment, Schiff's reagent, TRIzol Reagent

Searched String: Ortho-toluidine

Toluidine, Bipolar Hip Prosthesis (V2), Orthotolidine, Portable Ortho Heating Pad - Electrical (V2), Bone Screw (V2), OPG Machine (V2), Orthopedic Battery Operated Drill System, Orthopedic Instruments- Self Retaining Retractors, Orthopedic Instruments - Bone Lever, Non-Locking Bone Plate

Searched String: Glacial acetic acid

GLACIAL ACETIC ACID, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Diethylenetriaminepenta acetic acid, Acetic Acid (ONGC) as per IS: 695, 1-Naphthylacetic acid, Yoga Mats, Ethyl Acetate, Ammonium acetate, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Alpha Naphthyl Acetic Acid Soluble Concentrate (SL) (V2) Conforming to IS 13138

Searched String: H2O2

Low temperature Hydrogen Peroxide Gas Steriliser, Sofa (V3), Bunk Beds as per IS 17636, Nitrile Coated/Nitrile Hand Gloves (V2), Patient Bed (Fowler and Semi Fowler), Laminar air flow cabinets or stations, Executive Table (V4), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Single / Double Wooden Bed with/without Storage (V2), High End Desktop Computer

Searched String: 3.8% Sodium citrate solution

8-Hydroxyquinoline, Sodium Azide, Blood Collection Tube, Diphenhydramine Hydrochloride + Ammonium Chloride + Sodium Citrate + Menthol, Mobile Folding Privacy Screen / Ward Screen, Chlorpheniramine Maleate + Ammonium Chloride + Sodium Citrate + Menthol, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Sodium Acifluorfen 16.5 % + Clodinafop propargyl 8% EC, Disposable Surgical Rubber Gloves (V2), Sodium Hypochlorite Solution (V3) Conforming To Is 11673

बिड विवरण/Bid Details **Searched String:** Heamatoxylin and eosin stain 1 bottle

Hot / Cold Water Dispenser (V2), Leishman's Stain, Humic Acid, Clonon All purpose Cleaner and Odour Remover

Searched String: Field Stain

Giemsa Stain, Field Hockey Sticks as per IS 829, Leishman's Stain, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, New Methylene Blue Stain (Reticulocyte Stain), Field Dress (Jacket and Trouser) (IAF), Stain Removing Agent, Swachhta Kit as per IS 2888, Auramine Rhodamine Stain, Coat Combat (Field Dress) (IAF)

Searched String: Leishman stain 1 bottle

Leishman's Stain, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Domestic Stainless Steel Vacuum Flask / Bottle ISI Marked to IS 17526, Rubber Hot Water Bottel as per IS 1867, Potable Water Bottles (Copper, Stainless Steel, Aluminium) ISI Marked to IS 17803, Isopropyl Alcohol (2 - Propanol), Hot / Cold Water Dispenser (V2), PET bottle shredder, Laboratory Refrigerator (V2), 1,10 Phenanthroline monohydrate

Searched String: Urease powder

Cellulose Powder, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Calamine Powder, Toilet Cleaners Powder as per IS 13760, Custard powder, Garden Bench, Protein Powder, Preacher curl bench, Agarose powder, Classroom Stools

Searched String: ammonium chloride

Ammonium Chloride (ONGC), Suction Catheters (V2), Ammonium Chloride Reagent Grade, High Level Medical Device Disinfectant, Ammonium Chloride + Bromhexine + Dextromethorphan + Menthol Syrup (V2), Quarternary Ammonium Compound Based Surface Cleaner, Liquid, Ammonium Chloride, Technical and Pure (V2) Conforming to IS 1113, Ammonium Chloride, Technical and Pure as per IS: 1113, Diphenhydramine Hydrochloride + Ammonium Chloride + Sodium Citrate + Menthol, Yoga Mats

Searched String: RBC diluting fluid 500ml

RBC Diluting Fluid (V2), Fluid Correction Pen (V2), WBC Diluting Fluid (V2), Correction Fluid Pen(V3), Rust Release penetrate spray

Searched String: WBC diluting fluid 500ml

WBC Diluting Fluid (V2), Fluid Correction Pen (V2), RBC Diluting Fluid (V2), Correction Fluid Pen(V3), Rust Release penetrate spray

Searched String: N 10 HCL 500ml

Sterile Hypodermic Syringe (V3), Laboratory Glassware Volumetric Flask, Urine Collection Bag - Sterile (Single Use), Glass Ionomer Cement for Dentistry, Laboratory Glassware - Burettes (V2) as per IS 1997, Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA), Dumbbell Rack, Blood Collection Tube, Dough Kneader (V1), Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468

बिड विवरण/Bid Details	<p>Searched String: Brilliant cresyl blue 125ml</p>
	<p>Domestic Mugs - Bathroom, Marker Ink (for Permanent and Whiteboard Markers), PCR Mini Cooler, Steel Almira / Cabinets (V4), Alcohol Based Hand Sanitizer, Stamp - Pad Ink as per IS 393</p> <p>Searched String: potassium permanganate sol 500ml</p> <p>Polyethylene Glycol + Potassium Chloride + Sodium Bicarbonate + Sodium Chloride Powder for Oral Solution (V2), Blood Collection Tube, Glyphosate Potassium Salt 41.60% (Equivalent to 54% SL) (Soluble Liquid), Potassium Chloride Injection, Laboratory Vials (V2), Potassium sorbate, Potassium Permanganate (V2) Conforming to IS 333, Potassium Bicarbonate, Potassium Oxalate</p> <p>Searched String: Anti sera A B and D 10ml</p> <p>Anti-B Blood Grouping Reagent (V2), tent arctic camping and outdoor equipment, Anti - D Blood Grouping Reagent, Laboratory Glassware - Burettes (V2) as per IS 1997, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Industrial Safety Belts and Harnesses as per IS 3521, Sports Abdominal Guard, Real Time PCR Kits (V2), Cables, Converters and Adapters</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Ammonium Sulphate
बीओक्यू शीर्षक /BOQ Title	LAB Chemical
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	1 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	6 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,OEM Annual Turnover,Additional Doc 1 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Ammonium sulphate 100gmsby100ml
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period

shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
18-02-2026 12:00:00	room no-113 Dy.M.S. office 1st floor ESIC General Hospital Naroda-Ahmedaba382340

Methanol

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	15	15

Potassium Acetate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

1 Percent Pyridinepowder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Sodium Borate Buffer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	5	15

Eosin Y

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	25	15

Alizarin Red S

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	25	15

Absolute Alcohol Formalin Alcohol

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	2	15

Ammonium Hydroxide

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	5	15

Histology Pencils Eosin And Hematoxylin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	5	15

Benzidine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	250	15

N Butano

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Calcium Chloride

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Magnesium Sulphate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Phenol Red Indicator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	125	15

Silver Nitrate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	100	15

Sodium Hydroxide

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	5	15

Trichloro Acetic Acid

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	100	15

Sulphur Powder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	1	15

Horse Gram Powder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Whatsmann Filter Paper HM2 Circle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Gram Stain Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	50	15

ZN Stain Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	50	15

Acetic Acid Test 10 Percent

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Sulfosalicylic Acid

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	250	15

Nitric Acid

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	5	15

Copper Sulphate 100gmsby100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Ammonium Sulphate 100gmsby100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Sodium Nitroprusside Crystal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	50	15

10 Percent Barium Chloride

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---------------------------------------------------------------	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Fouchets Reagent

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	250	15

Ehrlichs Reagent

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	100	15

Ortho Toluidine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	100	15

Glacial Acetic Acid

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	250	15

H2O2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

3 Point 8 Percent Sodium Citrate Solution

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Heamatoxylin And Eosin Stain 1 Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Field Stain 125ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	625	15

Leishman Stain 5 Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	1250	15

RBC Diluting Fluid 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	2	15

WBC Diluting Fluid 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	2	15

N 10 HCL 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	2	15

Brilliant Cresyl Blue 125ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Potassium Parmanganate Sol 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	1	15

Anti Sera A B And D 10ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	120	15

Urease Powder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

Ammonium Chloride

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lalan Manubhai Sutariya	382340,ESIC General Hospital, Nr Naroda Railway Crossing, Himmatnagar Highway, Narod	500	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Additional Terms and condition

-

1.Expiry date of item should not be less than 2/3rd of its shelf Life at the time of Delivery.

2.Bidder should mandatory to quote price for all Lab.Reagent as per Bid Requirement.

3.After awarding the contract L-1Bidder will have to supply all the item as per due Date of supply in contract.

4.Bidder should be maintain temp.all lab Reagent .

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---