

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-02-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-02-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	911

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

Glucose EM 360 Sys Pack of 10 x 44 ml , Urea EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml , Creatinine EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml , Uric Acid EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml , Cholesterol EM 360 Sys Pack of 10 x 44 ml , Triglyceride EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml , HDL Cholesterol EM 360 Sys Pack of R1 4 x 30 ml and R2 4 x 10 ml , LDL Cholesterol EM 360 Sys Pack of R1 2 x 30 ml and R2 4 x 10 ml , Bilirubin Total EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 3 ml , Bilirubin Direct EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 3 ml , Total Protein EM 360 Sys Pack of 10 x 44 ml , Albumin EM 360 Sys Pack of 10 x 44 ml , SGOT EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 5 ml , SGPT EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 5 ml , ALP EM 360 Sys Pack of R1 2 x 44 ml and R2 2 x 11 ml , LDH EM 360 Sys Pack of R1 2 x 44 R2 2 x 11ml , GGT EM 360 Sys Pack of R1 2 x 44 and R2 2 x 11ml , Amylase EM 360 Sys Pack of 5 x 22 ml , Calcium EM 360 Sys Pack of 10 x 12 ml , Lipase EM 360 Sys Pack of R1 1 x 44 ml and R2 1 x 11 ml , HbA1C with calibrator EM 360 Sys Pack of R1 2 x 15 ml and R2 of 2 x 5 ml , HbA1C control low EM 360 Sys Pack of R1 1 x 0 point 5 ml , HbA1C control high EM 360 Sys Pack of R1 1 x 0 point 5 ml , EM 360 Sample Cup pkt of 450 , XL Wash EM 360 Sys Pack 10 x 100 ml , ERBA Norm EM 360 Sys Pack 1 x 5 ml , ERBA Path EM 360 Sys Pack 1 x 5 ml , ERBA Multi Cal EM 360 Sys Pack 4 x 3 ml , Microprotein kit Sys Pack EM 360 of 10 x 12 ml , CKMB EM 360 Sys Pack of R1 2 x 44 ml and R2 2 x 11 ml , Iron FE 125 EM 360 Sys Pack of R1 4 x 25 ml and R2 2 x 12 point 5 ml and Calibrator 2 x 2 ml , TIBC UIBC 125 EM 360 Sys Pack of R1 4 x 25 ml and R2 2 x 12 point 5 ml and Calibrator 2 x 2 ml , Ferritin EM 360 Sys Pack of R1 2 x 14 point 5 ml and R2 2 x 7 point 7 ml , Ferritin Calibrator EM 360 Sys Pack of R1 1 x 1 ml , Ferritin Control High EM 360 Sys Pack of R1 1 x 1 ml , Ferritin Control Low EM 360 Sys Pack of R1 1 x 1 ml , CRP EM 360 Sys Pack , Elite 580 Lyse 1 pack of 3 x 500 ml , Elite 580 Lyse 2 pack of 3 x 500 ml , Elite 580 Lyse 3 pack of 3 x 1000 ml , Elite 580 H clean pack of 4 x 50 ml , Elite 580 Diluent pack of 20 Ltr , Elite 580 H 5 control pack of 3 X 3 ml , Elite 580 Calibrator , Reagent pack for PCiLyte electrolyte analyzer pack of 480 ml plus 100 ml equal to 580 ml , Electrode filling solution for PCiLyte electrolyte analyzer vial of 10 ml , Ref Electrode filling solution for PCiLyte electrolyte analyzer vial of 10 ml , Urine Multistrip 10 SG for automated urine analyser Model Clinitek Advatus Bott of 100 Strip , Cuvette for ERBA 360 , PM Kit for Elite 580 Fully Automated Haematology Analyser , D Dimer

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Glucose EM 360 Sys Pack of 10 x 44 ml, Urea EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml, Creatinine EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml, Uric Acid EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml, Cholesterol EM 360 Sys Pack of 10 x 44 ml, Triglyceride EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml, HDL Cholesterol EM 360 Sys Pack of R1 4 x 30 ml and R2 4 x 10 ml, LDL Cholesterol EM 360 Sys Pack of R1 2 x 30 ml and R2 4 x 10 ml, Bilirubin Total EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 3 ml, Bilirubin Direct EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 3 ml, Total Protein EM 360 Sys Pack of 10 x 44 ml, Albumin EM 360 Sys Pack of 10 x 44 ml, SGOT EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 5 ml, SGPT EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 5 ml, ALP EM 360 Sys Pack of R1 2 x 44 ml and R2 2 x 11 ml, LDH EM 360 Sys Pack of R1 2 x 44 R2 2 x 11ml, GGT EM 360 Sys Pack of R1 2 x 44 and R2 2 x 11ml, Amylase EM 360 Sys Pack of 5 x 22 ml, Calcium EM 360 Sys Pack of 10 x 12 ml, Lipase EM 360 Sys Pack of R1 1 x 44 ml and R2 1 x 11 ml, HbA1C with calibrator EM 360 Sys Pack of R1 2 x 15 ml and R2 of 2 x 5 ml, HbA1C control low EM 360 Sys Pack of R1 1 x 0 point 5 ml, HbA1C control high EM 360 Sys Pack of R1 1 x 0 point 5 ml, EM 360 Sample Cup pkt of 450, XL Wash EM 360 Sys Pack 10 x 100 ml, ERBA Norm EM 360 Sys Pack 1 x 5 ml, ERBA Path EM 360 Sys Pack 1 x 5 ml, ERBA Multi Cal EM 360 Sys Pack 4 x 3 ml, Microprotein kit Sys Pack EM 360 of 10 x 12 ml, CKMB EM 360 Sys Pack of R1 2 x 44 ml and R2 2 x 11 ml, Iron FE 125 EM 360 Sys Pack of R1 4 x 25 ml and R2 2 x 12, TIBC UIBC 125 EM 360 Sys Pack of R1 4 x 25 ml and R2 2 x 12, Ferritin EM 360 Sys Pack of R1 2 x 14 point 5 ml and R2 2 x 7 point 7 ml, Ferritin Calibrator EM 360 Sys Pack of R1 1 x 1 ml, Ferritin Control High EM 360 Sys Pack of R1 1 x 1 ml, Ferritin Control Low EM 360 Sys Pack of R1 1 x 1 ml, CRP EM 360 Sys Pack , Elite 580 Lyse 1 pack of 3 x 500 ml, Elite 580 Lyse 2 pack of 3 x 500 ml, Elite 580 Lyse 3 pack of 3 x 1000 ml, Elite 580 H clean pack of 4 x 50 ml, Elite 580 Diluent pack of 20 Ltr, Elite 580 H 5 control pack of 3 X 3 ml, Elite 580 Calibrator, Reagent pack for PCiLyte electrolyte analyzer pack of 480, Electrode filling solution for PCiLyte electrolyte analyzer, Ref Electrode filling solution for PCiLyte electrolyte analyzer, Urine Multistrip 10 SG for automated urine analyser (Model-Clinitek, Cuvette For ERBA 360, PM Kit for Elite 580 Fully Automated Haematology Analyser, D Dimer

Searched String: Glucose EM 360 Sys Pack of 10 x 44 ml
Category not available on GeM for the text string uploaded by the buyer

Searched String: Urea EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml

Minifuge, PCR Mini Cooler, Liquid Consortia (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2)

Searched String: Creatinine EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml

Minifuge, PCR Mini Cooler, Liquid Consortia (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking

बिड विवरण/Bid Details

Double Ended Ring Spanner (V2)

Searched String: Uric Acid EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml

PCR Mini Cooler, Liquid Consortia (V2)

Searched String: Cholesterol EM 360 Sys Pack of 10 x 44 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: Triglyceride EM 360 Sys Pack of R1 5 x 44 ml and R2 5 x 11 ml

Minifuge, PCR Mini Cooler, Liquid Consortia (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2)

Searched String: HDL Cholesterol EM 360 Sys Pack of R1 4 x 30 ml and R2 4 x 10 ml

Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2)

Searched String: LDL Cholesterol EM 360 Sys Pack of R1 2 x 30 ml and R2 4 x 10 ml

PCR Mini Cooler

Searched String: Bilirubin Total EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 3 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: Bilirubin Direct EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 3 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: Total Protein EM 360 Sys Pack of 10 x 44 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: Albumin EM 360 Sys Pack of 10 x 44 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: SGOT EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 5 ml

Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg

Searched String: SGPT EM 360 Sys Pack of R1 6 x 44 ml and R2 6 x 12 point 5 ml

Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg

Searched String: ALP EM 360 Sys Pack of R1 2 x 44 ml

and R2 2 x 11 ml
बिड विवरण/Bid Details

Minifuge, Pit and fissure sealants, Flood Light Luminaire suitable for HPSV Lamps, Hydrochloric Acid as per IS 265, PCR Mini Cooler

Searched String: LDH EM 360 Sys Pack of R1 2 x 44 R2 2 x 11ml

Handloom Cotton Pillow Covers (V3), Minifuge, Polyester Blanket (V2), Flood Light Luminaire suitable for HPSV Lamps, Facial Tissue Papers(V3), PCR Mini Cooler

Searched String: GGT EM 360 Sys Pack of R1 2 x 44 and R2 2 x 11ml

Portable Toilet, Handloom Cotton Pillow Covers (V3), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Cotton Towelling And Towels (V3) Conforming To IS 7056, Minifuge, Polyester Blanket (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Modular Toilet, Dental Impression Trays - RBSK, Flood Light Luminaire suitable for HPSV Lamps

Searched String: Amylase EM 360 Sys Pack of 5 x 22 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: Calcium EM 360 Sys Pack of 10 x 12 ml

Digital Medical X - Ray Films (V3), Medical X - Ray Films (V2)

Searched String: Lipase EM 360 Sys Pack of R1 1 x 44 ml and R2 1 x 11 ml

Minifuge, Liquid Consortia (V2), Flood Light Luminaire suitable for HPSV Lamps, PCR Mini Cooler

Searched String: HbA1C with calibrator EM 360 Sys Pack of R1 2 x 15 ml and R2 of 2 x 5 ml

Minifuge, Non Sparking Double Open Ended Spanner (V2), Dental Impression Trays - RBSK, Non Sparking Double Ended Ring Spanner (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Line Interactive UPS with AVR (V2), PCR Mini Cooler

Searched String: HbA1C control low EM 360 Sys Pack of R1 1 x 0 point 5 ml

Minifuge, Urine Collection Bag - Sterile (Single Use), PCR Mini Cooler, Temperature Indicator for Transformers - Analog type, Electronic Weighing Scales, UV - Visible Spectrophotometer (FSSAI)

Searched String: HbA1C control high EM 360 Sys Pack of R1 1 x 0 point 5 ml

Minifuge, Urine Collection Bag - Sterile (Single Use), PCR Mini Cooler, Temperature Indicator for Transformers - Analog type, Electronic Weighing Scales, UV - Visible Spectrophotometer (FSSAI)

Searched String: EM 360 Sample Cup pkt of 450

Mini Stenter Dryer
बिड विवरण / Bid Details

Searched String: XL Wash EM 360 Sys Pack 10 x 100 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: ERBA Norm EM 360 Sys Pack 1 x 5 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: ERBA Path EM 360 Sys Pack 1 x 5 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: ERBA Multi Cal EM 360 Sys Pack 4 x 3 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: Microprotein kit Sys Pack EM 360 of 10 x 12 ml

Digital Medical X - Ray Films (V3), Medical X - Ray Films (V2)

Searched String: CKMB EM 360 Sys Pack of R1 2 x 44 ml and R2 2 x 11 ml

Minifuge, Pit and fissure sealants, Flood Light Luminaire suitable for HPSV Lamps, Hydrochloric Acid as per IS 265, PCR Mini Cooler

Searched String: Iron FE 125 EM 360 Sys Pack of R1 4 x 25 ml and R2 2 x 12

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: TIBC UIBC 125 EM 360 Sys Pack of R1 4 x 25 ml and R2 2 x 12

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Ferritin EM 360 Sys Pack of R1 2 x 14 point 5 ml and R2 2 x 7 point 7 ml

PCR Mini Cooler, Non Sparking Double Open Ended Spanner (V2), LCR Meter, Liquid Consortia (V2)

Searched String: Ferritin Calibrator EM 360 Sys Pack of R1 1 x 1 ml

Household Insecticides (V2), Handloom Cotton Pillow Covers (V3), Urine Collection Bag - Sterile (Single Use)

Searched String: Ferritin Control High EM 360 Sys Pack of R1 1 x 1 ml

Household Insecticides (V2), Handloom Cotton Pillow Covers (V3), Multipurpose or General Test Tubes (V2) as per IS 2618, Urine Collection Bag - Sterile (Single Use)

Searched String: Ferritin Control Low EM 360 Sys Pack of R1 1 x 1 ml

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

विड विवरण/Bid Details Household Insecticides (V2), Handloom Cotton Pillow Covers (V3), Urine Collection Bag - Sterile (Single Use)

Searched String: CRP EM 360 Sys Pack

XL Multical System Pack, C-Reactive Protein (CRP) Test Kit - Latex Agglutination Method for Human Samples, Aabhar Gift Hampers - Personal Care, Digital UHF Base / Mobile Radio Sets as per MHA QR (V2), Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Digital UHF Repeater Sets as per MHA QR (V2), Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Early Streamer Emission (ESE) Lightning Protection System, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Solar Lamps (Solar Based Home Systems - Solar Power Packs - DC Models)

Searched String: Elite 580 Lyse 1 pack of 3 x 500 ml

Bond Paper (V3) Conforming to IS 1848 (Part 1), Household Insecticides (V2), Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Hydrochloric Acid as per IS 265

Searched String: Elite 580 Lyse 2 pack of 3 x 500 ml

Bond Paper (V3) Conforming to IS 1848 (Part 1), Hydrochloric Acid as per IS 265

Searched String: Elite 580 Lyse 3 pack of 3 x 1000 ml

Lunch Box (V2)

Searched String: Elite 580 H clean pack of 4 x 50 ml

Handloom Cotton Pillow Covers (V3)

Searched String: Elite 580 Diluent pack of 20 Ltr

Bag Calico- OFB, Endotracheal Tube - Sterile (Single Use), Automatic Auditory Brainstem Response (ABR) Screener (V2) - RBSK, Tea or Coffee Urn (V2), Plastic Ice Box (V2), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), General Purpose Hand Gloves (V2), Coarse Aggregate (V2) Conforming to IS 383, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468

Searched String: Elite 580 H 5 control pack of 3 X 3 ml

Endotracheal Tube - Sterile (Single Use), Non Sparking Double Ended Ring Spanner (V2), Dental Adhesive Bonding Agent, Non Sparking Double Open Ended Spanner (V2), Corrugated Boxes, Power Generator - DG Set (up to 900 KVA)

Searched String: Elite 580 Calibrator

Temperature calibrator, Pressure Calibrator, Process Calibrator, OTI / WTI Calibrator, Theft Proof Rifle Racks, Hand Held Calibrator, Toilet Seat - Indian Style Squatting Pan, Ligation Clips, Slip Gauge Calibrator, Seed Germinator Equipment

Searched String: Reagent pack for PCiLyte electrolyte analyzer pack of 480

	<p>बिड विवरण / Bid Details</p> <p>Electrolyte Analyzer Reagents for Human Samples, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Biochemistry Reagent Kit for Human Samples, Calibrators for Diagnostic Analyzers, HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Plastic Bottles/Containers for Packaging of Natural Mineral Water and Packaged Drinking Water Conforming to IS 15410, Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Bag Calico- OFB</p> <p>Searched String: Electrode filling solution for PCiLyte electrolyte analyzer</p> <p>Consumables for Electrolyte Analyzer, Software Based Solution For Mobile Devices And CDR Analysis, Electrolyte Analyzer Reagents for Human Samples, Cleaning Solution for Diagnostic Analyzers, Wash Solution for Diagnostic Analyzers, Biochemistry Reagent Kit for Human Samples, Haematology Analyzer Reagents (V2)</p> <p>Searched String: Ref Electrode filling solution for PCiLyte electrolyte analyzer</p> <p>Electrolyte Analyzer Reagents for Human Samples, Cleaning Solution for Diagnostic Analyzers</p> <p>Searched String: Urine Multistrip 10 SG for automated urine analyser (Model-Clinitek</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Cuvette For ERBA 360</p> <p>MS ERW Pipe for Bus Body Building Parts as per IS 3601 (Latest), Biochemistry Reagent Kit for Human Samples, Coagulation Analyzer Reagents for Human Samples, E - Cart for Garbage (V2), Semi Automatic Bio Chemistry Analyser, Haematology Analyzer Reagents (V2)</p> <p>Searched String: PM Kit for Elite 580 Fully Automated Haematology Analyser</p> <p>Fully Automated Immunohematology Analyzer</p> <p>Searched String: D Dimer</p> <p>D-Biotin, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, D-Mannitol, D-Fructose, D (+) Xylose, File/Folder (V3), D - Penicillamine Capsule, Laboratory Incubators, D Seal (Rubber), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3)</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • Haematology Analyzer Reagents (V2)
<p>बीओक्यू शीर्षक /BOQ Title</p>	<p>Procurement of lab consumables</p>
<p>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</p>	<p>20 Lakh (s)</p>

बिड विवरण/Bid Details	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	99 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Glucose EM 360 Sys Pack of 10 x 44 ml
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

बिड विवरण/Bid Details

अनुमानित बिड मूल्य /Estimated Bid Value	4036581.6
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	566
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	911
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	500
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	563
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	2179
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	2895
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	4763
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	1663
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	827
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	827
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	146
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	162
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	1411
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	1411
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	111
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	689
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	1634
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	2573
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	100
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	2394
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	4704
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	156

Schedule 23 ईएमडी राशि/EMD Amount (In INR)	153
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	543
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	226
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	164
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	56
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	962
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	287
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	2738
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	302
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	302
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	2482
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	288
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	168
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	168
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	416
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	13451
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	4631
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	6483
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	382
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	2730
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	720
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	240
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	1890
Schedule 46 ईएमडी राशि/EMD Amount (In INR)	227
Schedule 47 ईएमडी राशि/EMD Amount (In INR)	227
Schedule 48 ईएमडी राशि/EMD Amount (In INR)	1573
Schedule 49 ईएमडी राशि/EMD Amount (In INR)	1664
Schedule 50 ईएमडी राशि/EMD Amount (In INR)	4036
Schedule 51 ईएमडी राशि/EMD Amount (In INR)	2038

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

BRIG, COMMANDANT

153 General Hospital, Department of Military Affairs, Indian Army, Ministry of Defence
(Commandant 153 General Hospital)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	28287	Glucose Em 360 Sys Pack Of 10 X 44 MI	12
Schedule 2	45549	Urea Em 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI	12
Schedule 3	25011	Creatinine Em 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI	12
Schedule 4	28161	Uric Acid Em 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI	6
Schedule 5	108927	Cholesterol Em 360 Sys Pack Of 10 X 44 MI	21
Schedule 6	144758.25	Triglyceride Em 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI	21
Schedule 7	238140	Hdl Cholesterol Em 360 Sys Pack Of R1 4 X 30 MI And R2 4 X 10 MI	27
Schedule 8	83160	Ldl Cholesterol Em 360 Sys Pack Of R1 2 X 30 MI And R2 4 X 10 MI	9

Schedule 9	41328	Bilirubin Total Em 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 3 MI	12
Schedule 10	41328	Bilirubin Direct Em 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 3 MI	12
Schedule 11	7276.50	Total Protein Em 360 Sys Pack Of 10 X 44 MI	6
Schedule 12	8095.50	Albumin Em 360 Sys Pack Of 10 X 44 MI	6
Schedule 13	70560	Sgot Em 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 5 MI	16
Schedule 14	70560	Sgpt Em 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 5 MI	16
Schedule 15	5559.75	Alp Em 360 Sys Pack Of R1 2 X 44 MI And R2 2 X 11 MI	3
Schedule 16	34445.25	Ldh Em 360 Sys Pack Of R1 2 X 44 R2 2 X 11ml	9
Schedule 17	81695.25	Ggt Em 360 Sys Pack Of R1 2 X 44 And R2 2 X 11ml	9
Schedule 18	128646.00	Amylase Em 360 Sys Pack Of 5 X 22 MI	12
Schedule 19	5008.50	Calcium Em 360 Sys Pack Of 10 X 12 MI	3
Schedule 20	119700	Lipase Em 360 Sys Pack Of R1 1 X 44 MI And R2 1 X 11 MI	12
Schedule 21	235200	Hba1c With Calibrator Em 360 Sys Pack Of R1 2 X 15 MI And R2 Of 2 X 5 MI	16
Schedule 22	7800	Hba1c Control Low Em 360 Sys Pack Of R1 1 X 0 Point 5 MI	3
Schedule 23	7800	Hba1c Control High Em 360 Sys Pack Of R1 1 X 0 Point 5 MI	3
Schedule 24	27140	Em 360 Sample Cup Pkt Of 450	20
Schedule 25	11277	XI Wash Em 360 Sys Pack 10 X 100 MI	3
Schedule 26	8220	Erba Norm Em 360 Sys Pack 1 X 5 MI	12
Schedule 27	2800	Erba Path Em 360 Sys Pack 1 X 5 MI	4
Schedule 28	48120	Erba Multi Cal Em 360 Sys Pack 4 X 3 MI	12
Schedule 29	14332.50	Microprotein Kit Sys Pack Em 360 Of 10 X 12 MI	3
Schedule 30	136883.25	Ckmb Em 360 Sys Pack Of R1 2 X 44 MI And R2 2 X 11 MI	9
Schedule 31	15120	Iron Fe 125 Em 360 Sys Pack Of R1 4 X 25 MI And R2 2 X 12 Point 5 MI And Calibrator 2 X 2 MI	6
Schedule 32	15120	Tibc Uibc 125 Em 360 Sys Pack Of R1 4 X 25 MI And R2 2 X 12 Point 5 MI And Calibrator 2 X 2 MI	6
Schedule 33	124110	Ferritin Em 360 Sys Pack Of R1 2 X 14 Point 5 MI And R2 2 X 7 Point 7 MI	6
Schedule 34	14400	Ferritin Calibrator Em 360 Sys Pack Of R1 1 X 1 MI	4
Schedule 35	8400	Ferritin Control High Em 360 Sys Pack Of R1 1 X 1 MI	2
Schedule 36	8400	Ferritin Control Low Em 360 Sys Pack Of R1 1 X 1 MI	2
Schedule 37	20790	Crp Em 360 Sys Pack	6

Schedule 38	672525	Elite 580 Lyse 1 Pack Of 3 X 500 MI	15
Schedule 39	231525	Elite 580 Lyse 2 Pack Of 3 X 500 MI	15
Schedule 40	324135	Elite 580 Lyse 3 Pack Of 3 X 1000 MI	21
Schedule 41	19116	Elite 580 H Clean Pack Of 4 X 50 MI	6
Schedule 42	136505.25	Elite 580 Diluent Pack Of 20 Ltr	45
Schedule 43	36000	Elite 580 H 5 Control Pack Of 3 X 3 MI	3
Schedule 44	12000	Elite 580 Calibrator	1
Schedule 45	94500	Reagent Pack For Pcilyte Electrolyte Analyzer Pack Of 480 MI Plus 100 MI Equal To 580 MI	9
Schedule 46	11340	Electrode Filling Solution For Pcilyte Electrolyte Analyzer Vial Of 10 MI	3
Schedule 47	11340	Ref Electrode Filling Solution For Pcilyte Electrolyte Analyzer Vial Of 10 MI	3
Schedule 48	78636.60	Urine Multistrip 10 Sg For Automated Urine Analyser Model Clinitek Advatus Bott Of 100 Strip	60
Schedule 49	83190	Cuvette For Erba 360	15
Schedule 50	201780	Pm Kit For Elite 580 Fully Automated Haematology Analyser	2
Schedule 51	101880	D Dimer	360

Glucose EM 360 Sys Pack Of 10 X 44 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

Urea EM 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

Creatinine EM 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

Uric Acid EM 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

Cholesterol EM 360 Sys Pack Of 10 X 44 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	21	21

Triglyceride EM 360 Sys Pack Of R1 5 X 44 MI And R2 5 X 11 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	21	21

HDL Cholesterol EM 360 Sys Pack Of R1 4 X 30 MI And R2 4 X 10 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	27	21

LDL Cholesterol EM 360 Sys Pack Of R1 2 X 30 MI And R2 4 X 10 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	9	21

Bilirubin Total EM 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 3 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

Bilirubin Direct EM 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 3 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

Total Protein EM 360 Sys Pack Of 10 X 44 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

Albumin EM 360 Sys Pack Of 10 X 44 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

SGOT EM 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	16	21

SGPT EM 360 Sys Pack Of R1 6 X 44 MI And R2 6 X 12 Point 5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	16	21

ALP EM 360 Sys Pack Of R1 2 X 44 MI And R2 2 X 11 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

LDH EM 360 Sys Pack Of R1 2 X 44 R2 2 X 11ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	9	21

GGT EM 360 Sys Pack Of R1 2 X 44 And R2 2 X 11ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	9	21

Amylase EM 360 Sys Pack Of 5 X 22 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

Calcium EM 360 Sys Pack Of 10 X 12 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

Lipase EM 360 Sys Pack Of R1 1 X 44 MI And R2 1 X 11 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

HbA1C With Calibrator EM 360 Sys Pack Of R1 2 X 15 MI And R2 Of 2 X 5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	16	21

HbA1C Control Low EM 360 Sys Pack Of R1 1 X 0 Point 5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

HbA1C Control High EM 360 Sys Pack Of R1 1 X 0 Point 5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

EM 360 Sample Cup Pkt Of 450

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	20	21

XL Wash EM 360 Sys Pack 10 X 100 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

ERBA Norm EM 360 Sys Pack 1 X 5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

ERBA Path EM 360 Sys Pack 1 X 5 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	4	21

ERBA Multi Cal EM 360 Sys Pack 4 X 3 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	12	21

Microprotein Kit Sys Pack EM 360 Of 10 X 12 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

CKMB EM 360 Sys Pack Of R1 2 X 44 MI And R2 2 X 11 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	9	21

Iron FE 125 EM 360 Sys Pack Of R1 4 X 25 MI And R2 2 X 12 Point 5 MI And Calibrator 2 X 2 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

TIBC UIBC 125 EM 360 Sys Pack Of R1 4 X 25 MI And R2 2 X 12 Point 5 MI And Calibrator 2 X 2 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

Ferritin EM 360 Sys Pack Of R1 2 X 14 Point 5 MI And R2 2 X 7 Point 7 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

Ferritin Calibrator EM 360 Sys Pack Of R1 1 X 1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	4	21

Ferritin Control High EM 360 Sys Pack Of R1 1 X 1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	2	21

Ferritin Control Low EM 360 Sys Pack Of R1 1 X 1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	2	21

CRP EM 360 Sys Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

Elite 580 Lyse 1 Pack Of 3 X 500 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	15	21

Elite 580 Lyse 2 Pack Of 3 X 500 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	15	21

Elite 580 Lyse 3 Pack Of 3 X 1000 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	21	21

Elite 580 H Clean Pack Of 4 X 50 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	6	21

Elite 580 Diluent Pack Of 20 Ltr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	45	21

Elite 580 H 5 Control Pack Of 3 X 3 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

Elite 580 Calibrator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	1	21

Reagent Pack For PCiLyte Electrolyte Analyzer Pack Of 480 MI Plus 100 MI Equal To 580 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	9	21

Electrode Filling Solution For PCiLyte Electrolyte Analyzer Vial Of 10 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

Ref Electrode Filling Solution For PCiLyte Electrolyte Analyzer Vial Of 10 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	3	21

Urine Multistrip 10 SG For Automated Urine Analyser Model Clinitek Advatus Bott Of 100 Strip

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	60	21

Cuvette For ERBA 360

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	15	21

PM Kit For Elite 580 Fully Automated Haematology Analyser

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	2	21

D Dimer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Leh	360	21

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;**

and

- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---