

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	11-03-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-03-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Home Affairs
विभाग का नाम/Department Name	Central Armed Police Forces
संगठन का नाम/Organisation Name	Assam Rifles
कार्यालय का नाम/Office Name	No 4 Mgar Maram Senapati District Manipur
कुल मात्रा/Total Quantity	1710
वस्तु श्रेणी /Item Category	CP Plus 2MP PTZ Camera 4K Outdoor Speed Dome 100 Meter , Power Adapter for PTZ Camera , Pole Mounting Kit , UTP Cable , POE 4 plus 2 Port , NVR 4k 8CH CP plus , NVR 4k 16CH CP plus , Camera CP PLUS 30 Meter 4MP Day Night Vision , 4 PVC Box , HDD 4TB , HDMI Cable 03 Meter , LAN Switch 8 Port , POE Junction Box , MONITOR 24 inch , RJ 45 Connector , UPS 1KVA , Media Converter Syrotech , Pigtail , OFC 2 Core , Encloser 2 Way , Jointing Sleeves , Isopropyl Alcohol , 5A Socket , 5A Switch , PVC Board 7 by 4 , PVC Switch Board 10 by 6 , 2mm Copper Wire 90 Meter Coil , Plug 5A , First Wiring Clip 6mm , Screw 1 point 5 inch , Gitty 1 point 5 inch , Cable Tie , Aluminum Binding Wire
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	CP Plus 2MP PTZ Camera 4K Outdoor Speed Dome 100 Meter, Power Adapter for PTZ Camera, Pole Mounting Kit, UTP Cable, POE (4+2 Port), NVR 4k 8CH CP+, NVR 4k 16CH CP+, Camera CP PLUS 30 Meter 4MP Day Night Vision, 4 x PVC Box, HDD 4TB, HDMI Cable 03 Meter, LAN Switch 8 Port, POE Junction Box, MONITOR 24 inch, RJ 45 Connector, UPS 1KVA, Media Converter Syrotech, Pigtail, OFC 2 Core, Encloser 2 Way, Jointing Sleeves, Isopropyl Alcohol, 5A Socket, 5A Switch, PVC Board 7 x 4, PVC Switch Board 10 x 6, 2mm Copper Wire 90 Meter Coil, Plug 5A, First Wiring Clip 6mm, Screw 1.5 inch, Gitty 1.5 inch, Cable Tie, Aluminum Binding Wire
	<p>Searched String: CP Plus 2MP PTZ Camera 4K Outdoor Speed Dome 100 Meter</p> <p>Camera for CCTV System (V3)</p> <p>Searched String: Power Adapter for PTZ Camera</p> <p>Camera for CCTV System (V3), Video Conferencing Camera</p>

बिड विवरण / Bid Details

/ Web Camera (V2), Power Spray Machine for Disinfection Purpose, Power Bank for Mobile and Laptops (V2), Docking Station for Body Worn Camera, Chest Harness (Accessories for Action Camera), Computer Monitor (V2), Helmet Mount (Accessories for Action Camera), Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Body Worn Camera Systems (For RAF) as per MHA QRS

Searched String: Pole Mounting Kit

Mounting plate, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Television Mounting stand, DC Electronic Load, Wall Mounting Cabinet, Pole Mounted Stainless Steel Dustbin (V2), Metal Pole, Rotary Switch, Harvesting Pole, Pole Umbrella (V2)

Searched String: UTP Cable

Field Telephone Cable (Telecommunication Cable), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable tray Systems and Cable ladder systems (Overhead power Cable tray), Automatic Auditory Brainstem Response (ABR) Screener (V2) - RBSK, Cable Tie (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Compression cable lugs, Flamproof Cable Gland, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cable network tester

Searched String: POE (4+2 Port)

Power Over Ethernet (PoE) Switch, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Chemo Port (V2), Ethyl Ester 38% Ec (2-4-D) (V2), Sofa (V3), Pesticides - 2, 4 - D Sodium Salt, Technical as per IS 1488, 4-Aminoantipyrine, High End Desktop Computer, 2-2-BIPYRIDYL, water baths

Searched String: NVR 4k 8CH CP+

Video Recorder for CCTV System (V2), water baths, Crepe Bandage Conforming to IS 4605, Environmental Chamber, Zinc Oxide Elastic Self - Adhesive Bandage (V2), Blood Collection Tube, Shaker Incubator, SEWAGE TREATMENT PLANT, Chafers, Dental Impression Trays - RBSK

Searched String: NVR 4k 16CH CP+

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Video Recorder for CCTV System (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PISTOL GRIP PNEUMATIC DRILL GUNS, Examination Answer Books (V4) Conforming to IS 5195, Aerial Bunched Cables as per IS 14255, PABX System - EPABX (V2), High Mast Lighting Tower for large area with LED Flood Lighting System, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: Camera CP PLUS 30 Meter 4MP Day Night Vision

Camera for CCTV System (V3)

Searched String: 4 x PVC Box

बिड विवरण / Bid Details

Plastic Sheet (4 x 50 m) for NDRF, File/Folder (V3), PVC Item (Gujarat Govt), Built up Trucks (V3), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Crepe Bandage Conforming to IS 4605, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Electrical Extension Box (V4), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: HDD 4TB

Internal Storage Device (SSD/HDD) (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), USB Type External Hard Disk Drive (V2), water baths, OTO - Acoustic Emissions (OAE) Instrument for New Born Infant and Children (V2) - RBSK, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Digital Electronic Spirit Level (Digi level or Digital inclinometer), File/Folder (V3), High End Desktop Computer, Storage System (V2)

Searched String: HDMI Cable 03 Meter

Cables, Converters and Adapters, HDMI 8 x 8 Switcher

Searched String: LAN Switch 8 Port

HDMI 8 x 8 Switcher, Layer 2 Access Switch (V2), Director-Class Storage Area Network (SAN) Switch, Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Layer 3 - Access Switch, Digital Hand-held VHF Transceiver as per MHA QR, KVM Switch, Layer - 3 Distribution Switch, Add on GATEWAYS and Accessories for PABX System, SAN Switch

Searched String: POE Junction Box

Telephone Junction Box, Junction Box for Lighting, Junction Boxes (Flameproof), File/Folder (V3), Power Over Ethernet (PoE) Switch, modular electrical enclosure switch board boxes for modular type accessories, Thermocouple Standards Platinum / Platinum Rhodium, Electrical Extension Box (V4), Tissue box, Layer 2 Access Switch (V2)

Searched String: MONITOR 24 inch

Contamination monitor, Cleaning Duster (V3), Aerosol monitor, Teleprompter, Paraquat Dichloride 24% Soluble Liquid(V2), Multipara Monitor - Low End, Voltage Monitor Relay, Computer Monitor (V2), Interactive Panels with CPU, Ferrous debris monitor

Searched String: RJ 45 Connector

RJ-45 Based Surge Suppressor, SMA connector, Laboratory Vials (V2), RCA connector, Connector Glass, Field Mountable (FM45) Connector for Telecommunication, CAT 6 Information outlet, Standalone Needle Free Connector, 45 degree Leg Press or Hack Squat Machine, Circular Socket or Connector

Searched String: UPS 1KVA

Line Interactive UPS with AVR (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Online Ups Modular Type, Band Saw Machine, Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (≤ 10 KVA) With Battery

बिड विवरण / Bid Details	Conforming To IS 16242 (Part 1), Pressure Calibrator, Online UPS (>10 KVA) Without Battery, Online UPS (>10 KVA) With Battery, Inverter (V2)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Media Converter Syrotech</p> <p>Fiber Media converter, Cables, Converters and Adapters, Rust Converter, Media Player, Agar Media, Screening Machine with Conveyor for processing Municipal Waste, Broth Media, Optical Storage Media, Small Form - Factor Pluggable Transceiver, Grinding Media Rods (HCL)</p> <p>Searched String: Pigtail</p> <p>Pigtail Drainage Catheter (V2), Pigtails for Fiber Cable Connection, Biliary Stents (V2)</p> <p>Searched String: OFC 2 Core</p> <p>Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 2-2-BIPYRIDYL, ADSS Optical Fibre Cable For laying along Power line alignments, Motorized core cutting machine, All in One PC (V2), Layer - 3 Core Switch, Elastomer Insulated, Elastomer Sheathed Cables, 2-Phenoxyethanol, Sofa (V3)</p> <p>Searched String: Encloser 2 Way</p> <p>Two Way Valve, Sofa (V3), Three Way Stopcocks, Machine Tool Way oils, Two way UPVC Outlet Valve, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 2-2-BIPYRIDYL, Desk and Bench Set for Classroom/Training Area, Four way angle Head open Head wrench, 2-Phenoxyethanol</p> <p>Searched String: Jointing Sleeves</p> <p>Sleeves for DVT Pump, Sheet Rubber Jointing and Rubber Insertion Jointing - IS 638, Sheet Rubber Jointing (BHEL), Laboratory Glass Adapters, Adaptor sleeve along with locknut and washer, Compressed non-asbestos jointing sheet, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), compressed asbestos fibre jointing sheet, NavRakshak Isolation Gown, Electrical Sleeves as per IS 11654, IS 5831</p> <p>Searched String: Isopropyl Alcohol</p> <p>Isopropyl Alcohol (IPA) (ONGC), Alcohol Based Hand Sanitizer, Isopropyl Alcohol (2 - Propanol), Sodium Isopropyl Xanthate, Iso Propyl Alcohol (V2) Conforming To Is 2631, Octyl Alcohol, Benzyl alcohol, Alcohol Swab, Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence)</p> <p>Searched String: 5A Socket</p> <p>Impact socket, File/Folder (V3), Insulated socket, IC SOCKET, All in One PC (V2), Flameproof Switch Socket, Shirt Polyester and Cotton Half Sleeve for IAF Personnel, Insulated socket wrench, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787</p> <p>Searched String: 5A Switch</p>

बिड विवरण / Bid Details

Isolator switch, File/Folder (V3), Limit Switch, Reed Switch, All in One PC (V2), Rotary Switch, Shirt Polyestera and Cotton Half Sleeve for IAF Personnel, Time Switch, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Industrial Switch

Searched String: PVC Board 7 x 4

Plastic Sheet (4 x 50 m) for NDRF, Dry Erase Writing Boards (V3), Pera nitro Phenol, Information Boards or Illustration Board (V2), Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), File/Folder (V3), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), modular electrical enclosure switch board boxes for modular type accessories, Maltose Monohydrate, Pin Up Notice Board (V2)

Searched String: PVC Switch Board 10 x 6

modular electrical enclosure switch board boxes for modular type accessories, Electrical Extension Box (V4), shoes school pvc boys girls, Zinc Oxide Elastic Self - Adhesive Bandage (V2), Layer - 3 Distribution Switch, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Polyurethane Tube (V2)

Searched String: 2mm Copper Wire 90 Meter Coil

Wire rope slings and sling legs (V3) conforming to IS 2762, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Digital pH Meter, Power Factor Meter - Digital, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: Plug 5A

Electrical Plugs (V2) ISI Marked to IS 1293, File/Folder (V3), Plain Plug Gauges as per IS 6137, Rubber Plug (V2), All in One PC (V2), Thread Plug Gauge, Shirt Polyestera and Cotton Half Sleeve for IAF Personnel, Plug Valves (V2) as per IS 10459, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Plug and Socket Distribution Board

Searched String: First Wiring Clip 6mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Ligation Clips, Open / Endoscopic Clip Applicator (V2), First Aid Dressing Conforming to IS 11163, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Wire rope slings and sling legs (V3) conforming to IS 2762, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Mild Steel Wire for General Engineering Purpose as per IS 280, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266

Searched String: Screw 1.5 inch

Screw Compressor, Cleaning Duster (V3), Compression Screw, Laboratory Vials (V2), Chlorpyrifos 1.5% DP (Dustable Powder) (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Self Drilling Screw, Screw Cap Vial, High End Desktop Computer, Bone Screw (V2)

बिड विवरण / Bid Details	<p>Searched String: Gitty 1.5 inch</p>
	<p>Chlorpyrifos 1.5% DP ((Dustable Powder) (V2), Cleaning Duster (V3), Imidacloprid 18.5% + Hexaconzole 1.5% FS (Flowable Solution), PVC gitti, Emamectin Benzoate 1.5% + Fipronil 3.5% SC (Suspension Concentrate), Nitrile Coated/Nitrile Hand Gloves (V2), Angle Cutter (Electric), High End Desktop Computer, Internal Storage Device (SSD/HDD) (V2), Optical Storage Media Writer (DVD Writer)</p> <p>Searched String: Cable Tie</p> <p>Cable Tie (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tie for VIP Security Personnel (CRPF), Tie Pins and Clips-Handicraft, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Tie Pins And Clips-Handicraft (Bamboo), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cable tray Systems and Cable ladder systems (Overhead power Cable tray)</p> <p>Searched String: Aluminum Binding Wire</p> <p>Stitching Wire for Book Binding, Muffle Furnace, Aluminum Tape, Spiral Binding / Wiro Binding (V2), Aluminum Foil Containers, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Aluminum Lid - BHEL, Tapered Bearings as per IS 12102, Book Binding Cloth, Automatic Binding Machine</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Camera for CCTV System (V3)
बीओक्यू शीर्षक /BOQ Title	CCTV CAMERA AND ACCESORIES
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	CP Plus 2MP PTZ Camera 4K Outdoor Speed Dome 100 Meter
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of

quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

CP Plus 2MP PTZ Camera 4K Outdoor Speed Dome 100 Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

Power Adapter For PTZ Camera

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

Pole Mounting Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

UTP Cable

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	4	15

POE 4 Plus 2 Port

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	11	15

NVR 4k 8CH CP Plus

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	2	15

NVR 4k 16CH CP Plus

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	1	15

Camera CP PLUS 30 Meter 4MP Day Night Vision

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	20	15

4 PVC Box

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	20	15

HDD 4TB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

HDMI Cable 03 Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

LAN Switch 8 Port

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

POE Junction Box

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	8	15

MONITOR 24 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

RJ 45 Connector

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	2	15

UPS 1KVA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

Media Converter Syrotech

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

Pigtail

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	6	15

OFC 2 Core

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	1500	15

Encloser 2 Way

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	10	15

Jointing Sleeves

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	2	15

Isopropyl Alcohol

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	1	15

5A Socket

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	24	15

5A Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	24	15

PVC Board 7 By 4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	8	15

PVC Switch Board 10 By 6

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

2mm Copper Wire 90 Meter Coil

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	4	15

Plug 5A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	11	15

First Wiring Clip 6mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	7	15

Screw 1 Point 5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	4	15

Gitty 1 Point 5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	4	15

Cable Tie

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	4	15

Aluminum Binding Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Om Prakash Narayan Yadav	795015,NO 4 MGAR, C/O 99 APO, MARAM SENAPATI DISTRICT MANIPUR	3	15

क्रता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---