



बिड संख्या/Bid Number: GEM/2025/B/6650096

दिनांक /Dated: 23-09-2025

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details

| | |
|---------------------------------------------------------------------------|------------------------------------|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 11-10-2025 14:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 11-10-2025 14:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 90 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Pmo |
| विभाग का नाम/Department Name | Department Of Atomic Energy |
| संगठन का नाम/Organisation Name | Directorate Of Purchase And Stores |
| कार्यालय का नाम/Office Name | Directorate Of Purchase And Stores |
| कुल मात्रा/Total Quantity | 1843 |

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 1 inches 25mm NB Sch 40 , Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 1 inches 25mm NB Sch 80 , Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 2 inches 50mm NB Sch 160 , Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 3 inches 80mm NB Sch 160 , Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 4 inches 100mm NB Sch 40 , Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 6 inches 150mm NB Sch 40 , Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 8 inches 200mm NB Sch 40 , Elbow - 90 Degree - FCS SW 6000hashConforming to ASTM A 105 Gr.B and dimensional standard as per ANSI B 16.9 IBR and Size for 1inches 25mm NB , Elbow - 90 Degree - FCS SW 6000hashConforming to ASTM A 105 Gr.B and dimensional standard as per ANSI B 16.9 IBR and Size for 1 1by2inches 40mm NB , Elbow - 90 Degree - FCS SW 6000hashConforming to ASTM A 105 Gr.B and dimensional standard as per ANSI B 16.9 IBR and Size for 2inches 50mm NB , Elbow - 90 Degree - CS BW Short radius Conforming to ASTM A234 Gr.WPB and dimensional standard as per ANSI B 16.9 IBR and Size for 3inches 80mm NB Sch 80 , Elbow - 90 Degree -CS BW Short radius Conforming to ASTM A234 Gr.WPB and dimensional standard as per ANSI B 16.9 IBR and Size for 3inches 80mm NB Sch 160 , Elbow - 90 Degree - CS BW Short radius Conforming to ASTM A234 Gr.WPB and dimensional standard as per ANSI B 16.9 IBR and Size for 6inches 150mm NB Sch 40 , Elbow - 90 Degree - CS BW Short radius Conforming to ASTM A234 Gr.WPB and dimensional standard as per ANSI B 16.9 IBR and Size for 8inches 200mm NB Sch 40 , Tee Equal - FCS SW 6000hashConforming to ASTM A 105 Gr.B and dimensional standard as per ANSI B16.9 IBR and Size for 1inches 25mm NB , Tee Equal - CS BW Short radius Conforming to ASTM A234 Gr.WPB and dimensional standard ANSI B 16.9 IBR and Size for 3inches 80mm NB Sch 40 , Tee Equal - CS BW Short radius conforming to ASTM A234 Gr.WPB and dimensional standard ANSI B 16.9 IBR and Size for 4inches 100mm NB Sch 40 , Tee Equal - CS BW Short radius conforming to ASTM A234 Gr.WPB and dimensional standard ANSI B 16.9 IBR and Size for 6inches 150mm NB Sch 40 , IBR Eccentric Reducer- CS BW seamless confirming to ASTM A234 Gr.WPB and dimensional standard ANSI B 16.9 IBR and Size for 16inchesX12inches NB Sch 80 , IBR Pipe- Alloy steel Seamless- confirming to ASTM A 335 Gr.P11 and dimensional standard as per ANSI B 36.10 IBR and Size for 1inches 25mm NB Sch 160 , IBR Elbow- 90 Degree- FAS SW 6000hashconfirming to ASTM A 182 Gr.F11 and dimensional standard as per ANSI B 16.9 IBR and Size for 1inches 25mm NB , IBR Coupling - FAS SW 6000hashconfirming to ASTM A 182 Gr.F11 and dimensional standard as per ANSI B 16.9 IBR and Size for 1inches 25mm NB , Tee Equal - FAS SW 6000hashConforming to ASTM A 182 Gr.F11 and dimensional standard as per ANSI B16.9 IBR nad size for 1 inches 25mm NB

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS | बिड विवरण / Bid Details IBR PIPE AND PIPE FITTINGS |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Tee Pipe Fittings, Commercial CPVC Pipe Fittings, Commercial UPVC Fittings, Elbow Pipe Fitting, Butt-Weld Pipe Fittings, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Losses In Pipe Fittings Apparatus, CPVC Industrial Pipe Fittings, Schedule 80, Commercial PPR Pipes Fittings as per IS 15801, Malleable Cast Iron Pipe Fittings (V2) as per IS 1879 |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> • Butt-Weld Pipe Fittings • Tee Pipe Fittings • Seamless Ferritic Alloy - Steel Pipe for High - Temperature Service |
| बीओक्यू शीर्षक /BOQ Title | IBR PIPE AND PIPE FITTINGS |
| वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover | Yes Complete |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension | 1 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 7 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule | H1-Highest Priced Bid Elimination |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | Pipe - CS Seamless-Confirming to ASTM A 106 Gr.B and dimensional Standard as per ANSI B 36.10 IBR, and Size for 1 inches 25mm NB Sch 40 |

बिड विवरण/Bid Details

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 3 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/Evaluation Method | Item wise evaluation/ |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|--------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| Schedule 1 ईएमडी राशि/EMD Amount (In INR) | 1436 |
| Schedule 2 ईएमडी राशि/EMD Amount (In INR) | 3571 |
| Schedule 3 ईएमडी राशि/EMD Amount (In INR) | 707 |
| Schedule 4 ईएमडी राशि/EMD Amount (In INR) | 5923 |
| Schedule 5 ईएमडी राशि/EMD Amount (In INR) | 7686 |
| Schedule 6 ईएमडी राशि/EMD Amount (In INR) | 13489 |
| Schedule 7 ईएमडी राशि/EMD Amount (In INR) | 10141 |
| Schedule 8 ईएमडी राशि/EMD Amount (In INR) | 794 |
| Schedule 9 ईएमडी राशि/EMD Amount (In INR) | 324 |
| Schedule 10 ईएमडी राशि/EMD Amount (In INR) | 522 |
| Schedule 11 ईएमडी राशि/EMD Amount (In INR) | 116 |
| Schedule 12 ईएमडी राशि/EMD Amount (In INR) | 196 |
| Schedule 13 ईएमडी राशि/EMD Amount (In INR) | 749 |
| Schedule 14 ईएमडी राशि/EMD Amount (In INR) | 723 |
| Schedule 15 ईएमडी राशि/EMD Amount (In INR) | 84 |
| Schedule 16 ईएमडी राशि/EMD Amount (In INR) | 46 |
| Schedule 17 ईएमडी राशि/EMD Amount (In INR) | 181 |
| Schedule 18 ईएमडी राशि/EMD Amount (In INR) | 363 |
| Schedule 19 ईएमडी राशि/EMD Amount (In INR) | 1042 |

| | |
|--------------------------------------------|------|
| Schedule 20 ईएमडी राशि/EMD Amount (In INR) | 5657 |
| Schedule 21 ईएमडी राशि/EMD Amount (In INR) | 1445 |
| Schedule 22 ईएमडी राशि/EMD Amount (In INR) | 1052 |
| Schedule 23 ईएमडी राशि/EMD Amount (In INR) | 433 |

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%)/ePBG Percentage(%) | 5.00 |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 5 |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Regional Director(Purchase and Stores) Acting on behalf of The President Of India
Directorate of Purchase and Stores, Department of Atomic Energy, Regional Purchase Unit (Manuguru), HWGF Building, ECIL Road, ECIL Post, Hyderabad 500 062
(G1/24081)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--------------------------------------------|-----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | Yes |
|--------------------------------------------|-----|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|-------------------------------------------|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
|-------------------------------------------|-----|

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.

3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.

- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / Evaluation Schedules | वस्तु/श्रेणी / Item/Category | मात्रा / Quant ity |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| Schedule 1 | Pipe - Cs Seamless-confirming To Astm A 106 Gr.b And Dimensional Standard As Per Ansi B 36.10 lbr, And Size For 1 Inches 25mm Nb Sch 40 | 200 |
| Schedule 2 | Pipe - Cs Seamless-confirming To Astm A 106 Gr.b And Dimensional Standard As Per Ansi B 36.10 lbr, And Size For 1 Inches 25mm Nb Sch 80 | 400 |
| Schedule 3 | Pipe - Cs Seamless-confirming To Astm A 106 Gr.b And Dimensional Standard As Per Ansi B 36.10 lbr, And Size For 2 Inches 50mm Nb Sch 160 | 25 |
| Schedule 4 | Pipe - Cs Seamless-confirming To Astm A 106 Gr.b And Dimensional Standard As Per Ansi B 36.10 lbr, And Size For 3 Inches 80mm Nb Sch 160 | 100 |
| Schedule 5 | Pipe - Cs Seamless-confirming To Astm A 106 Gr.b And Dimensional Standard As Per Ansi B 36.10 lbr, And Size For 4 Inches 100mm Nb Sch 40 | 200 |
| Schedule 6 | Pipe - Cs Seamless-confirming To Astm A 106 Gr.b And Dimensional Standard As Per Ansi B 36.10 lbr, And Size For 6 Inches 150mm Nb Sch 40 | 200 |
| Schedule 7 | Pipe - Cs Seamless-confirming To Astm A 106 Gr.b And Dimensional Standard As Per Ansi B 36.10 lbr, And Size For 8 Inches 200mm Nb Sch 40 | 100 |
| Schedule 8 | Elbow - 90 Degree - Fcs Sw 6000hashconforming To Astm A 105 Gr.b And Dimensional Standard As Per Ansi B 16.9 lbr And Size For 1inches 25mm Nb | 100 |
| Schedule 9 | Elbow - 90 Degree - Fcs Sw 6000hashconforming To Astm A 105 Gr.b And Dimensional Standard As Per Ansi B 16.9 lbr And Size For 1 1by2inches 40mm Nb | 15 |
| Schedule 10 | Elbow - 90 Degree - Fcs Sw 6000hashconforming To Astm A 105 Gr.b And Dimensional Standard As Per Ansi B 16.9 lbr And Size For 2inches 50mm Nb | 20 |
| Schedule 11 | Elbow - 90 Degree - Cs Bw Short Radius Conforming To Astm A234 Gr.wpb And Dimensional Standard As Per Ansi B 16.9 lbr And Size For 3inches 80mm Nb Sch 80 | 6 |
| Schedule 12 | Elbow - 90 Degree -cs Bw Short Radius Conforming To Astm A234 Gr.wpb And Dimensional Standard As Per Ansi B 16.9 lbr And Size For 3inches 80mm Nb Sch 160 | 6 |
| Schedule 13 | Elbow - 90 Degree - Cs Bw Short Radius Conforming To Astm A234 Gr.wpb And Dimensional Standard As Per Ansi B 16.9 lbr And Size For 6inches 150mm Nb Sch 40 | 20 |
| Schedule 14 | Elbow - 90 Degree - Cs Bw Short Radius Conforming To Astm A234 Gr.wpb And Dimensional Standard As Per Ansi B 16.9 lbr And Size For 8inches 200mm Nb Sch 40 | 10 |
| Schedule 15 | Tee Equal - Fcs Sw 6000hashconforming To Astm A 105 Gr.b And Dimensional Standard As Per Ansi B16.9 lbr And Size For 1inches 25mm Nb | 5 |

| | | |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Schedule 16 | Tee Equal - Cs Bw Short Radius Conforming To Astm A234 Gr.wpb And Dimensional Standard Ansi B 16.9 Ibr And Size For 3inches 80mm Nb Sch 40 | 2 |
| Schedule 17 | Tee Equal - Cs Bw Short Radius Conforming To Astm A234 Gr.wpb And Dimensional Standard Ansi B 16.9 Ibr And Size For 4inches 100mm Nb Sch 40 | 6 |
| Schedule 18 | Tee Equal - Cs Bw Short Radius Conforming To Astm A234 Gr.wpb And Dimensional Standard Ansi B 16.9 Ibr And Size For 6inches 150mm Nb Sch 40 | 6 |
| Schedule 19 | Ibr Eccentric Reducer- Cs Bw Seamless Confirming To Astm A234 Gr.wpb And Dimensional Standard Ansi B 16.9 Ibr And Size For 16inchesx12inches Nb Sch 80 | 2 |
| Schedule 20 | Ibr Pipe- Alloy Steel Seamless- Confirming To Astm A 335 Gr.p11 And Dimensional Standard As Per Ansi B 36.10 Ibr And Size For 1inches 25mm Nb Sch 160 | 200 |
| Schedule 21 | Ibr Elbow- 90 Degree- Fas Sw 6000hashconfirming To Astm A 182 Gr.f11 And Dimensional Standard As Per Ansi B 16.9 Ibr And Size For 1inches 25mm Nb | 100 |
| Schedule 22 | Ibr Coupling - Fas Sw 6000hashconfirming To Astm A 182 Gr.f11 And Dimensional Standard As Per Ansi B 16.9 Ibr And Size For 1inches 25mm Nb | 100 |
| Schedule 23 | Tee Equal - Fas Sw 6000hashconfirming To Astm A 182 Gr.f11 And Dimensional Standard As Per Ansi B16.9 Ibr Nad Size For 1 Inches 25mm Nb | 20 |

Pipe - CS Seamless-Confirming To ASTM A 106 Gr.B And Dimensional Standard As Per ANSI B 36.10 IBR, And Size For 1 Inches 25mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-------------------------------------------------------------------------|------------------|------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 200 | 90 |

Pipe - CS Seamless-Confirming To ASTM A 106 Gr.B And Dimensional Standard As Per ANSI B 36.10 IBR, And Size For 1 Inches 25mm NB Sch 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 400 | 90 |

Pipe - CS Seamless-Confirming To ASTM A 106 Gr.B And Dimensional Standard As Per ANSI B 36.10 IBR, And Size For 2 Inches 50mm NB Sch 160

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 25 | 90 |

Pipe - CS Seamless-Confirming To ASTM A 106 Gr.B And Dimensional Standard As Per ANSI B 36.10 IBR, And Size For 3 Inches 80mm NB Sch 160

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 100 | 90 |

Pipe - CS Seamless-Confirming To ASTM A 106 Gr.B And Dimensional Standard As Per ANSI B 36.10 IBR, And Size For 4 Inches 100mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 200 | 90 |

Pipe - CS Seamless-Confirming To ASTM A 106 Gr.B And Dimensional Standard As Per ANSI B 36.10 IBR, And Size For 6 Inches 150mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 200 | 90 |

Pipe - CS Seamless-Confirming To ASTM A 106 Gr.B And Dimensional Standard As Per ANSI B 36.10 IBR, And Size For 8 Inches 200mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 100 | 90 |

**Elbow - 90 Degree - FCS SW 6000hashConforming To ASTM A 105 Gr.B And
Dimensional Standard As Per ANSI B 16.9 IBR And Size For 1inches 25mm NB**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 100 | 90 |

**Elbow - 90 Degree - FCS SW 6000hashConforming To ASTM A 105 Gr.B And
Dimensional Standard As Per ANSI B 16.9 IBR And Size For 1 1by2inches 40mm NB**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 15 | 90 |

Elbow - 90 Degree - FCS SW 6000hashConforming To ASTM A 105 Gr.B And Dimensional Standard As Per ANSI B 16.9 IBR And Size For 2inches 50mm NB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 20 | 90 |

Elbow - 90 Degree - CS BW Short Radius Conforming To ASTM A234 Gr.WPB And Dimensional Standard As Per ANSI B 16.9 IBR And Size For 3inches 80mm NB Sch 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 6 | 90 |

Elbow - 90 Degree -CS BW Short Radius Conforming To ASTM A234 Gr.WPB And Dimensional Standard As Per ANSI B 16.9 IBR And Size For 3inches 80mm NB Sch 160

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 6 | 90 |

Elbow - 90 Degree - CS BW Short Radius Conforming To ASTM A234 Gr.WPB And Dimensional Standard As Per ANSI B 16.9 IBR And Size For 6inches 150mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 20 | 90 |

Elbow - 90 Degree - CS BW Short Radius Conforming To ASTM A234 Gr.WPB And Dimensional Standard As Per ANSI B 16.9 IBR And Size For 8inches 200mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 10 | 90 |

**Tee Equal - FCS SW 6000hashConforming To ASTM A 105 Gr.B And Dimensional
Standard As Per ANSI B16.9 IBR And Size For 1inches 25mm NB**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 5 | 90 |

**Tee Equal - CS BW Short Radius Conforming To ASTM A234 Gr.WPB And Dimensional
Standard ANSI B 16.9 IBR And Size For 3inches 80mm NB Sch 40**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 2 | 90 |

Tee Equal - CS BW Short Radius Conforming To ASTM A234 Gr.WPB And Dimensional Standard ANSI B 16.9 IBR And Size For 4inches 100mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 6 | 90 |

Tee Equal - CS BW Short Radius Conforming To ASTM A234 Gr.WPB And Dimensional Standard ANSI B 16.9 IBR And Size For 6inches 150mm NB Sch 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 6 | 90 |

IBR Eccentric Reducer- CS BW Seamless Confirming To ASTM A234 Gr.WPB And Dimensional Standard ANSI B 16.9 IBR And Size For 16inchesX12inches NB Sch 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 2 | 90 |

IBR Pipe- Alloy Steel Seamless- Confirming To ASTM A 335 Gr.P11 And Dimensional Standard As Per ANSI B 36.10 IBR And Size For 1inches 25mm NB Sch 160

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 200 | 90 |

IBR Elbow- 90 Degree- FAS SW 6000hashconfirming To ASTM A 182 Gr.F11 And Dimensional Standard As Per ANSI B 16.9 IBR And Size For 1inches 25mm NB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 100 | 90 |

IBR Coupling - FAS SW 6000hashconfirming To ASTM A 182 Gr.F11 And Dimensional Standard As Per ANSI B 16.9 IBR And Size For 1inches 25mm NB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 100 | 90 |

Tee Equal - FAS SW 6000hashConforming To ASTM A 182 Gr.F11 And Dimensional Standard As Per ANSI B16.9 IBR Nad Size For 1 Inches 25mm NB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | K R K Chowdary | 507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM | 20 | 90 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Senior Accounts Officer
payable at
RPUM, Hyderabad

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Senior Accounts Officer
payable at
RPUM, Hyderabad

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. Sample Clause

After award of contract - Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1
samples for Buyer's approval, within 10 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 10 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample - the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the

sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1) File no. DPS/RPUM/G1/24081/PT.
- 2) IBR certification in original shall be submitted along with the supply.
- 3) Material test certificate, Physical & Chemical analysis certificates and guarantee certificate shall be submitted by the supplier along with the material.
- 4) As defined under the Public Procurement (Preference to Make in India), order 2017, Revised order dated: 16/09/2020 or as being revised from time to time, in procurement of goods or services in respect of which the Nodal Ministry/Department has communicated, only "Class-I local supplier" OR "Class-II local supplier", as defined under the said order, shall be eligible to bid irrespective of purchase value. The bidders along with their bid/tender shall be required to provide a self-declaration certificate of the percentage local content for the item offered and their status as Class-I/Class-II/Non-Local supplier and their eligibility to participate in the bid strictly as per Annexure-XI attached failing which their bid is liable to be rejected.

NOTE: BIDDERS ARE REQUIRED TO SUBMIT THE SAME BY CLEARLY MENTIONING THE EXACT PERCENTAGE AS PER OUR FORMAT.

5) Any bidder from a country which shares a land border with India shall be eligible to bid in this tender only if the bidder is registered with the Department for promotion of Industry and Internal Trade (DPIIT). The bidders shall enclose valid registration certificate along with their offer. Wherever the bids are received without accompanying the above said requisite certificate such offers shall be treated as incomplete and not considered. Furthermore, every bidder participating against this Department tender shall invariably enclose strictly as per our format along with the Bid, a self-declared undertaking "Annexure to Bid Form: Eligibility Declarations (Annexure-XII)", duly mentioning the tender reference of this office as stated above.

6) EMD SHALL BE SUBMITTED AT THE FOLLOWING ADDRESS WITHIN 5 DAYS FROM THE DATE OF OPENING :

ASSISTANT PURCHASE OFFICER

Regional Purchase Unit,

DPS, Heavy Water General Facilities,

DAE colony, ECIL Road,

ECIL Post, Hyderabad

TELANGANA- 500062.

KINDLY SUPERSCRIBE BID NUMBER & FILE No. ON THE ENVELOPE.

7) PERFORMANCE SECURITY DEPOSIT ORIGINAL DOCUMENTS SHALL BE SUBMITTED AT THE FOLLOWING ADDRESS WITHIN 15 DAYS FROM THE DATE OF AWARD OF CONTRACT:

ASSISTANT PURCHASE OFFICER

Regional Purchase Unit,

DPS, Heavy Water General Facilities,

DAE colony, ECIL Road,

ECIL Post, Hyderabad

TELANGANA- 500062.

KINDLY SUPERSCRIBE GEM CONTRACT NO & FILE No. ON THE ENVELOPE.

Bidders can also make the payment of Earnest Money Deposit (EMD) / Performance Security Deposit Bank Guarantee (PSDBG) electronically using Credit Card (CC), Debit Card (DC), Net Banking, Immediate Payment Service (IMPS) and Unified Payment Interface/ Bharat Interface for Money (UPI/BHIM) through Non-Tax Receipt Portal(NTRP) known as Bharatkosh.

“URL : <https://bharatkosh.gov.in>”

The depositor / user is requested to follow the steps as indicated in Annexure I for making payment. The soft copy of the online payment receipt and challan generated through the system shall be uploaded along with the bid as per the format enclosed herewith for enabling refund of EMD. It may be noted that in the “REMARKS” column, Purchase Order No. , Remitter’s name address ,(Designation and Employee No. in case of DPS Officials) may be mandatorily indicated as explained in Note 1 below Annexure-I ,so as to relate the payments with activities.

Flow chart for making payment in “Bharatkosh” is attached as Annexure-I

As per Flowchart bidder has to select Regional Purchase Unit (M) Hyd-EMD/SD account for making payment in Bharatkosh.

PAO code as 046390 and DDO code as 100920 of Regional Purchase Unit, Manuguru for payments of EMD and PSD in BHARATKOSH.

NOTE: Payment towards EMD/PSD in Bharatkosh should be in the Regional Purchase Unit, Manuguru Code only as mentioned above. If not done so, EMD/PSD payment shall be considered invalid.

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---