

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	12-02-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	12-02-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	50 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Tamil Nadu
विभाग का नाम/Department Name	Agriculture Department Tamil Nadu
संगठन का नाम/Organisation Name	Agricultural Engineering Department
कार्यालय का नाम/Office Name	N
कुल मात्रा/Total Quantity	55
वस्तु श्रेणी /Item Category	Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	15 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	2.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	26

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी / Beneficiary :

Executive Engineer (AE)
Agricultural Engineering Department, Anna Salai, Nandanam, Chennai - 600 035
(Ravichandran.p)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of

cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Technical details to be filled by the bidder - [1770015880.xlsx](#)

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (v2) Conforming To Is 14257	20
Schedule 2	Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (v2) Conforming To Is 14257	20
Schedule 3	Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (v2) Conforming To Is 14257	5
Schedule 4	Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (v2) Conforming To Is 14257	10

Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (V2) Conforming To IS 14257 (20 pieces)

तकनीकी विशिष्टियाँ /**Technical Specifications**

* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम / Specification Name	बिड के लिए आवश्यक अनुमत मूल्य / Bid Requirement (Allowed Values)
Construction	Description of stores	Lead acid storage batteries with 12 V rated voltage, used for starting and meeting other electrical load of vehicles driven by internal combustion engines
	Battery Capacity at 5-h Rate[Reference 20 h Rate Capacity] (Hint: The values in square bracket indicate reference 20 h rate capacity as per Table 2 of IS 14257)	88 Ah [110 Ah]

Additional Specification Parameters - Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (V2) Conforming To IS 14257 (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Battery Voltage/Capacity (AH)	12V 88AH/90AH (Exact Catalogue for 12V - 88/90AH is not featured in GeM portal. So, selected 88 Ah [110 Ah]. Seller should participate in 12V - 88/90AH)
"Nominal Voltage of Battery(Volts) & Rated capacity at C20 discharge(AH)"	" 12.0 Volt" & "88 AH or 90 AH"
No. of cells per battery(No.)	6 Cells for 12 Volt Battery
Material of Container & Battery Condition	"Polypropylene" & Charged
Suitability	12V-88/90AH Battery should be suitable for John Deere 5060E Tractor, Escorts Farm Trac 6055 F31 2WD, Sugarcane Harvester - New Holland CNH Industrial IH- Austoft - 4000, Wheel Type Combine Harvester - Mahindra Balkar B - 525 & Standard TSC , Sugarcane Harvester New Holland - Infielder (2WD), Mobile Service Unit Genset

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	RAVICHANDRAN P	600035,487, Anna Salai, Nandanam, Chennai.	20	15

Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (V2) Conforming To IS 14257 (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Description of stores	Lead acid storage batteries with 12 V rated voltage, used for starting and meeting other electrical load of vehicles driven by internal combustion engines
	Battery Capacity at 5-h Rate[Reference 20 h Rate Capacity] (Hint: The values in square bracket indicate reference 20 h rate capacity as per Table 2 of IS 14257)	25.6 Ah [32 Ah], 28 Ah [35 Ah], 36 Ah [45 Ah], 40 Ah [50 Ah], 48 Ah [60 Ah], 56 Ah [70 Ah], 60 Ah [75 Ah], 70.4 Ah [88 Ah], 80 Ah [100 Ah], 88 Ah [110 Ah], 96 Ah [120 Ah], 108 Ah [135 Ah], 120 Ah [150 Ah], 144 Ah [180 Ah], 160 Ah [200 Ah]

Additional Specification Parameters - Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (V2) Conforming To IS 14257 (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Battery Voltage/Capacity (AH)	12V 100 AH (Exact Catalogue for 12V - 100AH is not featured in GeM portal. So, selected 108 AH [135 Ah]. Seller should participate in 12V - 100AH)
"Nominal Voltage of Battery(Volts) & Rated capacity at C20 discharge(AH)" & No. of cells per battery(No.)	" 12.0 Volt" & "100 AH" & 6 Cells for 12 Volt Battery
Material of Container & Battery Condition	"Polypropylene" & Charged
Dimension	L - 300 to 360 mm , B - 170 to 175 mm , H - 220 to 230 mm
Suitability	12V-100 AH Battery should be suitable for SAME DEUTZ FAHR Agrolux 70e Tractor, JCB 2DX, TAFE MF 963 V2 2WD, Harvester Carrier Truck (TATA 909), Ashokleyland , TATA Motors Ltd T. 11 ULTRA DCR 49 125 B6 M5 .

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	RAVICHANDRAN P	600035,487, Anna Salai, Nandanam, Chennai.	20	15

Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (V2) Conforming To IS 14257 (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Description of stores	Lead acid storage batteries with 12 V rated voltage, used for starting and meeting other electrical load of vehicles driven by internal combustion engines
	Battery Capacity at 5-h Rate[Reference 20 h Rate Capacity] (Hint: The values in square bracket indicate reference 20 h rate capacity as per Table 2 of IS 14257)	25.6 Ah [32 Ah], 28 Ah [35 Ah], 36 Ah [45 Ah], 40 Ah [50 Ah], 48 Ah [60 Ah], 56 Ah [70 Ah], 60 Ah [75 Ah], 70.4 Ah [88 Ah], 80 Ah [100 Ah], 88 Ah [110 Ah], 96 Ah [120 Ah], 108 Ah [135 Ah], 120 Ah [150 Ah], 144 Ah [180 Ah], 160 Ah [200 Ah]

Additional Specification Parameters - Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (V2) Conforming To IS 14257 (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Battery Voltage/Capacity (AH)	130/135 AH (Exact Catalogue for 12V - 130/135 AH is not featured in GeM portal. So, selected 144 Ah [180 Ah]. Seller should participate in 12V - 130/135AH)
"Nominal Voltage of Battery(Volts) & Rated capacity at C20 discharge(AH)"	" 12.0 Volt" & "130 AH or 135 AH"
No. of cells per battery(No.)	6 Cells for 12 Volt Battery
Material of Container & Battery Condition	"Polypropylene" & Charged
Suitability	12V-130/135AH Battery should be suitable for BEML Bull Dozer(D50 A15) with Cummins Engine(N495C), MAC(Ashok leyland), Paddy Combine Harvester (Track Type), Preet 949-1, Backhoe with front end loader - Manitou & TLB 740S & ACE(Action Construction Equipment)AX160, JCB 3DX, Crawler Excavator - TATA Hitachi EX 200LC Super plus.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	RAVICHANDRAN P	600035, 487, Anna Salai, Nandanam, Chennai.	5	15

Lead Acid Storage Batteries For Motor Vehicles With Light Weight And High Cranking Performance (V2) Conforming To IS 14257 (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Description of stores	Lead acid storage batteries with 12 V rated voltage, used for starting and meeting other electrical load of vehicles driven by internal combustion engines
	Battery Capacity at 5-h Rate[Reference 20 h Rate Capacity] (Hint: The values in square bracket indicate reference 20 h rate capacity as per Table 2 of IS 14257)	25.6 Ah [32 Ah], 28 Ah [35 Ah], 36 Ah [45 Ah], 40 Ah [50 Ah], 48 Ah [60 Ah], 56 Ah [70 Ah], 60 Ah [75 Ah], 70.4 Ah [88 Ah], 80 Ah [100 Ah], 88 Ah [110 Ah], 96 Ah [120 Ah], 108 Ah [135 Ah], 120 Ah [150 Ah], 144 Ah [180 Ah], 160 Ah [200 Ah]

Additional Specification Parameters - Lead Acid Storage Batteries For Motor Vehicles With Light

Weight And High Cranking Performance (V2) Conforming To IS 14257 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Battery Voltage/Capacity (AH)	12V 150AH (Exact Catalogue for 12V - 150 AH is not featured in GeM portal.So,selected 160 Ah [200 Ah] .Seller should participate in 12V - 150AH)
"Nominal Voltage of Battery(Volts) & Rated capacity at C20 discharge(AH)"	" 12.0 Volt" 150 AH"
No.of cells per battery(No.)	6 Cells for 12 Volt Battery
Material of Container & Battery Condition	"Polypropylene" & Charged
Suitability	12V-150AH Battery should be suitable for BEML Bull Dozer (D50 A15) with BEML Engine (BS6 D105),Track Type Combine Harvester Balkar 7500

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	RAVICHANDRAN P	600035,487, Anna Salai, Nandanam, Chennai.	10	15

Special terms and conditions-Version:1 effective from 02-09-2025 for category Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257

- 1.** Presently, the products under this category are not covered under mandatory BIS licensing scheme. Hence, both ISI Marked and non-ISI Marked products may be available in this category. However, if a buyer intends to procure ISI Marked products, buyer may, at his discretion, opt for the same by indicating the requirement in the bid, after taking into account the number of valid licenses issued under the standard. In such cases, buyer shall verify valid BIS License as per the applicable governing standard at the time of evaluation of bid and check the ISI marking on the products at the time of receipt of material before issuing of CRAC.

The valid BIS license status of sellers may be viewed by buyer from the below link.

<https://www.manakonline.in/MANAK/ApplicationLicenceRelatedrpt>

or

https://www.services.bis.gov.in/php/BIS_2.0/bisconnect/knowyourstandards/indian_standards/isdetails

- 2.** The construction, polarity markings, caution symbols, marking and overall dimensions of the battery shall conform to the reference standard.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Buyer Added Additional Terms and Conditions

BID Details:

Evaluation Schedules	Item/Category	Quantity in Nos.
Schedule 1	Lead Acid Battery 12V 88 AH / 90 AH	20
Schedule 2	Lead Acid Battery 12V 100 AH	20
Schedule 3	Lead Acid Battery 12V 130 AH / 135 AH	5
Schedule 4	Lead Acid Battery 12V 150 AH	10

- Loading and unloading at Central Stores should be done by the supplier
- The **Rate** to be quoted should be **inclusive of applicable GST**
- Warranty should be two years from the date of supply of the ordered quantity
- Successful bidder should supply **recently manufactured Batteries** only
- Battery should be neatly packed and there should not be any leakage of fluids.
- Serial Number & Local Authorised Service Centre details should be mentioned with warranty card.
- You are requested to deliver the battery of **dimensions within requisite limits** as per specifications mentioned. The overall dimensions of the above mentioned battery is very critical for fitment in our Machinery.
- Invoice should be in the name of "**Executive Engineer (AE), Central Stores , Agricultural Engineering Department, 487, Anna Salai, Nandanam, Chennai-600035**"

Bidder must submit following Certificates to qualify for the Bid:

1. "Technical Details to be filled by the seller" should be filled properly & the duly signed certificate to this effect should be submitted.
2. Firm's Registration Certificate
3. GST Registration Certificate & Latest GST Return
4. Income Tax Return acknowledgment for Last 3 years
5. OEM Authorisation Certificate
6. Copy of supply order & invoice of any Batteries supplied to Government Organization for last 3 years (3 supply orders or invoices @ 1 supply order or invoice / year pertaining to last 3 years)
7. Acceptance letter for the Additional Specifications and for the Terms and condition in bid document
8. Service center for the specified Batteries should be in Tamil Nadu at Chennai, Villupuram, Trichy, Vellore, Madurai, Tirunelveli, Salem & Coimbatore. The duly signed certificate to this effect should be submitted. Local service centre should act as a liaison to replace the defective Batteries with new one in warranty period.

2. **Warranty**

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or

after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

4. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

5. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

Firm's Registration Certificate, GST Registration Certificate, Latest GST Return, Income Tax Return acknowledgment for Last 3 years, Copy of supply order & invoice of any Batteries supplied to Government Organization for last 3 years, Acceptance letter for Terms and condition in bid document. Service center for the specified Batteries should be in Tamil Nadu, Chennai, Villupuram, Trichy, Vellore, Madurai, Tirunelveli, Salem, Coimbatore & the duly signed certificate to this effect should be submitted

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

10. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

11. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

12. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Executive Engineer (AE), Central Stores, Agricultural Engineering Department ,487,Anna Salai, Nandanam, Chennai - 600 035

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

