

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	12-02-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	12-02-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Housing & Urban Affairs (mohua)
विभाग का नाम/Department Name	Chennai Metro Rail Ltd
संगठन का नाम/Organisation Name	Chennai Metro Rail Ltd
कार्यालय का नाम/Office Name	Na
कुल मात्रा/Total Quantity	884
वस्तु श्रेणी /Item Category	Platform truck battery 36V 300AH , Pallet truck battery 24V 195 AH , Battery box stand , Battery assembly loading and unloading jig and trolley , Horn magnet EP Valve with bracket 110V DC Seal , Independent brake controller type 20 Seals , Relay valve Seals , Isolating cock 3 by 4 without drain and with micro switch Seal , DBV and BP Isolating EP Valve Seal , Pressure regulator 5 bar set Seal , BP draining EP Valve cut off valve Seal , EP Valve 110 V DC with bracket choke Seal , Levelling valve RH LH Seal , Differential check valve 1 point 5 bar set Seal , Levelling valve LH central CUT OFF VALVE Seal , Dump valve DV 1 TP Seals , Check valve Seal , Reducing valve Seal , Minimum pressure valve 6bar set Seal , Air separator filter with drain cock Seal , Reducing valve 7 point 5 bar set Seal , Backup mode isolating magnet valve Seal , Compact distributor valve NJMR Seal , Pressure switch Seal , Average load valve Seal , Cut off valve Seal Kit , DN7 Check valve Seal , Cartridge replacement Seal , Safety valve replace Seal , UDC Low voltage measuring device

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Platform truck battery 36V 300AH, Pallet truck battery 24V 195 AH, Battery box stand, Battery assembly loading and unloading jig and trolley, Horn magnet EP Valve with bracket 110V DC Seal, Independent brake controller type 20 Seals, Relay valve Seals, Isolating cock 3 by 4 without drain and with micro switch Seal, DBV and BP Isolating EP Valve Seal, Pressure regulator 5 bar set Seal, BP draining EP Valve cut off valve Seal, EP Valve 110 V DC with bracket choke Seal, Levelling valve RH LH Seal, Differential check valve 1 point 5 bar set Seal, Levelling valve LH central CUT OFF VALVE Seal, Dump valve DV 1 TP Seals, Check valve Seal, Reducing valve Seal, Minimum pressure valve 6bar set Seal, Air separator filter with drain cock Seal, Reducing valve 7 point 5 bar set Seal, Backup mode isolating magnet valve Seal, Compact distributor valve NJMR Seal, Pressure switch Seal, Average load valve Seal, Cut off valve Seal Kit, DN7 Check valve Seal, Cartridge replacement Seal, Safety valve replace Seal, UDC Low voltage measuring device

Searched String: Platform truck battery 36V 300AH
 Industrial Platform Truck, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Electric Platform Truck, Platform Truck as per IS 10311 (Latest), Lead Acid starter Batteries, Truck Mounted Boom Lift Platform, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Platform Trolley (V3), Online UPS (V2), Fire Fighting and Hydraulic Rescue Platform (V3)

Searched String: Pallet truck battery 24V 195 AH
 Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Lead Acid starter Batteries, Battery Secondary Lead Acid MT Type (Defence), Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, White LED Based Solar Street Lighting System for Model (I, II, III And IV), Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2)

Searched String: Battery box stand
 Setup box stand, Online UPS (V2), Speaker Stand, Desk Calendar Stand, Bottle Stand, Metal Storage Cabinet, Coat Stand, burette stand, Cloth Dryer Stand, funnel stand

Searched String: Battery assembly loading and unloading jig and trolley
 Category not available on GeM for the text string uploaded by the buyer

Searched String: Horn magnet EP Valve with bracket 110V DC Seal
 Category not available on GeM for the text string uploaded by the buyer

Searched String: Independent brake controller type 20 Seals
 Automotive Hydraulic Brake Fluid, Heavy Duty (V2) Conforming to IS 8654

बिड विवरण/Bid Details **Searched String:** Relay valve Seals

Water Pump Seals, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Overload Relay, Relay Module, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, CONTACTOR RELAY, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Gas Operated Relay (Buchholz Relay)- BHEL, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, LED Flasher Relay

Searched String: Isolating cock 3 by 4 without drain and with micro switch Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: DBV and BP Isolating EP Valve Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pressure regulator 5 bar set Seal

Element Filter Compressor, High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Non Metallic Bellow, Hydraulic Hose

Searched String: BP draining EP Valve cut off valve Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: EP Valve 110 V DC with bracket choke Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: Levelling valve RH LH Seal

Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, LCR Meter

Searched String: Differential check valve 1 point 5 bar set Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: Levelling valve LH central CUT OFF VALVE Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: Dump valve DV 1 TP Seals

Category not available on GeM for the text string uploaded by the buyer

Searched String: Check valve Seal

Cartridge Check Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Swing Type Check Valve, Check Valve (V2) as per IS 778, Check Valve as per IS 778, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Copper Alloy Gate Valve for Waterworks Purpose

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

as per IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Puf Seal

Searched String: Reducing valve Seal

Pressure reducing valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Puf Seal, Oil seal, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Bolt / Bullet Seal, Plastic Grip Seal, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, D Seal (Rubber), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931

Searched String: Minimum pressure valve 6bar set Seal

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Non Metallic Bellow, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Pressure reducing valve, Pressure Calibrator

Searched String: Air separator filter with drain cock Seal

Air Sampler, Cellulose Nitrate Filter Paper (V2)

Searched String: Reducing valve 7 point 5 bar set Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: Backup mode isolating magnet valve Seal

Category not available on GeM for the text string uploaded by the buyer

Searched String: Compact distributor valve NJMR Seal

Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643

Searched String: Pressure switch Seal

Digital Pressure Switch, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Differential Pressure Switch (BHEL), Puf Seal, blood pressure recording units, Oil seal, Laboratory Rotary cum Flat Bed Printing Machine, Isolator switch, Autoclave (Horizontal), Limit Switch

Searched String: Average load valve Seal

Safety Relief Valves- Spring Loaded, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643

Searched String: Cut off valve Seal Kit

Cut - off Wheel, Angle Grinder, Hydraulic Cylinder Seal Kit, Heat Shrink Termination Kit as per IS 60840, Cable Sealing Kit, Hair Cutting Kit (Gujarat Govt), Liquid Offtake Valve, Cable Joint Kit (V2), Papad Making Kit (Gujarat Govt), Athanu Maker Kit (Gujarat Govt)

Searched String: DN7 Check valve Seal

Cartridge Check Valve, Swing Type Check Valve, Check Valve (V2) as per IS 778, Check Valve as per IS 778, Stationary Valve Regulated Lead Acid Batteries (V2) as per

बिड विवरण / Bid Details	IS 15549, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1),
	<p>Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Gate, Globe And Check Valves For Water Work Purposes-IS:778, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312</p> <p>Searched String: Cartridge replacement Seal</p> <p>Dentin Replacement composite, Cartridge Heater, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Filter Cartridge, Toner Cartridges / Ink Cartridges / Consumables for Printers, Total Knee Replacement Implant, Oil seal, Puf Seal, Heat Seal Sterilization Roll With Chemical Indicator, Total Knee Replacement Implant (V2)</p> <p>Searched String: Safety valve replace Seal</p> <p>Pressure Safety Valve, Safety Relief Valves- Spring Loaded, Air Safety Valve (BHEL), Safety Cap for Self Closing Valves of LPG Cylinders (V2), Emergency Safety Shower-IS:10592, Nylon string used in Safety cap for self closing valves of LPG cylinders, SS clip used in Safety Cap for self closing valves of LPG cylinders, Tamper Evident Seals for LPG cylinders, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643</p> <p>Searched String: UDC Low voltage measuring device</p> <p>Current Voltage Measuring Module, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Live Remote Temperature and Humidity Monitoring and Alert System, SOVP Device for Street light Pole Mounted, Contamination monitor, Stadiometer - ICDS, Measured Volume Set (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Hydraulic Cylinder Seal Kit Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549
बीओक्यू शीर्षक /BOQ Title	Procurement of Battery and Other Spares
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Platform truck battery 36V 300AH
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Battery ईएमडी राशि/EMD Amount (In INR)	2000
Battery Stand ईएमडी राशि/EMD Amount (In INR)	1000
Battery Assembly Trolley ईएमडी राशि/EMD Amount (In INR)	5000
Brake Valves Seal Kit's ईएमडी राशि/EMD Amount (In INR)	5000
Low voltage measuring device ईएमडी राशि/EMD Amount (In INR)	2000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	19

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी / Beneficiary :

CGM (RS, S & T)
METROS, No.327, Anna Salai, Nandanam, Chennai - 600035, Tamil Nadu, India.
(Chennai Metro Rail Ltd)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

--

Evaluation Schedules	Item/Category	Consignee/ Reporting Officer	Consignee Address	Quantity
Battery	Platform Truck Battery 36v 300ah	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	1
	Pallet Truck Battery 24v 195 Ah	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	1
Battery Stand	Battery Box Stand	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	2
Battery Assembly Trolley	Battery Assembly Loading And Unloading Jig And Trolley	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	1
	Horn Magnet Ep Valve With Bracket 110v Dc Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Independent Brake Controller Type 20 Seals	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Relay Valve Seals	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Isolating Cock 3 By 4 Without Drain And With Micro Switch Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Dbv And Bp Isolating Ep Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Pressure Regulator 5 Bar Set Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Bp Draining Ep Valve Cut Off Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Ep Valve 110 V Dc With Bracket Choke Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Levelling Valve Rh Lh Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Differential Check Valve 1 Point 5 Bar Set Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Levelling Valve Lh Central Cut Off Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Dump Valve Dv 1 Tp Seals	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35

Brake Valves Seal Kit's	Check Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Reducing Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Minimum Pressure Valve 6bar Set Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Air Separator Filter With Drain Cock Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Reducing Valve 7 Point 5 Bar Set Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Backup Mode Isolating Magnet Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Compact Distributor Valve Njmr Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Pressure Switch Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Average Load Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Cut Off Valve Seal Kit	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Dn7 Check Valve Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Cartridge Replacement Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
	Safety Valve Replace Seal	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	35
Low voltage measuring device	Udc Low Voltage Measuring Device	Bharath C	Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu 600107	4

Platform Truck Battery 36V 300AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	1	90

Pallet Truck Battery 24V 195 AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	1	90

Battery Box Stand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	2	30

Battery Assembly Loading And Unloading Jig And Trolley

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	1	30

Horn Magnet EP Valve With Bracket 110V DC Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Independent Brake Controller Type 20 Seals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Relay Valve Seals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Isolating Cock 3 By 4 Without Drain And With Micro Switch Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

DBV And BP Isolating EP Valve Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Pressure Regulator 5 Bar Set Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

BP Draining EP Valve Cut Off Valve Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

EP Valve 110 V DC With Bracket Choke Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Levelling Valve RH LH Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Differential Check Valve 1 Point 5 Bar Set Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Levelling Valve LH Central CUT OFF VALVE Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Dump Valve DV 1 TP Seals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Check Valve Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Reducing Valve Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Minimum Pressure Valve 6bar Set Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Air Separator Filter With Drain Cock Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Reducing Valve 7 Point 5 Bar Set Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Backup Mode Isolating Magnet Valve Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Compact Distributor Valve NJMR Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Pressure Switch Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Average Load Valve Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Cut Off Valve Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

DN7 Check Valve Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Cartridge Replacement Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

Safety Valve Replace Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	35	30

UDC Low Voltage Measuring Device

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bharath C	600107,Chennai Metro Rail Limited Admin Building, CMRL Depot, Poonamallee High Road, Koyambedu	4	120

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Sample Clause**

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1

samples for Buyer's approval, within 10 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 10 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

CHENNAI METRO RAIL LIMITED

Account No.

0416214000030

IFSC Code

CNRB0000416

Bank Name

Canara Bank

Branch address

Teynampet Branch, Chennai-600 018

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

6. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

CHENNAI METRO RAIL LIMITED

Account No.

0416214000030

IFSC Code

CNRB0000416

Bank Name

Canara Bank

Branch address

Teynampet Branch, Chennai-600 018

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional

terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---