

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	20-03-2026 17:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	20-03-2026 17:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	120 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम/Department Name</b>	Department Of Military Affairs
<b>संगठन का नाम/Organisation Name</b>	Indian Army
<b>कार्यालय का नाम/Office Name</b>	*****
<b>कुल मात्रा/Total Quantity</b>	12402
	Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2) (Q2) , Household Refrigerating Appliances as per IS 17550 (Q2) , Supply and installation, commis-sioning of Water cooler fully SS, electric driven single phase nominal cooling capacity as of 80 litre and nominal cooling capacity of 40 Litres per hour , Supply and installation, commis-sioning of Water cooler fully SS, electric driven single phase nominal cooling capacity as of 150 litre and nominal cooling capacity of 150 Litres per hour , supply of Switches, Sockets, Pendants regulators and sub-main wiring. , Taking down unserviceable existing sub main wiring with copper by aluminium conductor stranded cable.All details specified in BoQ and Addl Work file , Supply of Angle holder PVC polycarbonate suitable size fixed on wall. All details specified in BoQ and Addl Work file , Fixing of Angle holder PVC polycarbonate suitable size fixed on wall. All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet steel VTPN 6 way.All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet steel VTPN 6 way.All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 4 way with 200 Amps.Complete All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 4 way with 200 Amps.Complete All details specified in BoQ and Addl Work file , Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 8 way with 200 Amps.Complete All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 8 way with 200 Amps.Complete All details specified in BoQ and Addl Work

बिड विवरण / Bid Details	file, Supply of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 12 way with 200
<p>वस्तु श्रेणी /Item Category</p>	<p>Amps.Complete All details specified in BoQ and Addl Work file , Fixing of Distribution board DB made out of sheet metal enclosure CRCA sheet SPN 12 way with 200  Amps.Complete All details specified in BoQ and Addl Work file , Supply of single pole and neutral enclouser with a two pin and earth plug and socket.Complete All details specified in BoQ and Addl Work file , Fixing of single pole and neutral enclouser with a two pin and earth plug and socket.Complete All details specified in BoQ and Addl Work file , Supply of Earthing complete with galvanised steel earth plate electrode 60x60cmx 6mm thick.Complete All details specified in BoQ and Addl Work file , Fixing of Earthing complete with galvanised steel earth plate electrode 60x60cmx 6mm thick.Complete All details specified in BoQ and Addl Work file , concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one swtch 5 Amps. , Fixing of concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one swtch 5 Amps. , concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin ,5 Amps socket outlet in the same board. , Fixing for concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin ,5 Amps socket outlet in the same board. , concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin, 5 Amps socket outlet in the independent board. , Fixing of concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled 3 pin, 5 Amps socket outlet in the independent board. , concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one bell push. , Fixing concealed point wiring complete using 1.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for One light fan point controlled by one bell push. , concealed point wiring complete using 2.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for power point on independent board. , Fixing of concealed point wiring complete using 2.5 Sqmm PVC copper conducto cable FRLSH 1100 V, for power point on independent board. , concealed point wiring complete using 4.0 Sqmm PVC copper conducto cable FRLSH 1100 V, for for AC socket on independent board. , Fixing of concealed point wiring complete using 4.0 Sqmm PVC copper conducto cable FRLSH 1100 V, for for AC socket on independent board. , Supply of switch Socket Combination 5 pin, 5 Amps flush type.Complete All details specified in BoQ and Addl Work file , Fixing of switch Socket Combination 5 pin, 5 Amps flush type.Complete All details specified in BoQ and Addl Work file , Supply of switch Socket Combination 2 in 1, 5 by 16 Amps flush type.Complete All details specified in BoQ and Addl Work file , Fixing switch Socket Combination 2 in 1, 5 by 16 Amps flush type.Complete All details specified in BoQ and Addl Work file , LED street light fting 35 Watt 230 V AC outdoor type.Complete All details specified in BoQ and Addl Work file , Fixing of LED street light fting 35 Watt 230 V AC outdoor type.Complete All details specified in BoQ and Addl Work file , Supply of Switch piano Flush, single pole, one way 5 amp Complete All details specified in BoQ and</p>

बिड विवरण / Bid Details	Addl Work file. Fixing of Switch piano Flush, single pole, one way 5 amp Complete All details specified in BoQ and Addl Work file , Supply of bell electric ding dong 230 V Complete All details specified in BoQ and Addl Work file , Fixing for bell electric ding dong 230 V Complete All details specified in BoQ and Addl Work file , Supply of bell push 5 Amps one way Complete All details specified in BoQ and Addl Work file , Fixing for bell push 5 Amps one way Complete All details specified in BoQ and Addl Work file , electronic fan regulator 230 volts, step type, socket type, hum free 120 watt ISI Marked Complete All details specified in BoQ and Addl Work file , Fixing in replace electronic fan regulator 230 volts, step type, socket type, hum free 120 watt ISI Marked Complete All details specified in BoQ and Addl Work file , Supply of Ceiling rose in poly carbonate 3 plates flush type 6 Amps, 250 volts AC ISI marked, Complete All details specified in BoQ and Addl Work file , Fixing of Ceiling rose in poly carbonate 3 plates flush type 6 Amps, 250 volts AC ISI marked, Complete All details specified in BoQ and Addl Work file , new Sub main wiring using two single core PVC insulated cable FRLS 4 sqmm copper 4 sqmm copper.Complete All details specified in BoQ and Addl Work file , Fixing for new Sub main wiring using two single core PVC insulated cable FRLS 4 sqmm copper 4 sqmm copper.Complete All details specified in BoQ and Addl Work file , new Sub main wiring using two single core PVC insulated cable FRLS 4 sqmm copper 6 sqmm.Complete All details specified in BoQ and Addl Work file , Fixing for new Sub main wiring using two single core PVC insulated cable FRLS 4 sqmm copper 6 sqmm.Complete All details specified in BoQ and Addl Work file , Supply of 4 Pole MCCB 63 by 100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA. Complete All details specified in BoQ and Addl Work file , Fixing of 4 Pole MCCB 63 by 100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA. Complete All details specified in BoQ and Addl Work file , Supply OF 240V, 10 KA B curve MCB of SPN and current carrying capacity 40 to 63 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Fixing of 240V, 10 KA B curve MCB of SPN and current carrying capacity 40 to 63 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Supply OF 240V, 10 KA C curve MCB of SPN and current carrying capacity 32 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Fixing OF 240V, 10 KA C curve MCB of SPN and current carrying capacity 32 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Supply of 415V, 10 KA C curve MCB of TPN and current carrying capacity 40-100 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Fixing of 415V, 10 KA C curve MCB of TPN and current carrying capacity 40-100 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Supply of 230V, 10 KA C curve MCB of SP and current carrying capacity 5 -32 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Fixing of 230V, 10 KA C curve MCB of SP and current carrying capacity 5 -32 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Supply of 240V, 10 KA C curve MCB of TP and current carrying capacity 25 -63 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Fixing of 240V, 10 KA C curve MCB of TP and current carrying capacity 25 -63 AMP, in the MCB DB.Complete All details specified in BoQ and Addl Work file , Supply of LED lights fitting 1x 20W, 220V, AC decorative box type with driver.Complete All

विड विवरण / Bid Details	details specified in BoQ and Addl Work file , Fixing of LED lights fitting 1x 20W, 220V, AC decorative box type with
	driver.Complete All details specified in BoQ and Addl Work file , Supply of LED light fitting mirror type with high out put diffuser 2 feet, 10 watt 220 V AC decorative type.Complete All details specified in BoQ and Addl Work file , Fixing of LED light fitting mirror type with high out put diffuser 2 feet, 10
<p><b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b></p>	<p>watt 220 V AC decorative type.Complete All details specified in BoQ and Addl Work file</p> <p>Taking down carefully (copper/aluminum) point wiring, Taking down unserviceable existing sub main wiring, conce point wiring 1.5 wire ,1 fan point controle by switch 5 A , fixing of conce point wiring 1.5 wire ,1 fan point controle by switch 5 A , conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket, conce point wiring 1.5 wire ,1 fan point control by 1 b/p switch 5A , Fixing conce point wiring 1.5 wire ,1 fan point controle by 1 b/p switch 5 A , conc point wiring comp 2.5 Wire for power point on indep board, Fixing of conc point wiring comp 2.5 Wire for power point on indep board, conc point wiring comp 4.0 wire for AC socket on indep board, Fixing of concpoint wiring comp 4.0 wire for AC socket on indep board, Supply of Switch piano Flush, single pole, one way 5 amp, Fixing of Switch piano Flush, single pole, one way 5 amp, supply of switch Socket Combination 5 pin, 5 Amps flush , Fixing for switch Socket Combination 5 pin, 5 Amps flush , supply of switch Socket Combination 2 in 1, 5 Amps/16 Amps, Fixing for switch Socket Combination 2 in 1, 5 Amps/16 Amps, supply of bell electric ding dong 230 V, Fixing for bell electric ding dong 230 V, supply of bell push 5 Amps one way, Fixing for bell push 5 Amps one way, electronic fan regulator 230 volts, step type, socket type, Fixing in replace electronic fan regulator 230 volts, step type, socket type, supply of Ceiling rose in poly carbonate 3 plates flush type 6 Amps, Fixing for Ceiling rose in poly carbonate 3 plates flush type 6 Amps, Supply of Angle holder PVC polycarbonate suitable size, Fixing of Angle holder PVC polycarbonate suitable size, new Sub main wiring using 2 single core PVC ins cable FRLS 4sqmm, Fixing for new Sub main wiring using 2 single core PVC insu cable FRLS 4 sqmm, new Sub main wiring using 2 single core PVC ins cable FRLS 6sqmm, Fixing for new Sub main wiring using 2 single core PVC ins cable FRLS 6 sqmm, Supply of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs, Fixing of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs, Supply of 4 Pole MCCB 63/100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA, Fixing of 4 Pole MCCB 63/100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA, Supply of (DB) made out of sheet metal enclosure SPN 4 Way, Fixing of (DB) made out of sheet metal enclosure SPN 4 Way, Supply of (DB) made out of sheet metal enclosure SPN 8 Way, Fixing of (DB) made out of sheet metal enclosure SPN 8 Way, Supply of (DB) made out of sheet metal enclosure SPN 12 Way, Fixing of (DB) made out of sheet metal enclosure SPN 12 Way, Supply of 240V, 10 KA 'B' curve MCB of SPN, Current cap 40 to 63 AMP, Fixing of 240V, 10 KA 'B' curve MCB of SPN, Current cap 40 to 63 AMP, Supply of 240V, 10 KA 'C' curve MCB of SPN, Current carrying capacity 32 AMP, Fixing of 240V, 10 KA 'C' curve MCB of SPN, Current carrying capacity 32 AMP, Supply of 415V, 10 KA 'C' curve MCB of TPN, Current carrying capacity 40-100 AMP, Fixing of 415V, 10 KA 'C' curve MCB of TPN, Current carrying capacity 40-100 AMP,</p>

विड विवरण/Bid Details	Supply of 230, 10 KA 'C' curve MCB of SP, Current carrying capacity 5-32 AMP, Fixing of 230, 10 KA 'C' curve MCB of SP,
	<p>Current carrying capacity 5-32 AMP, Supply of 230, 10 KA 'C' curve MCB of TP, Current carrying capacity 25-63 AMP, Fixing of 230, 10 KA 'C' curve MCB of TP, Current carrying capacity 25-63 AMP, Supply of SPN enclosure with a two pin and earth plug and socket , Fixing of SPN enclosure with a two pin and earth plug and socket , Supply of LED lights fitting 1x 20W, 220V, AC decorative box type with driver, Fixing of LED lights fitting 1x 20W, 220V, AC decorative box type with driver, Supply of LED light fitting mirror type with high out put diffuser 2 feet, 10w, Fixing of LED light fitting mirror type with high out put diffuser 2 feet, 10w, LED street light fitting 35 Watt 230 V AC outdoor type, Fixing of LED street light fitting 35 Watt 230 V AC outdoor type, supply of Earthing with GI steel earth plate electrode 60x60cm.x 6mm thick, Fixing of Earthing with GI steel earth plate electrode 60x60cm.x 6mm</p>
	<p><b>Searched String:</b> Taking down carefully (copperaluminium) point wiring</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Taking down unserviceable existing sub main wiring</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> conce point wiring 1.5 wire ,1 fan point controle by switch 5 A</p> <p>Tapered Bearings as per IS 12102, Control Cable</p> <p><b>Searched String:</b> fixing of conce point wiring 1.5 wire ,1 fan point controle by switch 5 A</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> conce point wiring 1.5 wire ,1 fan point controle by 5 A socket</p> <p>Tapered Bearings as per IS 12102, Control Cable</p> <p><b>Searched String:</b> fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> conce point wiring 1.5 wire ,1 fan point controle by 5 A socket</p> <p>Tapered Bearings as per IS 12102, Control Cable</p> <p><b>Searched String:</b> fixing of conce point wiring 1.5 wire ,1 fan point controle by 5 A socket</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> conce point wiring 1.5 wire ,1 fan point control by 1 b/p switch 5A</p> <p>Control Cable, Tapered Bearings as per IS 12102</p>

विड विवरण/Bid Details **Searched String:** Fixing conce point wiring 1.5 wire ,1 fan point controle by 1 b/p switch 5 A

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** conc point wiring comp 2.5 Wire for power point on indep board

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of conc point wiring comp 2.5 Wire for power point on indep board

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** conc point wiring comp 4.0 wire for AC socket on indep board

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of concpoint wiring comp 4.0 wire for AC socket on indep board

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supply of Switch piano Flush, single pole, one way 5 amp

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of Switch piano Flush, single pole, one way 5 amp

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** supply of switch Socket Combination 5 pin, 5 Amps flush

Fume Hood (FSSAI)

**Searched String:** Fixing for switch Socket Combination 5 pin, 5 Amps flush

Fume Hood (FSSAI)

**Searched String:** supply of switch Socket Combination 2 in 1, 5 Amps/16 Amps

Fume Hood (FSSAI), Electrical Extension Box (V4)

**Searched String:** Fixing for switch Socket Combination 2 in 1, 5 Amps/16 Amps

Fume Hood (FSSAI), Electrical Extension Box (V4)

**Searched String:** supply of bell electric ding dong 230 V

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing for bell electric ding dong 230 V

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** supply of bell push 5 Amps one way

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing for bell push 5 Amps one way

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** electronic fan regulator 230 volts, step type, socket type

Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Electric Pedestal Type Fan and Regulator as per IS 1169

**Searched String:** Fixing in replace electronic fan regulator 230 volts, step type, socket type

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** supply of Ceiling rose in poly carbonate 3 plates flush type 6 Amps

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing for Ceiling rose in poly carbonate 3 plates flush type 6 Amps

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supply of Angle holder PVC polycarbonate suitable size

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of Angle holder PVC polycarbonate suitable size

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** new Sub main wiring using 2 single core PVC ins cable FRLS 4sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

**Searched String:** Fixing for new Sub main wiring using 2 single core PVC insu cable FRLS 4 sqmm

विड विवरण / Bid Details	PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>IS 694</p> <p><b>Searched String:</b> new Sub main wiring using 2 single core PVC ins cable FRLS 6sqmm</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> Fixing for new Sub main wiring using 2 single core PVC ins cable FRLS 6 sqmm</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> Supply of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fixing of (DB) made out of sheet metal enclosure V TPN 6 Way for 63/100 A Mccbs</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Supply of 4 Pole MCCB 63/100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fixing of 4 Pole MCCB 63/100 Amp, 50 Hz, 415 V with rupturing capacity 25 KA</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Supply of (DB) made out of sheet metal enclosure SPN 4 Way</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fixing of (DB) made out of sheet metal enclosure SPN 4 Way</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Supply of (DB) made out of sheet metal enclosure SPN 8 Way</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fixing of (DB) made out of sheet metal enclosure SPN 8 Way</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

विड विवरण/Bid Details  
**Searched String:** Supply of (DB) made out of sheet metal enclosure SPN 12 Way

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of (DB) made out of sheet metal enclosure SPN 12 Way

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supply of 240V, 10 KA 'B' curve MCB of SPN, Current cap 40 to 63 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of 240V, 10 KA 'B' curve MCB of SPN, Current cap 40 to 63 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supply of 240V, 10 KA 'C' curve MCB of SPN, Current carrying capacity 32 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of 240V, 10 KA 'C' curve MCB of SPN, Current carrying capacity 32 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supply of 415V, 10 KA 'C' curve MCB of TPN, Current carrying capacity 40-100 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of 415V, 10 KA 'C' curve MCB of TPN, Current carrying capacity 40-100 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supply of 230, 10 KA 'C' curve MCB of SP, Current carrying capacity 5-32 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of 230, 10 KA 'C' curve MCB of SP, Current carrying capacity 5-32 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supply of 230, 10 KA 'C' curve MCB of TP, Current carrying capacity 25-63 AMP

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Fixing of 230, 10 KA 'C' curve MCB of TP, Current carrying capacity 25-63 AMP

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	<p><b>Searched String:</b> Supply of SPN enclosure with a two pin and earth plug and socket</p> <p>Plug Cocks for Water Supply Purposes conforming to IS 3004</p> <p><b>Searched String:</b> Fixing of SPN enclosure with a two pin and earth plug and socket</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Supply of LED lights fitting 1x 20W, 220V, AC decorative box type with driver</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fixing of LED lights fitting 1x 20W, 220V, AC decorative box type with driver</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Supply of LED light fitting mirror type with high out put diffuser 2 feet, 10w</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fixing of LED light fitting mirror type with high out put diffuser 2 feet, 10w</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> LED street light fitting 35 Watt 230 V AC outdoor type</p> <p>Hand Held Search Light</p> <p><b>Searched String:</b> Fixing of LED street light fitting 35 Watt 230 V AC outdoor type</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> supply of Earthing with GI steel earth plate electrode 60x60cm.x 6mm thick</p> <p>Parallel Bar - Outdoor Gym Equipment, Corrugated Boxes</p> <p><b>Searched String:</b> Fixing of Earthing with GI steel earth plate electrode 60x60cm.x 6mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Corrugated Boxes</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</li> </ul>
बीओक्यू शीर्षक /BOQ Title	GENRAL ITEMS

<b>बिड विवरण/Bid Details</b>	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ <b>Years of Past Experience Required for same/similar service</b>	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / <b>MSE Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Supply of Earthing complete with galvanised steel earth plate electrode 60x60cmx 6mm thick.Complete All details specified in BoQ and Addl Work file
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days

**बिड विवरण/Bid Details**

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	172888

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

SBSO

Commander Works Engineer, Department of Military Affairs, Indian Army, Ministry of Defence  
(Gautam Deb)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई के लिए आरक्षित / Reserved for Make In India products**

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
-------------------------------------------------------------	-----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
-------------------------------------------	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are

advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### **Split Air Conditioner, Wall Mount Type (V3) ISI Marked To IS 1391 (Part 2) ( 8 pieces )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Bis Required	Yes
--------------	-----

#### **तकनीकी विशिष्टियाँ / Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	<b>Size of Air Conditioner</b>	Medium [suitable for room area between 130-180 sq. ft.]
	<b>Compressor Type as per BEE Star Rating Label</b>	Inverter - Variable Speed
	<b>Nominal Capacity of Air Conditioner (in Ton)</b>	1.3 Ton - 1.7 Ton
	<b>BEE Star Rating</b>	5 Star
Warranty and Test Reports	Warranty on PCB	5 Or higher <b>(year)</b>

**Additional Specification Parameters - Split Air Conditioner, Wall Mount Type (V3) ISI Marked To IS 1391 (Part 2) ( 8 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and install hi wall split units indoor/outdoor complete with cordless remote control unit and with in built air ioniser and Plasma filter for better indoor air quality with minimum 5 star rating and EER 3.2 of capacity 1.5 TR	Complete all as specified and directed.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

**Split Air Conditioner, Wall Mount Type (V3) ISI Marked To IS 1391 (Part 2) ( 2 pieces )  
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	<b>Size of Air Conditioner</b>	Large [suitable for room area greater than 190 sq. ft.]
	<b>Compressor Type as per BEE Star Rating Label</b>	Inverter - Variable Speed
	<b>Nominal Capacity of Air Conditioner (in Ton)</b>	1.8 Ton - 2.2 Ton
	<b>BEE Star Rating</b>	5 Star
Warranty and Test Reports	Warranty on PCB	5 Or higher <b>(year)</b>

**Additional Specification Parameters - Split Air Conditioner, Wall Mount Type (V3) ISI Marked To IS 1391 (Part 2) ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and install hi wall split units indoor/outdoor complete with cordless remote control unit and with in built air ioniser and Plasma filter for better indoor air quality with minimum 4 star rating and EER 3.2. of capacity 2 TR.	Complete all as specified and directed.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	2	180

**Household Refrigerating Appliances As Per IS 17550 ( 2 pieces )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Conformity to Indian Standrad</b>	IS 17550
Generic	<b>Refrigerating Appliance Technology</b>	Frost-free
	<b>Total Volume for Direct Cool</b>	NA
	<b>Total Volume for Frost-free</b>	301-350
	<b>Type of Door</b>	Double
	<b>BEE Star Rating (Note- Ratings are valid for a specific duration of time and may undergo revisions from time to time)</b>	2 star, 3 star, 4 star, 5 star Or higher
Finish and Colour	<b>Type of Finish</b>	Plain Design

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Colour (Actual Colour depends on Model quoted and options applicable to the particular Model) Buyer/Seller may mutually decide actuals accordingly after placement of Contract</b>	Shades of Grey
Warranty	<b>Warranty on Product (Year)</b>	1 Or higher
	<b>Warranty on Compressor (Year)</b>	10 Or higher

**Additional Specification Parameters - Household Refrigerating Appliances As Per IS 17550 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and install refrigerator, electric driven (single phase), capacity 310 Litres..BEE 5 star rated	Complete all as specified and directed.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	2	180

**Supply And Installation, Commis-sioning Of Water Cooler Fully SS, Electric Driven Single Phase Nominal Cooling Capacity As Of 80 Litre And Nominal Cooling Capacity Of 40 Litres Per Hour**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1	180

**Supply And Installation, Commis-sioning Of Water Cooler Fully SS, Electric Driven Single Phase Nominal Cooling Capacity As Of 150 Litre And Nominal Cooling Capacity Of 150 Litres Per Hour**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1	180

**Supply Of Switches, Sockets, Pendants Regulators And Sub-main Wiring.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	1170	180

**Taking Down Unserviceable Existing Sub Main Wiring With Copper By Aluminium Conductor Stranded Cable.All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	800	180

**Supply Of Angle Holder PVC Polycarbonate Suitable Size Fixed On Wall. All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	130	180

**Fixing Of Angle Holder PVC Polycarbonate Suitable Size Fixed On Wall. All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	130	180

**Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet Steel VTPN 6 Way.All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	24	180

**Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet Steel VTPN 6 Way.All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	24	180

**Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 4 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

**Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 4 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

**Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 8 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

**Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 8 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

**Supply Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 12 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

**Fixing Of Distribution Board DB Made Out Of Sheet Metal Enclosure CRCA Sheet SPN 12 Way With 200 Amps.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

**Supply Of Single Pole And Neutral Enclouser With A Two Pin And Earth Plug And Socket.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

**Fixing Of Single Pole And Neutral Enclosure With A Two Pin And Earth Plug And Socket.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

**Supply Of Earthing Complete With Galvanised Steel Earth Plate Electrode 60x60cmx 6mm Thick.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

**Fixing Of Earthing Complete With Galvanised Steel Earth Plate Electrode 60x60cmx 6mm Thick.Complete All Details Specified In BoQ And Addl Work File**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

**Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Swtch 5 Amps.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	720	180

**Fixing Of Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Swtch 5 Amps.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	720	180

**Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin ,5 Amps Socket Outlet In The Same Board.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Fixing For Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin ,5 Amps Socket Outlet In The Same Board.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin, 5 Amps Socket Outlet In The Independent Board.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Fixing Of Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled 3 Pin, 5 Amps Socket Outlet In The Independent Board.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Bell Push.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Fixing Concealed Point Wiring Complete Using 1.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For One Light Fan Point Controlled By One Bell Push.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Concealed Point Wiring Complete Using 2.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For Power Point On Independent Board.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Fixing Of Concealed Point Wiring Complete Using 2.5 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For Power Point On Independent Board.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Concealed Point Wiring Complete Using 4.0 Sqmm PVC Copper Conducto Cable FRLSH 1100 V, For For AC Socket On Independent Board.**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

**Fixing Of Concealed Point Wiring Complete Using 4.0 Sqmm PVC Copper Conducto  
Cable FRLSH 1100 V, For For AC Socket On Independent Board.**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

**Supply Of Switch Socket Combination 5 Pin, 5 Amps Flush Type.Complete All Details  
Specified In BoQ And Addl Work File**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	240	180

**Fixing Of Switch Socket Combination 5 Pin, 5 Amps Flush Type.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	240	180

**Supply Of Switch Socket Combination 2 In 1, 5 By 16 Amps Flush Type.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Fixing Switch Socket Combination 2 In 1, 5 By 16 Amps Flush Type.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**LED Street Light Fting 35 Watt 230 V AC Outdoor Type.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Fixing Of LED Street Light Fting 35 Watt 230 V AC Outdoor Type.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Supply Of Switch Piano Flush, Single Pole, One Way 5 Amp Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	720	180

**Fixing Of Switch Piano Flush, Single Pole, One Way 5 Amp Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	720	180

**Supply Of Bell Electric Ding Dong 230 V Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

### Fixing For Bell Electric Ding Dong 230 V Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

### Supply Of Bell Push 5 Amps One Way Complete All Details Specified In BoQ And Addl Work File

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Fixing For Bell Push 5 Amps One Way Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Electronic Fan Regulator 230 Volts, Step Type, Socket Type, Hum Free 120 Watt ISI Marked Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Fixing In Replace Electronic Fan Regulator 230 Volts, Step Type, Socket Type, Hum Free 120 Watt ISI Marked Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

**Supply Of Ceiling Rose In Poly Carbonate 3 Plates Flush Type 6 Amps, 250 Volts AC ISI Marked, Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	720	180

**Fixing Of Ceiling Rose In Poly Carbonate 3 Plates Flush Type 6 Amps, 250 Volts AC ISI Marked, Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	720	180

**New Sub Main Wiring Using Two Single Core PVC Insulated Cable FRLS 4 Sqmm Copper 4 Sqmm Copper.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	200	180

**Fixing For New Sub Main Wiring Using Two Single Core PVC Insulated Cable FRLS 4 Sqmm Copper 4 Sqmm Copper.Complete All Details Specified In BoQ And Addl Work File**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	200	180

**New Sub Main Wiring Using Two Single Core PVC Insulated Cable FRLS 4 Sqmm Copper 6 Sqmm.Complete All Details Specified In BoQ And Addl Work File**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	600	180

**Fixing For New Sub Main Wiring Using Two Single Core PVC Insulated Cable FRLS 4 Sqmm Copper 6 Sqmm.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	600	180

**Supply Of 4 Pole MCCB 63 By 100 Amp, 50 Hz, 415 V With Rupturing Capacity 25 KA. Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	24	180

**Fixing Of 4 Pole MCCB 63 By 100 Amp, 50 Hz, 415 V With Rupturing Capacity 25 KA. Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	24	180

**Supply OF 240V, 10 KA B Curve MCB Of SPN And Current Carrying Capacity 40 To 63 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

**Fixing Of 240V, 10 KA B Curve MCB Of SPN And Current Carrying Capacity 40 To 63 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

**Supply OF 240V, 10 KA C Curve MCB Of SPN And Current Carrying Capacity 32 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

**Fixing OF 240V, 10 KA C Curve MCB Of SPN And Current Carrying Capacity 32 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

**Supply Of 415V, 10 KA C Curve MCB Of TPN And Current Carrying Capacity 40-100 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

**Fixing Of 415V, 10 KA C Curve MCB Of TPN And Current Carrying Capacity 40-100 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

**Supply Of 230V, 10 KA C Curve MCB Of SP And Current Carrying Capacity 5 -32 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	430	180

**Fixing Of 230V, 10 KA C Curve MCB Of SP And Current Carrying Capacity 5 -32 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	430	180

**Supply Of 240V, 10 KA C Curve MCB Of TP And Current Carrying Capacity 25 -63 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

**Fixing Of 240V, 10 KA C Curve MCB Of TP And Current Carrying Capacity 25 -63 AMP, In The MCB DB.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

**Supply Of LED Lights Fitting 1x 20W, 220V, AC Decorative Box Type With Driver.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	350	180

**Fixing Of LED Lights Fitting 1x 20W, 220V, AC Decorative Box Type With Driver.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	350	180

**Supply Of LED Light Fitting Mirror Type With High Out Put Diffuser 2 Feet, 10 Watt 220 V AC Decorative Type.Complete All Details Specified In BoQ And Addl Work File**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Fixing Of LED Light Fitting Mirror Type With High Out Put Diffuser 2 Feet, 10 Watt 220 V AC Decorative Type.Complete All Details Specified In BoQ And Addl Work File**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

**Special terms and conditions-Version:1 effective from 02-12-2025 for category Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2)**

**1. Scope of standard installation and commissioning for Wall Mount Split AC consist of follows:**

- a)** Installation/Commissioning is mandatory for all types of purchases (Direct/L1/Bid). For cases where Installation/Commissioning is not required, the buyer may indicate the details in the bid document.
- b)** The Switches/ Sockets/ Plug Tops/ Voltage Stabilizer/stand for ODU/ Chiselling/ Ducting/ Grooving for concealing the refrigerant piping/cabling/ core cutting of the wall are not included in the scope of standard installation and commissioning, unless otherwise mentioned in the contract.

**Special terms and conditions-Version:2 effective from 06-06-2025 for category Household Refrigerating Appliances as per IS 17550**

**1. Note to Buyers:**

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and

fulfillment process.

In reference to DoE OM No.26/6/12-PPD dated 21.01.2013, all Ministries / Departments and their attached and subordinate offices shall ensure that Threshold Star Rating of BEE to be complied for "Frost Free Refrigerators". DoE OM is referenced in the below link.

[https://doe.gov.in/files/circulars\\_document/OM\\_energy\\_ElecAppl.pdf](https://doe.gov.in/files/circulars_document/OM_energy_ElecAppl.pdf)

**Note to Sellers:**

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

### 3. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 4. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

### 5. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

### 6. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product

during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

## 7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder affidavit to be upload regarding their firm not under liquidation or blacklisted in the past by any organisation for any procedural or sale failure. Affidavit issued date not older than one year from bid published date.
2. Bidder must upload Gem contract copy of similar/ related work done to any Govt organisation as performance.
3. Bidder must upload bank solvency certificate (solvency not older than one year from bid published date) . Bank solvency should mention the name, employee code & mobile number of the issuing authority.
4. Bidder should upload a valid OEM authorisation certificate, and the bid number should be mentioned in the OEM authorisation certificate
5. EMD/BG should be uploaded by the bidder. If EMD/BG not uploaded by the bidder, the bid should be rejected.

Mandatory Documents to be Submitted:-

- (a) Valid ISO certificates of the bidder must be uploaded.
  - (b) Valid is license, Test report and Technical data sheet of each product.
  - (c) Valid GST return of the last Financial Year
6. Bidder must upload BOQ and cat specification file (buyer added bid specific ATC) mentioning all product make, company name and all specifications of the product of this bid, duly mentioned bid number, date and stamp and signature of the firm.
  7. Bidder must attend and quote in all items covered in the Bid/ Self declaration for the same must be uploaded.
  8. Certificate by the bidder to be uploaded, regarding items will be executed as per direction of engineer-in-charge, complete all as specified and directed.
  9. In the Absence of any Certificate/Document/Undertaking as above, the Bidder shall be technically disqualified

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---