

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-02-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	09-02-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Punjab
विभाग का नाम/Department Name	Technical Education And Industrial Training Department Punjab
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Chandigarh
कुल मात्रा/Total Quantity	29
वस्तु श्रेणी /Item Category	CNC Lathe Machine , CNC Vertical milling Machine , Software , Solar Power Plant , Ackerman steering gear mechanism , Davison steering gear mechanism , Brake Master cylinder , Leak dedector to detect CFC HFCs , Actual Cut section Model of Screw Compressor , Bench type drill machine capacity 13 mm , Foot shear machine , Gear Tooth Vernier , Grinder , Milling Machine Conventional , Shaper , Smooth file 12 inch , Leg Vice 4 inch
	CNC LATHE MACHINE-"Capacity : Swing Over Bed (mm) 350-400, Std Turning Dia. (mm) 160, Max. Turning Dia. With Limited Length (mm) 290, Max. Turning Length (mm) 300, Cross (X Axis) Travel (mm) 185, Longitudinal (Z Axis) Travel (mm) 300, Rapid (X & Z Axis) (m/min) 25. Slide : Ball Screw (Z Axis) (mm) 32 x 10, LM Guide (Z Axis) (mm) 35, Ball Screw (X Axis) (mm) 32 x 10, LM Guide (X Axis) (mm) 35. Spindle: Spindle Motor Power (30 Min./Cont) (kW), Fanuc 7.5/11, Spindle Bore (mm) 55, Spindle Nose A2-5, Chuck size (mm) 165, Max. Bar Capacity (mm) 42, Spindle Speed Range (RPM) 50-3000, Spindle Inner Size (mm) Ø55, TAILSTOCK: Quill Diameter (mm) 70, Quill Stroke (mm) 85, TURRET : No. of Station 8, Max. Boring Bar Dia. (mm) Ø 40, Tool Size (Cross - Section) (mm) 25 x 25, Accuracy : Positioning Accuracy (mm) 0.01, Repeatability (mm) 0.006, Other Data : Dimensions (L X W X H) (mm) 2450 x 1525 x 1900, Weight (Approx.) (kg) 2800 Cooling System : adequate cooling system ", CNC VERTICAL MILLING MACHINE-"Capacity: X Axis (mm) 600, Y Axis (mm) 400, Z Axis (mm) 400, Table Top to Spindle Face (mm) 100 to 500, Distance from floor to table (mm) 950, Spindle Center - Column front distance (mm) 500, Table : Table Size (mm) 810 x 440, Table Slot (No./Size/Pitch) (mm) 3/18/125, Max. Load on table (kg) 400, Spindle Power Standard : Max.

बिड विवरण / Bid Details

Spindle Speed (RPM) 8000, Spindle Nose BT-40, Bearing Diameter (mm) 60, Spindle Power (Cont./30 min rating) (kW) Fanuc 5.5/7.5, FEED RATE : Rapid Traverse (X-Y-Z) (m/min) 25, Cutting Feed Rate (X-Y-Z) (m/min) 10, ATC (Automatic Tool Change) : Tool Capacity (nos.) 12-24, Max. Tool Dia.(with Adj. tool) (mm) 60-100, Max. Tool Dia. (without Adj. Tool) (mm) 150, Max. Tool Length (mm) 250, Accuracy : Positioning Accuracy (mm) 0.01, Repeatability (mm) 0.005, Other Data : Dimensions (L X W X H) (mm) 2700 x 1850 x 2600, Machine Weight (kg) 4500 Cooling System : adequate cooling system ", Software-SolidWorks Sowftware: Latest version with 20 user licence (Academic version), Solar Power Plant-Off Grid 5 Kw, Solar Module 540 watt(9 Pieces)with solar mountings, Solar Inverter (off grid)5 KW , Lead acid battery 150 AH(5 pieces) with 5 year warranty, Ackerman steering gear mechanism-Metallic/Non metallic model demonstrating working of Ackerman steering mechanism fitted on wooden base, Davison steering gear mechanism-Metallic/Non metallic model demonstrating working of Davison steering mechanism fitted on wooden base, Brake Master cylinder-Model showing working of automobile brake master cylinder, Leak dedector to detect CFC & HFCs-Leak detector with probe minimum 14 inch long made up of stainless steel and hose, LED Display, Leak alarm and able to detect CFC HFCs, Actual Cut section Model of Screw Compressor-Actual Cut section Model of Screw Compressor, Bench type drill machine capacity (13 mm)-"Drilling Capacity: 13 mm (1/2 inch) - Type: Bench-type drill machine, suitable for drilling precise holes in various materials - Motor Power: 550W - Speed Range: multiple speed settings for versatility - Table Size: 200x200 mm ", Foot shear machine-"Cutting Width Range: 600mm Maximum - Maximum Shearing Thickness: 1.5mm to 4mm - Back Gauge Range: 0-700mm - Blade Material: High-carbon, high-chromium steel (HCHC) for clean and accurate cuts - Automation Grade: Manual - Power Source: manual", Gear Tooth Vernier- Measuring range 0-25 mm with L.C 0.001mm, Grinder-"(Single phase double ended bench grinder 200 mm) SPECIFICATIONS: (a) Rated voltage= 235 volt. (b) Nature of supply= A.C. 50 Hz. (c)Watts input (full load) = 700 watts. (d) No load speed = 2950 r.p.m. (e) Full load speed = 2900 r.p.m. (f) Full load current = 3.2 Amps (g) Approx. weight = 28 kgs. ACCESSORIES: Bench grinder shall be provided with 2 no grinding wheels i.e. one rough and one finish of size 200 x22x15.9mm,work rest wheel guard and grinding wheel dresser (one no) foundation bolts, nuts and washers. Instruction manual and inbuilt starter. ", Milling Machine Conventional-"Universal Milling Machine Table Size of Vertical & Horizontal Drive Milling Machine-300 x 1400 mm minimum. Qill Spindle diameter- 90 hardened and grinded No. of speeds 8 (75-3000 RPM Approx.) RAM Travel - 400 MM (min.) Motor- 2-3 HP Approx. Arbor upto 32 mm Head & Ram Rotate Parallel On body - 360 degrees Net Weight of Machine -1750 Kg (min.) Longitudinal Travel- 800 mm (min.), Vertical - 500 mm (min.), Cross travel - 350 mm (min.) Painted- Chemical Resistant & Durable (epoxy-based paints, polyurethane enamels, or 100% acrylic DTM (Direct-to-Metal) paints, AMC 3 years ", Shaper-"Standard Shaper Capacity - 24-inch Length of Ram up to 1400 mm Working surface of table up to 765-400 mm Number of RAM speeds up to 4 minimum Motor- 4 HP & 1100 RPM (Maximum) Automation Grade- Semi Automatic to Automatic Material - Mild steel Painted- Chemical Resistant & Durable (epoxy-based paints,

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

विड विवरण / Bid Details	polyurethane enamels, or 100% acrylic DTM (Direct-to-Metal) paints AMC 03 years", Smooth file 12''-"Length: 12
	inches (approximately 300mm) - Type: Smooth file, suitable for making surfaces plain and achieving accurate sizes - Material: High-carbon steel or other durable materials - Cut: Single-cut or double-cut with smooth teeth for fine filing - Grade: Smooth grade, suitable for fine finishing and precision work ", Leg Vice 4 inch-"Jaw Size: 4"" (approximately 100mm) - Maximum Jaw Opening: 5"" - Height: 41"" - Mounting Distance: 30"" - Material: Cast with striated and heat-treated jaws - Duty Type: Medium Duty - Special Feature: The leg absorbs shock during heavy bending and sledgehammering "
	<p>Searched String: CNC LATHE MACHINE-"Capacity : Swing Over Bed (mm) 350-400, Std Turning Dia. (mm) 160, Max. Turning Dia. With Limited Length (mm) 290, Max. Turning Length (mm) 300, Cross (X Axis) Travel (mm) 185, Longitudinal (Z Axis) Travel (mm) 300, Rapid (X & Z Axis) (m/min) 25. Slide : Ball Screw (Z Axis) (mm) 32 x 10, LM Guide (Z Axis) (mm) 35, Ball Screw (X Axis) (mm) 32 x 10, LM Guide (X Axis) (mm) 35. Spindle: Spindle Motor Power (30 Min./Cont) (kW), Fanuc 7.5/11, Spindle Bore (mm) 55, Spindle Nose A2-5, Chuck size (mm) 165, Max. Bar Capacity (mm) 42, Spindle Speed Range (RPM) 50-3000, Spindle Inner Size (mm) Ø55, TAILSTOCK: Quill Diameter (mm) 70, Quill Stroke (mm) 85, TURRET : No. of Station 8, Max. Boring Bar Dia. (mm) Ø 40, Tool Size (Cross - Section) (mm) 25 x 25, Accuracy : Positioning Accuracy (mm) 0.01, Repeatability (mm) 0.006, Other Data : Dimensions (L X W X H) (mm) 2450 x 1525 x 1900, Weight (Approx.) (kg) 2800 Cooling System : adequate cooling system "</p> <p>Lathe Machine as per IS 6893:1988, CNC Plasma Cutting Machine, Machine Light, CNC Simulator, Advanced_Manufacturing_Robotics Ver 2.0</p> <p>Searched String: CNC VERTICAL MILLING MACHINE-"Capacity: X Axis (mm) 600, Y Axis (mm) 400, Z Axis (mm) 400, Table Top to Spindle Face (mm) 100 to 500, Distance from floor to table (mm) 950, Spindle Center - Column front distance (mm) 500, Table : Table Size (mm) 810 x 440, Table Slot (No./Size/Pitch) (mm) 3/18/125, Max. Load on table (kg) 400, Spindle Power Standard : Max. Spindle Speed (RPM) 8000, Spindle Nose BT-40, Bearing Diameter (mm) 60, Spindle Power (Cont./30 min rating) (kW) Fanuc 5.5/7.5, FEED RATE : Rapid Traverse (X-Y-Z) (m/min) 25, Cutting Feed Rate (X-Y-Z) (m/min) 10, ATC (Automatic Tool Change) : Tool Capacity (nos.) 12-24, Max. Tool Dia.(with Adj. tool) (mm) 60-100, Max. Tool Dia. (without Adj. Tool) (mm) 150, Max. Tool Length (mm) 250, Accuracy : Positioning Accuracy (mm) 0.01, Repeatability (mm) 0.005, Other Data : Dimensions (L X W X H) (mm) 2700 x 1850 x 2600, Machine Weight (kg) 4500 Cooling System : adequate cooling system "</p> <p>VMC Machine (V1), Milling Machine as per IS 6893, IS 8614, IS 9474, Machine Light, CNC Simulator, Band Saw Machine, CNC Plasma Cutting Machine, Advanced_Manufacturing_Robotics Ver 2.0</p> <p>Searched String: Software-SolidWorks Sowftware: Latest version with 20 user licence (Academic version)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

बिड विवरण / Bid Details	Searched String: Solar Power Plant-Off Grid 5 Kw, Solar Module 540 watt(9 Pieces)with solar mountings, Solar Inverter (off grid)5 KW , Lead acid battery 150 AH(5 pieces) with 5 year warranty
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Category not available on GeM for the text string uploaded by the buyer</p>
	<p>Searched String: Ackerman steering gear mechanism-Metallic/Non metallic model demonstrating working of Ackerman steering mechanism fitted on wooden base</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p>
	<p>Searched String: Davison steering gear mechanism-Metallic/Non metallic model demonstrating working of Davison steering mechanism fitted on wooden base</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p>
	<p>Searched String: Brake Master cylinder-Model showing working of automobile brake master cylinder</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p>
	<p>Searched String: Leak dedector to detect CFC & HFCs- Leak detector with probe minimum 14 inch long made up of stainless steel and hose, LED Display, Leak alarm and able to detect CFC HFCs</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p>
	<p>Searched String: Actual Cut section Model of Screw Compressor-Actual Cut section Model of Screw Compressor</p>
<p>Category not available on GeM for the text string uploaded by the buyer</p>	
<p>Searched String: Bench type drill machine capacity (13 mm)-"Drilling Capacity: 13 mm (1/2 inch) - Type: Bench-type drill machine, suitable for drilling precise holes in various materials - Motor Power: 550W - Speed Range: multiple speed settings for versatility - Table Size: 200x200 mm "</p>	
<p>Drilling Machine Bench Type / Pillar Type as per IS 2425, Sensitive Drilling Machine, Portable Drill Machine</p>	
<p>Searched String: Foot shear machine-"Cutting Width Range: 600mm Maximum - Maximum Shearing Thickness: 1.5mm to 4mm - Back Gauge Range: 0-700mm - Blade Material: High-carbon, high-chromium steel (HCHC) for clean and accurate cuts - Automation Grade: Manual - Power Source: manual"</p>	
<p>Club Foot CPM (V2), Sewing Machine as per IS 1610, Hydraulic Shearing Machine, Hand Operated Shearing Machine, SHEARING MACHINE BLADE</p>	
<p>Searched String: Gear Tooth Vernier- Measuring range 0-25 mm with L.C 0.001mm</p>	
<p>Ultrasonic Thickness Gauge, COD (Chemical Oxygen Demand) Analyzer (Closed Reflux), Orbital Shaker (FSSAI),</p>	

बिड विवरण / Bid Details

Digital Light Meter, Oxygen Flow Meter, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with

Rigid Conductor (V2) as per IS 694, Non Sparking Ring Slugging Spanners (V2)

Searched String: Grinder-"(Single phase double ended bench grinder 200 mm) SPECIFICATIONS: (a) Rated voltage= 235 volt. (b) Nature of supply= A.C. 50 Hz. (c)Watts input (full load) = 700 watts. (d) No load speed = 2950 r.p.m. (e) Full load speed = 2900 r.p.m. (f) Full load current = 3.2 Amps (g) Approx. weight = 28 kgs. ACCESSORIES: Bench grinder shall be provided with 2 no grinding wheels i.e. one rough and one finish of size 200 x22x15.9mm,work rest wheel guard and grinding wheel dresser (one no) foundation bolts, nuts and washers. Instruction manual and inbuilt starter. "

Wet Grinder, Angle Grinder, Pneumatic Grinder, Bench / Pedestal Grinder (V2), Pencil / Die Grinder (V2), Flexible Shaft Grinder, Hydraulic Horizontal Surface Grinders, Meat Mincer, Straight Grinders, pestle or mortars - soil sample grinder

Searched String: Milling Machine Conventional-"Universal Milling Machine Table Size of Vertical & Horizontal Drive Milling Machine- 300 x 1400 mm minimum. Qill Spindle diameter- 90 hardened and grinded No. of speeds 8 (75-3000 RPM Approx.) RAM Travel - 400 MM (min.) Motor- 2-3 HP Approx. Arbor upto 32 mm Head & Ram Rotate Parallel On body -360 degrees Net Weight of Machine -1750 Kg (min.) Longitudinal Travel- 800 mm (min.), Vertical - 500 mm (min.), Cross travel - 350 mm (min.) Painted- Chemical Resistant & Durable (epoxy-based paints, polyurethane enamels, or 100% acrylic DTM (Direct-to-Metal) paints, AMC 3 years "

Milling Machine as per IS 6893, IS 8614, IS 9474, VMC Machine (V1), Turning and Milling Inserts (BHEL), CNC Simulator

Searched String: Shaper-"Standard Shaper Capacity - 24-inch Length of Ram up to 1400 mm Working surface of table up to 765-400 mm Number of RAM speeds up to 4 minimum Motor- 4 HP & 1100 RPM (Maximum) Automation Grade- Semi Automatic to Automatic Material - Mild steel Painted- Chemical Resistant & Durable (epoxy-based paints, polyurethane enamels, or 100% acrylic DTM (Direct-to-Metal) paints AMC 03 years"

Gear Shaper, Shaping Machine, Chest Press - Outdoor Gym Equipments, Disposable Sanitary Napkin/Panty Liner/Maternity Pad/Period Panty (V2) ISI Marked to IS 5405

Searched String: Smooth file 12'"-"Length: 12 inches (approximately 300mm) - Type: Smooth file, suitable for making surfaces plain and achieving accurate sizes - Material: High-carbon steel or other durable materials - Cut: Single-cut or double-cut with smooth teeth for fine filing - Grade: Smooth grade, suitable for fine finishing and precision work "

Swiss Pattern Needle Files Set, File Storage Box (V2)

Searched String: Leg Vice 4 inch-"Jaw Size: 4" (approximately 100mm) - Maximum Jaw Opening: 5" - Height: 41" - Mounting Distance: 30" - Material: Cast with

बिड विवरण / Bid Details	striated and heat-treated jaws - Duty Type: Medium Duty - Special Feature: The leg absorbs shock during heavy bending and sledgehammering "
	Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • VMC Machine (V1) • CNC Plasma Cutting Machine • CNC Simulator
बीओक्यू शीर्षक /BOQ Title	CNC MACHINES AND LAB EQUIPMENTS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	30 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	150 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	CNC Lathe Machine
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	40000
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	50000
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	10000
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	12000
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	140
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	140
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	100
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	200
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	1200
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	1000

Schedule 12 ईएमडी राशि/EMD Amount (In INR)	300
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	1200
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	8000
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	10000
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	70
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	160

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	38

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Principal
Govt. Polytechnic College Begowal , Distt. Kapurthala , Punjab - 144621
(Harsh Kumar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Cnc Lathe Machine	1
Schedule 2	Cnc Vertical Milling Machine	1
Schedule 3	Software	1
Schedule 4	Solar Power Plant	1
Schedule 5	Ackerman Steering Gear Mechanism	1
Schedule 6	Davison Steering Gear Mechanism	1
Schedule 7	Brake Master Cylinder	1

Schedule 8	Leak Dedector To Detect Cfc Hfcs	1
Schedule 9	Actual Cut Section Model Of Screw Compressor	1
Schedule 10	Bench Type Drill Machine Capacity 13 Mm	4
Schedule 11	Foot Shear Machine	1
Schedule 12	Gear Tooth Vernier	1
Schedule 13	Grinder	5
Schedule 14	Milling Machine Conventional	1
Schedule 15	Shaper	1
Schedule 16	Smooth File 12 Inch	5
Schedule 17	Leg Vice 4 Inch	2

CNC Lathe Machine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

CNC Vertical Milling Machine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Software

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Solar Power Plant

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Ackerman Steering Gear Mechanism

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Davison Steering Gear Mechanism

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Brake Master Cylinder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Leak Dedector To Detect CFC HFCs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Actual Cut Section Model Of Screw Compressor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Bench Type Drill Machine Capacity 13 Mm**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	4	15

Foot Shear Machine**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Gear Tooth Vernier

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Grinder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	5	15

Milling Machine Conventional

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Shaper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	1	15

Smooth File 12 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	5	15

Leg Vice 4 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Amarjit Singh	144621,Begowal	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up

to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

GOVT. POLYTECHNIC COLLEGE
BEGOWAL
PO BEGOWAL
DISTT. KAPURTHALA
PUNJAB - 144621
.

4. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

PRINCIPAL GOVT. POLYTECHNIC COLLEGE BEGOWAL KAPURTHALA
payable at
BEGOWAL
.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

6. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

7. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Manufacturer's Authorization must be bid specific that is it should clearly mention the bid number and must be addressed to Principal, Govt. Polytechnic College, Begowal Distt. Kapurthala.

2. Compliance sheet must be duly signed by Bidder/ OEM Representative.

3. Successful Bidder/OEM/Supplier must provide on-site service i.e. at institute/college level during warranty/warranty period for all supplied goods.

4. The tenderer shall certify that the rates being quoted are not higher than those quoted for any Govt. Deptt. Or Institution or DGS & D or any organization and that if during the years at any time the tenderer has quoted rates lower than those quoted against this tender, the College / Institution would be given the benefit of lower rates by the tenderer to the College/Institution. The relevant documents should be enclosed with technical bid.

5. After receipt of supply orders suppliers are requested to supply quality products as per specifications so that there should be least rejection by the inspection committee. If the item is rejected during the inspection then supplier will be responsible for the return of their products and the cost of return transportation will be borne by the supplier.

6. All legal repercussions shall be under the jurisdiction of Distt. Kapurthala (Punjab).

7. Bidder will also submit following certificates:- a. Certificate to accept all terms and conditions laid in the BID and to abide by them. b. Certificate to declare that the bid submission is true and correct to the best of knowledge and belief of the bidder and bidder will be liable for legal action for any false information submitted in the Bid.

8. All machinery / equipments/parts must be brand new.

9. Quoted Rate of items must be inclusive of all taxes . transportation, installation & foundation charges etc (if any) .

10. Copy of uploaded documents on gem portal for participation in BID must be submitted in the form of hard copy in this office just after the BID submitted date either by post or by hand.

11. Warranty should be 3 years minimum.

12. Bidder must provide the complete address and mobile number of their authorized service centers in Punjab.

13. Quoted rates of CNC Machines must be inclusive of all Mountings , Toolings , Accessories and Installation Charges etc for successful running of all machining operations on the machines.

.

11. **Rate Contract**

Performance Security: Against all Purchase Orders placed by any buyer against the Rate Contract Catalogue, the seller would be required to furnish a performance security of 3 % of total contract value of the relevant Purchase Order as per GeM GTC.

12. **Rate Contract**

Tax and Duties Toll Tax/ Entry Tax/ Octroi Duty & Local Taxes. No separate payment would be made by

the Buyer for Toll Taxes, Entry Taxes, Octroi duty and local Taxes, if any. The Seller should cater for these Taxes/ duties as part of Basic Rate quoted in the Bid.

13. Rate Contract

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

14. Rate Contract

Bidder's offer is liable to be rejected if they dont upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

15. Rate Contract

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

16. Rate Contract

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

17. Rate Contract

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

18. Rate Contract

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

19. Rate Contract

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

20. Rate Contract

AVAILABILITY OF OFFICE OF SERVICE PROVIDER: An office of the Service Provider must be located in the state of Consignee. DOCUMENTARY EVIDENCE TO BE SUBMITTED.

21. **Rate Contract**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

22. **Rate Contract**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

23. **Warranty**

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

24. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

25. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

26. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

27. **Generic**

IT equipment shall be IPv6 ready from day one.

28. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

29. **Generic**

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

30. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

31. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

32. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

33. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

34. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

35. **Generic**

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

36. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

37. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

38. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

PRINCIPAL GOVT. POLYTECHNIC COLLEGE BEGOWAL KAPURTHALA
payable at
BEGOWAL

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

39. **Generic**

Scope of supply includes Training: Number of employees to be trained

2

, Place for Training

GOVT. POLYTECHNIC COLLEGE BEGOWAL KAPURTHALA

and Duration of training

1

days.

40. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

41. **Generic**

The seller is required to print logo as per buyer's requirement.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the

same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---