

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	01-01-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	01-01-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Coal
विभाग का नाम/Department Name	Coal India Limited
संगठन का नाम/Organisation Name	Western Coalfields Limited
कार्यालय का नाम/Office Name	Wcl Nagpur Maharashtra
कुल मात्रा/Total Quantity	34
वस्तु श्रेणी /Item Category	Steel Porta Cabin (Q3)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
क्रेता के लिए उपलब्ध आईटीसी/ITC available to buyer	Yes
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Steel Porta Cabin
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	8564100
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	47000
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	124000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	3

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई

केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

General Manager MM
WCL NAGPUR MAHARASHTRA, COAL INDIA LIMITED, WESTERN COALFIELDS LIMITED, Ministry of Coal
(Gm Mm Hod)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.

3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	2354100	Steel Porta Cabin	7
Schedule 2	6210000	Steel Porta Cabin	27

Steel Porta Cabin (7 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Configuration of Cabin	With one Room and Verandah., With one Room only., With one room, one kitchen and verandah, With three rooms, one kitchen and verandah, With one room - one toilet and one pantry, Hall with attached Room - 1 no, Conference Hall + attached Pantry - 1 no, One no. Toilet (comprising of 2 Urine pot, 1 Toilet Room with Sheet and 1 no. Wash basin)
	Approval of Advance sample	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval., No Advance Sample, Seller agree to submit layout drawing for each TYPE/SIZE porta cabins
	Time period for completion of Erection work at site by seller	Within 20 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 20 days of the date of receipt of Purchase order, Within 30 days of the date of receipt of Purchase order

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Suitability / structural stability / completeness of structures, the structure is intended for use in	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temperature range 0 degree C to (+) 50 degree C - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temperature up to (+) 50 degree C. Cabin should be structurally stable and suitable to meet severity of these climatic condition
	Type of slope(roof)	One way slope., Two way slope., All side slope., No Slope (self draining type roof)
	Storage provision	1 no. Wooden Cabinet, 1 no. Steel Almirah, N.A
	Provision for Power Connection	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	Wiring	Concealed wiring, Surface wiring
	Provision for Cable , Switches and Junction box connection	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin., As per Buyer's choice
	Other requirements	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer., Not required.
PANEL MATERIAL	Side wall panel material	1.25 mm thick corrugated HR sheet, 1.6 mm thick steel sheet, PUF Wall Panel - Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 50mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet
	Door panel material	Flush door 32 mm thick water proof., Waterproof BWP flush door 34 mm thick, Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 50 mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet, Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 40mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Window panel material	Powder coated aluminium sliding windows with 4 mm tinted Glass, Polycarbonate sheet of 6 mm thick., Board Aluminium frame (60 mm x 30 mm) sliding shutter with 5 mm plain glass., With aluminium grill protection from inside alongwith mosquito mesh., Aluminium sliding window having dark glass with grill and rain gutter, Aluminum powder coated Sliding window type made of suitable section with 3 mm tinted Glass, Aluminum powder coated Sliding window type made of suitable section with 5 mm tinted Glass
	Door and Window canopy material	Fibreglass Reinforced plastics (F.R.P)., 18 gauge MS corrugated sheet., 1.25 mm thick corrugated HR sheet, N.A, As per Buyer's choice
	Floor panels material	24 mm Block board thickness with FRP coating checkers style., 19 mm thick marine grade plywood confmg. to IS 710 / latest to be laid on top and secured by self - tapping screws to the base members - Covered with 2 mm thick PVC sheets., 16 mm thick marine grade plywood with Vinyl carpet., 15 mm heavy duty cement fiber board inside and outside texture paint., 18 mm thick BWP plyboard mounted on top and above that PVC to be attached on above surface., BWP marine grade ply board 12 mm thick with PVC vinyl sheet on top., 18 mm plywood with 1.5 mm vinyl sheet, 18mm thick cement board with PVC Vinyl carpet top of at least 1.5mm thickness with suitable support on bottom
	Roof panel material	Fibreglass Reinforced plastics (F.R.P), 18 gauge MS corrugated sheet, 2 mm thick plan MS sheet Confmg. to IS 1079, 2 mm thick plan MS sheet Confmg. to IS 513, Insulated Roof to be made of continue line sandwich panels with 0.35 mm thick pre-coated steel sheet (PPGI sheet) having 120GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat minimum 15 microns ON BOTH SIDES OF PUF., Made out of plain GI sheet 0.63 mm thick chemically treated., 75 mm thick panels of thermal insulated stuffed - High grade galvanized steel chemically coated with six layers from inside and outside., 0.45 mm corrugated galvanized colour coated sheet., 1.25 m thick corrugated HR sheet, The PUF insulated Ceiling panels. The covering on ceiling panels shall be micro riving Pre-coated galvanized iron sheet and Self draining Type Roof shall be provided with water proof covering
	Insulation material for sides and End walls	With 50 mm thick glass wool
	Insulation material for Roof	With 75 mm thick glass wool, With polyurethane foam (PUF) having density 40 Kg/CuM \pm 2 Kg / CuM, 30 mm high density thermocol., Resin bonded with EPS thermo-Cole 75 mm thick - sand casted and texture finish / color (outside only), N.A, 50mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation, 40mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Inside panel material for sides, end walls & roof	Consists of 8 mm thick pre-laminated board., Wall internal cladding by 50 mm thick glasswood with 6 mm pre-laminated plywood (having colour as per buyer's choice) - fixed with aluminium stiffener and rivets, N.A, The interior shall be aesthetically finished. All vertically and horizontal corners shall be neatly and smoothly finished with suitable Aluminum sections. All inner paneling shall be done by decorative laminated board
FRAME MATERIAL	Roof frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Made of MS having stiffner Top 50 mm x 25 mm x 2.5 mm thick and 32 mm x 32 mm x 2 mm MS sq. tubes, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Top frame MS tube 80 mm X 80 mm (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
	Side Panel frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Pillar of 150 mm x 50 mm x 25 mm x 4 mm MS section (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
	Floor panel frame	MS having 50 mm x 50 mm x 1.2 mm, MS having 50 mm x 50 mm x 1.5mm, MS having 50 mm x 50 mm x 2 mm, MS having 50 mm x 50 mm x 3 mm, To be made out with 1.2 mm MS folded section in required size and shape., MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., MS Tubular pipes of 50 mm x 50 mm heavy gauge., MS structure base frame C channel of size 125 mm x 75 mm and Base filling of MS tubular pipe of 80 mm x 40 mm, interconnecting MS pipe (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
Dimensions and Thickness	Inside Length ± 15 mm	6100 mm
	Inside Width ± 15 mm	3050 mm
	Total Height (mm) ± 15mm	2590 mm
	Roof projection (if any) ± 10 mm	305 mm to be given on all sides at full height of cabins., 300 mm from the Eaves wall and 150 mm from the Gable walls., 380 mm to be given on all sides at full height of cabins., N.A
	Total thickness of Wall panel ± 2 mm	75 mm, 47 mm, 40 mm, 30 mm, 20 mm, 15 mm, 50 mm, 55 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Total thickness of Door panel ± 2 mm	40 mm, 35 mm, 30 mm, 20 mm, 15 mm, 50 mm
	Roof ridge height ± 10 mm	Total height (i.e. height of side panels) + 610 mm, Total height (i.e. height of side panels) + 760 mm, N.A
	Almirah / Cabinet size ± 5 mm	760 mm x 405 mm x 750 mm, 760 mm x 405 mm x 1000 mm, 760 mm x 405 mm x 1220 mm, 760 mm x 405 mm x 1525mm, 760 mm x 405 mm x 1650 mm, N.A
MISCELENIIOUS	Electric fittings	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided., To be supplied alongwith 1 no. ISI marked 355 mm Wall fan with its fittings - 2 nos. 8 watt LED bulbs - one exhaust fan - Fitting and Fixtures for wall fan & exhaust fan and LEDs - 1 no. switch panel / board - 1 no. light plug point to charger., Only electric points to be provided for one fan - One light with switch board for room and one electric point for light in verandah with switch board., Provision for 3 nos. tube light (18 Watt LED light) - 2 nos. wall mounted ceiling fan (300 mm) - 3 nos. plug and socket (3 pin 5 amps electric plug socket)- 1 no main input socket (32 Amp heavy duty 3 pin power socket with MCB)-split AC (1.5 T) provision, N.A, 6 nos. LED/Tube lights - 6 nos. 5 Amp sockets - 3 nos. 15 Amp sockets - 3 nos. Fan wall mounted - 1 no. point for split AC - 1 no. Exhaust fan and MCB at suitable location., As per Buyer's choice
	Number of Windows	3 nos. Window
	Roof ridge	To be made out from 0.45 mm thick PPGI sheet., N.A
	Flashing item (U track, L corner etc)	To be made out with 0.45 mm thick PPGI sheet in require size and shape., N.A, As per Buyer's choice
	Locking / Security	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft., N.A, Door Locking arrangement from outside with separate handles on both sides of the door. Door fitted with lock and door closure fitted from inside.
COLOUR AND FINISH	Colour	White, Green, Blue, Grey, As per Buyer's choice
	Top coat	Chlorinated rubber paint 50 microns., Bituminous paint., N.A
	Paint outside	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation., Weather texture roller paint, All exterior panels to be white and Blue texture excluding the acrylic / polycarbonate and aluminium frames., As per Buyer's choice, 1 coat primer and 2 coats of enamel exterior paint(colour as per buyer's choice), N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Inside finish	Internal panels - doors - ceiling - shutter to be white finish (excluding polycarbonate / acrylic glass sheet and aluminium frames on windows), Weather texture roller paint., Wall internal cladding by 50 mm thick glasswood with 6 mm prelaminate plywood with white colour sunmica fixed with aluminium stiffener and rivets, As per Buyer's choice, Inner panelling in all walls and roof provided with Decorative laminated sheet fixed on moisture resistant plywood
	Logo (if any)	Approved logo of desired size to be painted as per Buyer's requirement., No logo
CERTIFICATION	Test reports to be furnished to buyer's on demand	Yes, No
	OEM of offered product is ISO 9001:2015 certified	Yes, No
	OEM of offered product is ISO 14001:2015 certified	Yes, No
	OEM of offered product is ISO 18001:2007 certified	Yes, No

Additional Specification Parameters - Steel Porta Cabin (7 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Bidders to note Technical Specifications given in ATC	Bidders are advised to note that irrespective of any values or parameters mentioned in the allowed/offered values of the golden grey parameters, the GeM product catalogue, the offered product specification documents, or any technical literature/leaflets, the specifications, parameters, and conditions stated in the Buyer's Specification Document and the Buyer-added ATC shall prevail and will be applicable to the item being offered

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Samyak Sachchidanand Darunde	442505,Regional Stores, WCL P.O. GHUGUS COLLIERY Distt Chandrapur, M.S ; Pin 442 505	3	30
2	Swapnil Manik Dhok	441204,Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204	4	30

Steel Porta Cabin (27 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Configuration of Cabin	With one Room and Verandah., With one Room only., With one room, one kitchen and verandah, With three rooms, one kitchen and verandah, With one room - one toilet and one pantry, Hall with attached Room - 1 no, Conference Hall + attached Pantry - 1 no, One no. Toilet (comprising of 2 Urine pot, 1 Toilet Room with Sheet and 1 no. Wash basin)
	Approval of Advance sample	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval., No Advance Sample, Seller agree to submit layout drawing for each TYPE/SIZE porta cabins
	Time period for completion of Erection work at site by seller	Within 20 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 20 days of the date of receipt of Purchase order, Within 30 days of the date of receipt of Purchase order

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Suitability / structural stability / completeness of structures, the structure is intended for use in	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temperature range 0 degree C to (+) 50 degree C - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temperature up to (+) 50 degree C. Cabin should be structurally stable and suitable to meet severity of these climatic condition
	Type of slope(roof)	One way slope., Two way slope., All side slope., No Slope (self draining type roof)
	Storage provision	1 no. Wooden Cabinet, 1 no. Steel Almirah, N.A
	Provision for Power Connection	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	Wiring	Concealed wiring, Surface wiring
	Provision for Cable , Switches and Junction box connection	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin., Provision for Cable, switches and Junction box Connection not required., Provision of PVC insulated copper wiring - PVC conduits - AC points - Switch - Sockets - Fluorescent lights/LED's - Fans - Exhaust fan and MCB, As per Buyer's choice
	Other requirements	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer., Not required.
PANEL MATERIAL	Side wall panel material	1.25 mm thick corrugated HR sheet, 1.6 mm thick steel sheet, PUF Wall Panel – Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 50mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Door panel material	Flush door 32 mm thick water proof., Waterproof BWP flush door 34 mm thick, Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 50 mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet, Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 40mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet
	Window panel material	Powder coated aluminium sliding windows with 4 mm tinted Glass, Polycarbonate sheet of 6 mm thick., Board Aluminium frame (60 mm x 30 mm) sliding shutter with 5 mm plain glass., With aluminium grill protection from inside alongwith mosquito mesh., Aluminium sliding window having dark glass with grill and rain gutter, Aluminum powder coated Sliding window type made of suitable section with 3 mm tinted Glass, Aluminum powder coated Sliding window type made of suitable section with 5 mm tinted Glass
	Door and Window canopy material	Fibreglass Reinforced plastics (F.R.P)., 18 gauge MS corrugated sheet., 1.25 mm thick corrugated HR sheet, N.A, As per Buyer's choice
	Floor panels material	24 mm Block board thickness with FRP coating checkers style., 19 mm thick marine grade plywood confmg. to IS 710 / latest to be laid on top and secured by self - tapping screws to the base members - Covered with 2 mm thick PVC sheets., 16 mm thick marine grade plywood with Vinyl carpet., 15 mm heavy duty cement fiber board inside and outside texture paint., 18 mm thick BWP plyboard mounted on top and above that PVC to be attached on above surface., BWP marine grade ply board 12 mm thick with PVC vinyl sheet on top., 18 mm plywood with 1.5 mm vinyl sheet, 18mm thick cement board with PVC Vinyl carpet top of at least 1.5mm thickness with suitable support on bottom
	Roof panel material	Fibreglass Reinforced plastics (F.R.P), 18 gauge MS corrugated sheet, 2 mm thick plan MS sheet Confmg. to IS 1079, 2 mm thick plan MS sheet Confmg. to IS 513, Insulated Roof to be made of continue line sandwich panels with 0.35 mm thick pre-coated steel sheet (PPGI sheet) having 120GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat minimum 15 microns ON BOTH SIDES OF PUF., Made out of plain GI sheet 0.63 mm thick chemically treated., 75 mm thick panels of thermal insulated stuffed - High grade galvanized steel chemically coated with six layers from inside and outside., 0.45 mm corrugated galvanized colour coated sheet., 1.25 m thick corrugated HR sheet, The PUF insulated Ceiling panels. The covering on ceiling panels shall be micro riving Pre-coated galvanized iron sheet and Self draining Type Roof shall be provided with water proof covering

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Insulation material for sides and End walls	With 50 mm thick glass wool
	Insulation material for Roof	With 75 mm thick glass wool, With polyurethane foam (PUF) having density 40 Kg/CuM \pm 2 Kg / CuM, 30 mm high density thermocol., Resin bonded with EPS thermo-Cole 75 mm thick - sand casted and texture finish / color (outside only), N.A, 50mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation, 40mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation
	Inside panel material for sides, end walls & roof	Consists of 8 mm thick pre-laminated board., Wall internal cladding by 50 mm thick glasswood with 6 mm pre-laminated plywood (having colour as per buyer's choice) - fixed with aluminium stiffener and rivets, N.A, The interior shall be aesthetically finished. All vertically and horizontal corners shall be neatly and smoothly finished with suitable Aluminum sections. All inner paneling shall be done by decorative laminated board
FRAME MATERIAL	Roof frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Made of MS having stiffner Top 50 mm x 25 mm x 2.5 mm thick and 32 mm x 32 mm x 2 mm MS sq. tubes, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Top frame MS tube 80 mm X 80 mm (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
	Side Panel frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Pillar of 150 mm x 50 mm x 25 mm x 4 mm MS section (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
	Floor panel frame	MS having 50 mm x 50 mm x 1.2 mm, MS having 50 mm x 50 mm x 1.5mm, MS having 50 mm x 50 mm x 2 mm, MS having 50 mm x 50 mm x 3 mm, To be made out with 1.2 mm MS folded section in required size and shape., MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., MS Tubular pipes of 50 mm x 50 mm heavy gauge., MS structure base frame C channel of size 125 mm x 75 mm and Base filling of MS tubular pipe of 80 mm x 40 mm, interconnecting MS pipe (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimensions and Thickness	Inside Length ± 15 mm	3050 mm
	Inside Width ± 15 mm	2440 mm
	Total Height (mm) ± 15mm	2135 mm, 2285 mm, 2440 mm, 2590 mm, 2750 mm, 2895 mm, 2550 mm
	Roof projection (if any) ± 10 mm	305 mm to be given on all sides at full height of cabins., 300 mm from the Eaves wall and 150 mm from the Gable walls., 380 mm to be given on all sides at full height of cabins., N.A
	Total thickness of Wall panel ± 2 mm	75 mm, 47 mm, 40 mm, 30 mm, 20 mm, 15 mm, 50 mm, 55 mm
	Total thickness of Door panel ± 2 mm	40 mm, 35 mm, 30 mm, 20 mm, 15 mm, 50 mm
	Roof ridge height ± 10 mm	Total height (i.e. height of side panels) + 610 mm, Total height (i.e. height of side panels) + 760 mm, N.A
	Almirah / Cabinet size ± 5 mm	760 mm x 405 mm x 750 mm, 760 mm x 405 mm x 1000 mm, 760 mm x 405 mm x 1220 mm, 760 mm x 405 mm x 1525mm, 760 mm x 405 mm x 1650 mm, N.A
MISCELENIIOUS	Electric fittings	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided., To be supplied alongwith 1 no. ISI marked 355 mm Wall fan with its fittings - 2 nos. 8 watt LED bulbs - one exhaust fan - Fitting and Fixtures for wall fan & exhaust fan and LEDs - 1 no. switch panel / board - 1 no. light plug point to charger., Only electric points to be provided for one fan - One light with switch board for room and one electric point for light in verandah with switch board., Provision for 3 nos. tube light (18 Watt LED light) - 2 nos. wall mounted ceiling fan (300 mm) - 3 nos. plug and socket (3 pin 5 amps electric plug socket)- 1 no main input socket (32 Amp heavy duty 3 pin power socket with MCB)- split AC (1.5 T) provision, N.A, 6 nos. LED/Tube lights - 6 nos. 5 Amp sockets - 3 nos. 15 Amp sockets - 3 nos. Fan wall mounted - 1 no. point for split AC - 1 no. Exhaust fan and MCB at suitable location., As per Buyer's choice
	Number of Windows	1 no. window
	Roof ridge	To be made out from 0.45 mm thick PPGI sheet., N.A
	Flashing item (U track, L corner etc)	To be made out with 0.45 mm thick PPGI sheet in require size and shape., N.A, As per Buyer's choice
	Locking / Security	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft., N.A, Door Locking arrangement from outside with separate handles on both sides of the door. Door fitted with lock and door closure fitted from inside.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
COLOUR AND FINISH	Colour	White, Green, Blue, Grey, As per Buyer's choice
	Top coat	Chlorinated rubber paint 50 microns., Bituminous paint., N.A
	Paint outside	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation., Weather texture roller paint, All exterior panels to be white and Blue texture excluding the acrylic / polycarbonate and aluminium frames., As per Buyer's choice, 1 coat primer and 2 coats of enamel exterior paint(colour as per buyer's choice), N.A
	Inside finish	Internal panels - doors - ceiling - shutter to be white finish (excluding polycarbonate / acrylic glass sheet and aluminium frames on windows), Weather texture roller paint., Wall internal cladding by 50 mm thick glasswood with 6 mm prelaminate plywood with white colour sunmica fixed with aluminium stiffener and rivets, As per Buyer's choice, Inner panelling in all walls and roof provided with Decorative laminated sheet fixed on moisture resistant plywood
	Logo (if any)	Approved logo of desired size to be painted as per Buyer's requirement., No logo
CERTIFICATION	Test reports to be furnished to buyer's on demand	Yes, No
	OEM of offered product is ISO 9001:2015 certified	Yes, No
	OEM of offered product is ISO 14001:2015 certified	Yes, No
	OEM of offered product is ISO 18001:2007 certified	Yes, No

Additional Specification Parameters - Steel Porta Cabin (27 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Bidder to note Technical Specifications given in ATC	Bidders are advised to note that irrespective of any values or parameters mentioned in the allowed/offered values of the golden grey parameters, the GeM product catalogue, the offered product specification documents, or any technical literature/leaflets, the specifications, parameters, and conditions stated in the Buyer's Specification Document and the Buyer-added ATC shall prevail and will be applicable to the item being offered

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	G Himanshu	442706,Regional Stores, WCL Ballarpur Area PO Sasti Distt Chandrapur (M.S) Pin 442 706	2	30
2	Surya Ramakrishnan	442403,Regional Stores, WCL, Durgapur Opencast, P.O. DURGAPUR Distt Chandrapur, (M.S)Pin 442 403	4	30
3	Samyak Sachchidanand Darunde	442505,Regional Stores, WCL P.O. GHUGUS COLLIERY Distt Chandrapur, M.S ; Pin 442 505	5	30
4	Manohar R	442503,Regional Stores, WCL New Majri, P.O. Shivaji Nagar Distt Chandrapur	2	30
5	Asaari Mahender	445304,Regional Stores, WCL Wani North Area , PO UKNI, Tahsil WANI Dist Yavatmal (MS)Pin 445 304	4	30
6	Swapnil Manik Dhok	441204,Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204	1	30
7	Ajinkya Pradeep Sagane	441109,Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109	4	30
8	Mandar Ramesh Patil	480447,Regional Stores, WCL Pench Area P.O CHANDAMETA Distt. Chhindwara, M.P 480447 GSTN: 23AAACW1578L1Z4	3	30
9	Sameer Pathak	480551,Regional Stores,WCL Kanhan Area, P.O Dongaria Distt Chhindwara, M.P. Pin 480551 GSTN: 23AAACW1578L1Z4	1	30
10	Shubham Singh	460449,Regional Stores, Western Coalfields Limited Pathakhera Area P.O.:- Pathakhera Colliery-460449, Distt.:-Betul.(M.P) GSTN: 23AAACW1578L1Z4	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Western Coalfields Limited
Account No.
10205966091
IFSC Code
SBIN0009060
Bank Name
STATE BANK OF INDIA
Branch address
COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---